JOURNAL OF
POLYMER SCIENCE

Combined Author Index to Volume 37

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science,* Vol. 37, 1999. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Abadie, M. J. M. See Seķ, D., 3523C
Abdul Karim, S. M. See Nanjo, K., 277C
Abe, Y. See Takamura, N., 1017C
Abematsu, H. See Koizumi, T., 3419C
Acierno, D.
—; Di Maio, L.; Iannelli, P.: Supramolecular Hexagonal Structure of a Segmented Liquid Crystalline Polyester with Allyl Group as Lateral Substituent, 1601P
—; See Incarnato, L., 2445
Adachi, K. See Khastgir, D., 3065P
Ahmed, S. M. See Patil, R. C., 4596C
Ahn, J.-H. See Lee, H.-J., 2355C
Aich, S.
—; Sengupta, T.; Bhattacharyya, A.; Basu, S.: Magnetic Field Effect on An Exciplex between *N*-Vinyl Carbazole Grafted on Cellulose Acetate Film and 1,4-Dicyanobenzene, 3910C
Aikens, P. A. See Li, F., 2863C
Aiki, Y. See Shimizu, S., 2195P
Aiko, W. See Uedono, A., 2875P
Airinei, A. See Dragan, S., 409C
Aizpurua, B. See Oyanguren, P. A., 2711P
Ajroldi, G. See Tonelli, C., 1609P
Akasaka, T. See Yoshida, T., 789C
Akashi, M. See Chen, M.-Q., 2155C; Serizawa, T., 801C, 1903C
Akita, H.
—; Hattori, T.: Studies on Molecular Composite. I. Processing of Molecular Composites Using a Precursor Polymer for Poly(*p*-phenylene benzobisthiazole), 189P
—; Kobayashi, H.: Studies on Molecular Composite. III. Nano Composites Consisting of Poly(*p*-phenylene benzobisthiazole) and Thermoplastic Polyamide, 209P
—; Kobayashi, H.; Hattori, T.; Kagawa, K.: Studies on Molecular Composite. II. Processing of Molecular Composites Using Copolymers Consisting of a Precursor of Poly(*p*-phenylene benzobisthiazole) and Aromatic Polyamide, 199P
Akutsu, F.
—; Inoki, M.; Shinoda, K.; Susukida, T.; Kasashima, Y.; Shimura, T.; Tsuchiya, M.: Thermal Polymerizations of Alkali 4-(2-bromoethyl)benzoates in Bulk, 2055C
Alam, M. A. See Dlubek, G., 1749P
Alam, T. M. See Loy, D. A., 129C
Alamo, R. G. See Isasi, J. R., 323P
Al-Arbash, A. H.
—; Elsagheer, F. A.; Ali, A. A. M.; Elsabee, M. Z.: Glass-Transition Temperature of Polydialkyl Fumarate Copolymers, 1839C
Alazawi, A. M. See Pyriadi, T. M., 427C
Albertsson, A.-C. See Edlund, U., 1877C; Ohrlander, M., 1643C, 1651C, 1659C; Stridsberg, K., 3407C
Alegría, A. See Puértolas, J. A., 1337P
Alessandrini, J. L. See Vega, D. A., 1121P
Al-Higari, M.
—; Birckner, E.; Heise, B.; Klemm, E.: Synthesis of Some Novel Heteroarylene Ethynylene Polymers Containing 1,10-Phenanthroline in the Polymer Backbone, 4442C
Ali, A. A. M. See Al-Arbash, A. H., 1839C
Alkan, S.
—; Toppare, L.; Hepuzer, Y.; Yagci, Y.: Block Copolymers of Thiophene-Capped Poly(methyl methacrylate) with Pyrrole, 4218C
Alsoy, S.
—; Duda, J. L.: Modeling of Multilayer Drying of Polymer Films, 1665P
Alston, W. B. See Turk, M. J., 3943C
Ameduri, B.
—; Bongiovanni, R.; Malucelli, G.; Pollicino, A.; Priola, A.: New Fluorinated Acrylic Monomers for the Surface Modification of UV-Curable Systems, 77C
—; Boutevin, B.; Kostov, G.; Petrov, P.; Petrova, P.: Synthesis and Polymerization of Fluorinated Monomers Bearing a Reactive Lateral Group—Part 8—Study of the Tetrafluoroethylene-

Propylene Rubber Modification by 4,5,5-Trifluoro-4-Penten-1-ol as a Comonomer, 3991C
Amelrijckx, J. See de Meuter, P., 2881P
Amitay-Sadovsky, E.
—; Wagner, H. D.: Hardness and Young's Modulus of Transcrystalline Polypropylene by Vickers and Knoop Microindentation, 523P
Amou, S.
—; Haba, O.; Shirato, K.; Hayakawa, T.; Ueda, M.; Takeuchi, K.; Asai, M.: Head-to-Tail Regioregularity of Poly(3-hexylthiophene) in Oxidative Coupling Polymerization with $FeCl_3$, 1943C
—; Nishimura, S.; Takahashi, A.; Hagiwara, T.; Hamana, H.; Narita, T.: Synthesis and Polymerization of *N*-(4-Tetrahydropyranyl-oxyphenyl)maleimide, 341C
—; Takeuchi, K.; Asai, M.; Niizeki, K.; Okada, T.; Seino, M.; Haba, O.; Ueda, M.: Synthesis of Regiocontrolled Polymer Having 2-Naphthol Unit by CuCl-amine Catalyzed Oxidative Coupling Polymerization, 3702C
An, L. See Wang, Z., 2682P
An, Y.
—; Li, L.; Dong, L.; Mo, Z.; Feng, Z.: Nonisothermal Crystallization and Melting Behavior of Poly(β-hydroxybutyrate)–Poly(vinyl-acetate) Blends, 443P
Anastasiadis, S. H. See Chrissopoulou, K., 3385P
Angelino, M. D.
—; Laibinis, P. E.: Polymer-Supported Salen Complexes for Heterogeneous Asymmetric Synthesis: Stability and Selectivity, 3888C
Angeloni, A. See Clingman, S. R., 405P
Angioletti, C. See Pucciariello, R., 679P
Angiolini, L.
—; Caretti, D.; Giorgini, L.; Salatelli, E.: Synthesis and Chiroptical Properties of Optically Active Photochromic Methacrylic Polymers Bearing in the Side Chain the (*S*)-3-Hydroxypyrrolidinyl Group Conjugated with the *trans*-Azoaromatic Chromophore, 3257C
Ansari, A. S. See Turk, M. J., 3943C
Anttila, U.
—; Hakala, K.; Helaja, T.; Löfgren, B.; Seppälä, J.: Compatibilization of Polyethylene/Polyamide 6 Blends with Functionalized Polyethylenes Prepared with Metallocene Catalyst, 3099C
Aoki, T. See Kaneko, T., 189C
Aponte, M. A. See Batista, A., 2581C
Arabuli, N. See Katsarava, R., 391C
Aragaki, E. See Yoshida, T., 789C
Arantes, G. M. See Regiani, A. M., 1357C
Aras, S. See Erbil, C., 1847C
Arbuckle, G. A. See Shah, H. V., 605P
Archer, L. A. See Chen, S.-P., 825P
Arenholz, E. See Schwödiauer, R., 2115P
Arita, I. See Taki, K., 1035P
Armistead, J. P. See Snow, A. W., 135C
Arrowsmith, D. See Kaminsky, W., 2959C
Arzhakov, M. S. See Shibaev, P. V., 2909P
Asai, M. See Amou, S., 1943C, 3702C; Yamakawa, Y., 3638C
Asai, S. See Chiba, T., 561P
Asano, A.
—; Eguchi, M.; Kurotu, T.: Solid-State ^{13}C NMR Study on Thermal Dehydration Process of Poly(methacrylic acid) (PMAA), 2007P
Ascenso, J. R. See Correia, S. G., 2471C; Marques, M. M., 2457C
Aseyev, V. O.
—; Juhanoja, J.; Tenhu, H.; Klenin, S. I.: Electron Microscopy Studies on the Coil-to-Globule Transition of a Polyelectrolyte in a Water–Acetone Mixture, 3337P
Asrar, J.
—; Synthesis and Properties of 4,4′-Biphenyldicarboxylic Acid and 2,6-Naphthalenedicarboxylic Acid, 3139C
—; Berger, P. A.; Hurlbut, J.: Synthesis and Characterization of a Fire-Retardant Polyester: Copolymers of Ethylene Terephthalate and 2-Carboxyethyl(phenylphosphinic) Acid, 3119C
Assouline, E.
—; Fulchiron. R.; Gerard, J.-F.; Wachtel, E.; Wagner, H. D.; Marom, G.: γ-Transcrystallization in Isotactic Polypropylene-Based Composites Promoted by Aramid Fibers, 2534P
Asthana, S.
—; Kennedy, J. P.: Star–Block Polymers of Multiple Polystyrene-*b*-Polyisobutylene Arms Radiating from a Polydivinylbenzene Core, 2235C
Asua, J. M. See de Buruaga, A. S., 2167C
Ataei, S. M. See Barikani, M., 2245C
Athawale, V. See Raut, S., 4302C
Auger, M. See Grohens, Y., 2985P
Avci, D.
—; Mathias, L. J.: Synthesis and Cyclopolymerization of Novel Allyl-Acrylate Quaternary Ammonium Salts, 901C
Avgeropoulos, A. See Pispas, S., 1329P
Avitabile, G.
—; Gentile, G.; Laurienzo, P.; Malinconico, M.; Martuscelli, E.; Riva, F.; Volpe, M. G.: Novel Poly(etheraroylhydrazides). An Example of "Conformationally Disordered Crystalline" Polymers, 1687P
Axelson, D. E.
—; Nyhus, A. K.: Solid-State Nuclear Magnetic Resonance Relaxation Times in Crosslinked Macroporous Polymer Particles of Divinylbenzene Homopolymers, 1307P
Ayala, D.
—; Lozano, A. E.; de Abajo, J.; de la Campa, J. G.: Novel Polyimides with *p*-Nitrophenyl Pendant Groups. Synthesis and Characterization, 3377C

—; Lozano, A. E.; de Abajo, J.; de la Campa, J. G.: Synthesis and Characterization of Novel Polyimides with Bulky Pendant Groups, 805C

Baalmann, A. See Mähl, S., 95C
Babkina, O. N. See Sukhova, T. A., 1083C
Bae, J. Y. See Ree, M., 1863C
Bae, Y. H. See Jeong, B., 751C
Baer, E. See Chen, H. Y., 2373P; Sekelik, D. J., 847P
Bai, F. See Zheng, M., 2587C
Baird, M. C. See Ewart, S. W., 4386C
Baker, W. E. See Ranganathan, S., 1609C, 3817C
Balanzat, E. See Steckenreiter, T., 4318C
Ball, J. See Pavel, D., 2334P
Baltá Calleja, F. J. See Flores, A., 3151P; Nogales, A., 37P
Baltes, T.
—; Garret-Flaudy, F.; Freitag, R.: Investigation of the LCST of Polyacrylamides as a Function of Molecular Parameters and the Solvent Composition, 2977C
Barakat, I.
—; DuBois, Ph.; Grandfils, Ch.; Jérôme, R.: Macromolecular Engineering of Polylactones and Polylactides. XXV. Synthesis and Characterization of Bioerodible Amphiphilic Networks and Their Use as Controlled Drug Delivery Systems, 2401C
Barbeau, Ph.
—; Gerard, J. F.; Magny, B.; Pascault, J. P.; Vigier, G.: Morphological Analysis of Photocured Polyurethane Acrylate Networks. Correlation with Viscoelastic Properties, 919P
Barham, P. J. See Hobbs, J. K., 3188P
Barikani, M.
—; Ataei, S. M.: Preparation and Properties of Polyimides and Polyamide-imides from Diisocyanates, 2245C
Barmatov, E. B.
—; Bobrovsky, A. Yu.; Pebalk, D. A.; Barmatova, M. V.; Shibaev, V. P.: Cholesteric Mesophase of the Hydrogen-Bonded Blends of Liquid Crystalline Ionogenic Copolymers with a Low Molecular Weight Chiral Dopant, 3215C
Barmatova, M. V. See Barmatov, E. B., 3215C
Barnes, J. D. See Musselman, S. G., 2586P
Bartl, A. See Kemp, N. T., 953P
Barton, B. F.
—; McHugh, A. J.: Kinetics of Thermally Induced Phase Separation in Ternary Polymer Solutions. I. Modeling of Phase Separation Dynamics, 1449P
—; See Graham, P. D., 1461P
Bartoň, J. See Capek, I., 3087C
Bassett, D. C. See Flores, A., 3151P
Bassi, M. See Tonelli, C., 1609P
Basu, S. See Aich, S., 3910C
Bates, F. S. See Lipic, P. M., 2229P; Weimann, P. A., 2053P
Batista, A.
—; Aponte, M. A.; Díaz, E.; Reyes, H. R.: Comparison of the Catalytic Activity of PHB–Depolymerase, Yeast Lipase, and Papain on Poly(ethylene adipate), Poly(ethylene succinate), and Poly(3-hydroxybutyric acid)-*co*-(3-hydroxyvaleric acid), 2581C
Batsberg, W. See Chen, X., 627C
Bauer, S. See Schwödiauer, R., 2115P
Bauer–Gogonea, S. See Schwödiauer, R., 2115P
Bauman, D. See Wolarz, E., 369P
Baysal, B. M. See Gürel, E. E., 2253P
Bayülken, S. See Ustamehmetoglu, B., 1115C
Beaucage, G.
—; Rane, S.; Schaefer, D. W.; Long, G.; Fischer, D.: Morphology of Polyethylene–Carbon Black Composites, 1105P
—; See Breiner, J. M., 1421P
Becker, U. See Sachinvala, N. D., 4019C
Bednarek, M.
—; Kubisa, P.: Cationic Copolymerization of Tetrahydrofuran with Ethylene Oxide in the Presence of Diols: Composition, Microstructure, and Properties of Copolymers, 3447C
Belfiore, L. A. See McCurdie, M. P., 301P
Bellinger, M. A. See Elley-Bristow, D. M., 2705P
Bello, A. See Hernández, M. C., 3038P
Benmouna, F.
—; Daoudi, A.; Roussel, F.; Buisine, J.-M.; Coqueret, X.; Maschke, U.: Equilibrium Phase Diagram of Polystyrene and 8CB, 1841P
Berek, D. See Nguyen, S. H., 267C
Berge, A. See Nyhus, A.-K., 3345C, 3973C
Berger, P. A. See Asrar, J., 3119C
Beridze, V. See Katsarava, R., 391C
Bernès, A. See Ibos, L., 715P
Bernes, A. See Menegotto, J., 3494P
Bero, M.
—; Dobrzyński, P.; Kasperczyk, J.: Synthesis of Disyndiotactic Polylactide, 4038C
Bershtein, V. A.
—; Yakushev, P. N.; Karabanova, L.; Sergeeva, L.; Pissis, P.: Heterogeneity of Segmental Dynamics around T_g and Nanoscale Compositional Inhomogeneity in Polyurethane/Methacrylate Interpenetrating Networks as Estimated by Creep Rate Spectroscopy, 429P
Bertini, V.
—; Pocci, M.; Picci, N.; Demunno, A.; Lucchesini, F.; Iemma, F.: Monomers, Polymers, Copolymers, Resins, and Coated Silicas Containing Benzylamine Residues Planned as Artificial Substrates of Benzylamine Oxidase, 3109C
Bertoniere, N. R. See Sachinvala, N. D., 4019C
Bertram, J. L. See Sue, H.-J., 2137P
Bevington, J. C.
—; Dillingham, K. A.; Huckerby, T. N.; Hunt, B. J.: Reactions of Vinyl Ethers with 2-Cyano-2-Propyl and Benzoyloxy Radicals, 771C
Beyer, F. L.
—; Gido, S. P.; Uhrig, D.; Mays, J. W.; Tan, N. B.; Trevino, S. F.: Morphological Behavior of A_2B_2 Star Block Copolymers, 3392P

Beyer, P. See Nordmeier, E., 335P
Bhagawan, S. S. See Varghese, H., 1815P
Bhattacharya, A. See Pavel, D., 2334P
Bhattacharya, M. See Mani, R., 1693C
Bhattacharyya, A. See Aich, S., 3910C
Bhatt, C. U.
—; Royer, J. R.; Hwang, C. R.; Khan, S. A.: Compressive Stress Relaxation of Metallocene-Based Polyolefin Foams: Effect of Gamma-Ray-Induced Crosslinking, 1045P
Bhatt, J. See Schultz, J. W., 1183P
Bi, S.
—; Zhang, Y.; Bu, H.; Luise, R. R.; Bu, J. Z.: Thermal Transition of a Wholly Aromatic Thermotropic Liquid Crystalline Copolyester, 3763C
Bidstrup Allen, S. A. See Grove, N. R., 3003P; Hodge, T. C., 311P
Bignozzi, M. See Clingman, S. R., 405P
Birckner, E. See Al-Higari, M., 4442C
Bisconti, L. See Choe, S., 1131P
Bjornholm, T. See Shibaev, P. V., 2909P
Blais, M. See Correia, S. G., 2471C
Blanchard, E. J. See Sachinvala, N. D., 4019C
Blanco, J. See Monrabal, B., 89C
Blease, T. See Soula, O., 4205C
Bleha, T. See Cifra, P., 2013P
Blissett, M. J. See Shahin, M. M., 2279P
Blythe, P. J.
—; Klein, A.; Phillips, J. A.; Sudol, E. D.; El-Aasser, M. S.: Miniemulsion Polymerization of Styrene Using the Oil-Soluble Initiator AMBN, 4449C
Bobrovsky, A. Yu. See Barmatov, E. B., 3215C
Bol'Shakov, B. V. See Grebenkin, S. Yu., 1753P
Bondar, V. I.
—; Freeman, B. D.; Pinnau, I.: Gas Sorption and Characterization of Poly(ether-*b*-amide) Segmented Block Copolymers, 2463P
—; See De Angelis, M. G., 3011P
Bond, E. B.
—; Spruiell, J. E.; Lin, J. S.: A WAXD/SAXS/DSC Study on the Melting Behavior of Ziegler–Natta and Metallocene Catalyzed Isotactic Polypropylene, 3050P
Bongiovanni, R. See Ameduri, B., 77C
Boogh, L. See Jannerfeldt, G., 2069P
Bordi, F.
—; Cametti, C.; Motta, A.: High-Frequency Dielectric and Conductometric Properties of Poly-l-lysine Aqueous Solutions at the Crossover Between Semidilute and Entangled Regime, 3123P
Borsenberger, P. M.
—; Gruenbaum, W. T.; Magin, E. H.; Visser, S. A.; Schildkraut, D. E.: Hole Trapping in Molecularly Doped Polymers, 349P
Bosman, P. J. See Samson, J. J. C., 219C
Bou, J. J.
—; Iribarren, I.; Martínez de Ilarduya, A.; Muñoz-Guerra, S.: Stereoregular Polyamides Entirely Based on Tartaric Acid, 983C
Boutevin, B. See Ameduri, B., 3991C
Boutherin, B. See Flandin, L., 805P
Bracon, F.
—; Guittard, F.; Taffin De Givenchy, E.; Cambon, A.: Highly Fluorinated Monomers Precursors of Side-Chain Liquid Crystalline Polysiloxanes, 4487C
Brandolini, A. J. See Kissin, Y. V., 4273C, 4281C
Brant, M. See Jiang, H., 769P
Brar, A. S.
—; Dutta, K.: Microstructural Characterization of Acrylonitrile/Pentyl Acrylate Copolymers by One and 2-D NMR Spectroscopy, 533C
—; Hekmatyar, S. K.: Investigation of Microstructure of the Acrylonitrile-Styrene Copolymers by 2-D NMR Spectroscopy, 721C
—; Thiyagarajan, M.: Sequencing of Trans-4-methacryloyloxy-azobenzene/Vinylidene Chloride Copolymers by One- and Two-Dimensional NMR Spectroscopy, 3179C
—; See Dutta, K., 551C, 3922C
Bravaya, N. M. See Sukhova, T. A., 1083C
Brechet, Y. See Flandin, L., 805P
Brehmer, M. See Clingman, S. R., 405P
Breiner, J. M.
—; Mark, J. E.; Beaucage, G.: Dependence of Silica Particle Sizes on Network Chain Lengths, Silica Contents, and Catalyst Concentrations in *In Situ*-Reinforced Polysiloxane Elastomers, 1421P
Britt, I. J. See Zhang, Z., 691P
Brittain, W. J. See Warmkessel, J. R., 615C
Britto, L. J. D.
—; Soares, J. B. P.; Penlidis, A.; Krukonis, V.: High-Density Polyethylene Fractionation with Supercritical Propane, 553P
—; Soares, J. B. P.; Penlidis, A.; Monrabal, B.: Polyolefin Analysis by Single-Step Crystallization Fractionation, 539P
Brodil, J. C. See Weimann, P. A., 2053P
Broerman, A. W. See Venerus, D. C., 1069P
Brook, B. W. See Liu, Z., 313C
Brooks, B. W. See Sajjadi, S., 3957C
Brown, P. See Ebdon, J. R., 2127P
Bruch, M.
—; Burgath, A.; Loontjens, T.; Mülhaupt, R.: Synthesis and Characterization of Polyesteramides Derived from an Oxazoline-Functional Alcohol and Dicarboxylic Acid Anhydrides, 3367C
Brule, B. See Choe, S., 1131P
Brzezinska, K. R.
—; Wagener, K. B.; Burns, G. T.: Silicon-Terminated Telechelic Oligomers by ADMET Chemistry: Synthesis and Copolymerization, 849C
Bu, H. See Bi, S., 3763C; Liu, Y., 369C
Bu, J. Z. See Bi, S., 3763C

Bucca, D.
—; Keller, T. M.: Oxidation-Resistant Thermosets Derived from Thermal Copolymerization of Acetylenic Monomers Containing Boron and Silicon, 4356C
Buchhold, R. See Dlubek, G., 2539P
Buckley, L. J. See Snow, A. W., 135C
Buckley, R. G. See Kemp, N. T., 953P
Bucknall, D. G. See Kraus, J., 2862P
Buisine, J.-M. See Benmouna, F., 1841P
Bukovnik, R. See Jackson, N. R., 1863P
Bunning, T. J. See Jiang, H., 769P
Burford, R. See Cass, P., 3277C
Burgath, A. See Bruch, M., 3367C
Burger, C. See Zhou, S., 2165P
Burghardt W. R.
—; Introduction: Historical Notes in Polymer Physics, 617P
—; See Cinader, D. K., Jr., 3411P
Burns, G. T. See Brzezinska, K. R., 849C
Byers, J. D. See Havard, J. M., 1225C
Bywater, S.
—; Absolute Propagation Constants in Vinyl Polymerization, 4467C

Cabasso, I. See Lin, S., 4043C
Cai, J. J.
—; Salovey, R.: Model Filled Rubber. II. Particle Composition Dependence of Suspension Rheology, 815P
Cai, R. See Chen, Y., 3745C
Cai, W. See Yu, J., 2806P
Calabrese, V. T.
—; Khan, A.: Amylose-Iodine Complex Formation without KI: Evidence for Absence of Iodide Ions within the Complex, 2711C
Calleja, F. J. B. See Fakirov, S., 1413P
Cambon, A. See Bracon, F., 4487C
Cametti, C. See Bordi, F., 3123P
Cantrell, G. R.
—; McDowell, C. C.; Freeman, B. D.; Noël, C.: The Influence of Annealing on Thermal Transitions in a Nematic Copolyester, 505P
Cao, H.
—; He, Y.; Zhang, R.; Yuan, J.-P.; Sandreczki, T. C.; Jean, Y. C.; Nielsen, B.: Degradation of Polymer Coating Systems Studied by Positron Annihilation Spectroscopy. II. Correlation with Free Radical Formation, 1289P
Cao, L.
—; Pittman, C. U., Jr.: Cationic Polymerizations of Substituted 2-Methylene-1,3-Dioxocyclic Acetals, 2-Methylene-1,3-Dithiolane and Copolymerization of 2-Methylene-1,3-Dithiolane with 4-(*t*-Butyl)-2-Methylene-1,3-Dioxolane[1], 2823C
—; Wu, Z.; Pittman, C. U., Jr.: Relative Reactivities of Cyclic Ketene Acetals via Cationic 1,2-Vinyl Addition Copolymerization[1], 2841C
Cao, S.-G. See Dong, H., 1265C
Cao, W.
—; Meng, Z.; Yie, T.; Zhang, D.; Yang, B.: Interaction of Sodium Dodecyl Sulfate with Polyelectrolyte Complexes Derived from Diazoresin and Sulfonate-Containing Polymers, 2601C
Capaccio, G. See Matthews, R. G., 51P
Capek, I.
—; Murgašová, R.; Lath, D.; Lathová, E.; Juraničová, V.; Bartoň, J.: Dispersion Copolymerization of Polyoxyethylene Macronomer and Styrene 4. Solution Properties of Polystyrene-*graft*-Polyoxyethylene Copolymers, 3087C
Capek, I. See Lin, S.-Y., 4422C
Capitani, D. See Paradossi, G., 1225P
Cardi, N. See Po, R., 1053C
Carella, J. M. See Pardo, E., 1949P; Tomba, J. P., 3097P
Caretti, D. See Angiolini, L., 3257C
Carlin, C. M. See Ogle, C. A., 1157C
Carr, A. M. See Kemp, N. T., 953P
Casas, M. T. See Paredes, N., 2521P
Cass, P.
—; Pratt, K.; Mann, T.; Laslett, B.; Rizzardo, E.; Burford, R.: Investigation of Methylaluminoxane as a Cocatalyst for the Polymerization of 1,3-Butadiene to High *cis*-1,4-Polybutadiene, 3277C
Castro, M. See Puértolas, J. A., 1337P
Cava, M. P. See Han, Z., 461P
Cavaillé, J. Y. See Chazeau, L., 2151P; Flandin, L., 805P
Cavalieri, F. See Paradossi, G., 1225P
Centore, R.
—; Concilio, S.; Panunzi, B.; Sirigu, A.; Tirelli, N.: Nonlinear Optical Properties of Some Side Chain Copolymers Based on Benzoxazole Containing Chromophores, 603C
Chacko, A. P. See Nikles, D. E., 2339C
Chaffin, K. A. See Weimann, P. A., 2053P
Cham, P.-M. See Srikhirin, T., 1771C
Chan, C.-M. See Zheng, S., 2329C
Chan, M.-J. See Wu, C.-G., 1763P
Chang, C. J.
—; Whang, W. T.; Hsu, K. Y.; Hsieh, M. L.: Effect of the Sensitizer on the Properties of Fully Functionalized Photorefractive Epoxy Polymers and Their Performance in the Hologram Image Storage, 1057P
Chang, F.-C. See Chu, P. P., 1155P; Li, Y-S., 3614C; Wang, X., 837P
Chang, J. Y. See Han, M. J., 3361C
Chang, T. See Jung, J. H., 3329C; Ruaan, R.-C., 1495P
Chang, T. C.
—; Wu, K. H.; Liao, C. L.; Wang, G. P.: Characterization and Degradation of Poly(methylphenylsiloxane)–Poly(methyl methacrylate) Interpenetrating Polymer Networks, 1717C
—; See Wu, K. H., 2275C
Chang, T.-C. See Sun, S.-J., 1125C
Chapman, B. See Kemp, N. T., 953P
Chapman, T. M. See Orban, J. M., 3537C
Charmot, D. See Nair, C. P. R., 2511C

Chartoff, R. P. See Schultz, J. W., 1183P
Chaubal, C. V.
—; Leal, L. G.: Effects of Flexibility on Liquid Crystalline Polymer Behavior: The Nematic Broken Rod, 281P
Chauhan, G. S.
—; Guleria, L. K.; Misra, B. N.; Kaur, I.: Polymers from Renewable Resources. II. A Study in the Radio Chemical Grafting of Poly(styrene-*alt*-maleic anhydride) onto Cellulose Extracted from Pine Needles, 1763C
Chaumont, P. See Nair, C. P. R., 2511C
Chazeau, L.
—; Paillet, M.; Cavaillé, J. Y.: Plasticized PVC Reinforced with Cellulose Whiskers. I. Linear Viscoelastic Behavior Analyzed through the Quasi-Point Defect Theory, 2151P
Chen, B.-Q.
—; Kameyama, A.; Nishikubo, T.: Novel Synthesis of Polyethers by the Polyaddition of Bis(epoxide)s with Bis(phosphinate)s, 1009C
Chen, C. See Wang, J., 1957C
Chen, C.-H.
—; Lee, W.-C.: Preparation of Methyl Methacrylate and Glycidyl Methacrylate Copolymerized Nonporous Particles, 1457C
Chen, D. See Xie, W., 3486C
Chen, H.-L. See Hsu, C.-S., 3929C
Chen, H.-T. See Shieh, Y.-T., 4126C
Chen, H. Y.
—; Stephanov, E. V.; Chum, S. P.; Hiltner, A.; Baer, E.: Creep Behavior of Amorphous Ethylene–Styrene Interpolymers in the Glass Transition Region, 2373P
Chen, J.-A. See Yang, C.-P., 1681C
Chen, J.-W.
—; Chen, L.-W.: The Kinetics of Diethylene Glycol Formation from Bis-hydroxyethyl Terephthalate with Antimony Catalyst in the Preparation of PET, 1797C
Chen, K. S.
—; Yu, T. L.; Tseng, Y. H.: Effect of Polyester Zigzag Structure on the Phase Segregation of Polyester-Based Polyurethanes, 2095C
Chen, L.-W. See Chen, J.-W., 1797C
Chen, M.
—; Yang, T.-C.: Diagnostic Analysis of Styrene Plasma Polymerization, 325C
Chen, M.-Q.
—; Serizawa, T.; Kishida, A.; Akashi, M.: Graft Copolymers Having Hydrophobic Backbone and Hydrophilic Branches. XXIII. Particle Size Control of Poly(ethylene glycol)-Coated Polystyrene Nanoparticles Prepared by Macromonomer Method, 2155C
Chen, R.-S. See Yang, C.-P., 2421C
Chen, S. See Huang, X., 825C
Chen, S.-A. See Shieh, Y.-T., 483C; 4198C
Chen, S.-P.
—; Archer, L. A.: Relaxation Dynamics of Salt-Free Polyelectrolyte Solutions Using Flow Birefringence and Rheometry, 825P
Chen, T. K.
—; Tien, Y. I.; Wei, K. H.: Synthesis and Characterization of Novel Segmented Polyurethane/Clay Nanocomposite via Poly(ε-caprolactone)/Clay, 2225C
Chen, T.-M. See Wang, Y.-F., 1293C
Chen, W.
—; Toda, A.; Moon, I.-K.; Wunderlich, B.: Analysis of Transitions of Liquid Crystals and Conformationally Disordered Crystals by Temperature-Modulated Calorimetry, 1539P
Chen, X.
—; Jankova, K.; Kops, J.; Batsberg, W.: Hydrolysis of 4-Acetoxystyrene Polymers Prepared by Atom Transfer Radical Polymerization, 627C
—; Ruckenstein, E.: Thermally Reversible Linking of Halide-Containing Polymers by Potassium Dicyclopentadiene-dicarboxylate, 4390C
Chen, Y.
—; Lin, K.-C.: Radical Polymerization of Styrene in the Presence of C_{60}, 2969C
—; Wang, J.; Shen, J.; Cai, R.; Huang, Z.: Bulk Polymerization of *N*-Vinylcarbazole Initiated by C_{60}, 3745C
—; See Xu, Z., 2719C
Chen, Y.-C.
—; Chiu, W.-Y.; Lin, K.-F.: Kinetics Study of Imidazole-Cured Epoxy-Phenol Resins, 3233C
Cheng, H. N. See Xie, W., 3486C
Cheng, L. See Jian, X. G., 1565C
Cheng, L.-P.
—; Lin, D.-J.; Shih, C.-H.; Dwan, A.-H.; Gryte, C. C.: PVDF Membrane Formation by Diffusion-Induced Phase Separation-Morphology Prediction Based on Phase Behavior and Mass Transfer Modeling, 2079P
Cheng, S. See Xu, Z., 2719C; Yan, C., 2649C
Cheng, S.-X.
—; Chung, T.-S.; Mullick, S.: Effects of Monomer Structures on the Evolution of Liquid–Crystal Texture and Crystallization During Thin-Film Polymerization, 3084P
Cheng, S. Z. D. See McCreight, K. W., 1633P
Cheng, X.
—; Luo, X.; Li, Z.; Ma, D.: Proton NMR Characterization of Chain Structure in Butylene Terephthalate-ε-Caprolactone Copolyesters, 3770C
Cheng, Z.-Y.
—; Gross, S.; Su, J.; Zhang, Q. M.: Pressure-Temperature Study of Dielectric Relaxation of a Polyurethane Elastomer, 983P
—; See Xu, H.-S., 2845P
Chern, C.-S.
—; Lee, C.-K.; Ho, C.-C.: Synthesis and Characterization of Chitosan-Modified Polymethyl Methacrylate Latex Particles, 1489C
—; Liou, Y.-C.: Styrene Miniemulsion Polymerization Initiated by 2,2′-Azobisisobutyronitrile, 2537C
—; See Lin, S.-Y., 4422C
Chern, Y.-T. See Hsiao, S.-H., 1619C; Liou, G.-S., 645C
Chiang, C.-R. See Chu, P. P., 1155P

Chiba, T.
—; Asai, S.; Xu, W.; Sumita, M.: Analysis of Crystallization Behavior and Crystal Modifications of Poly(butylene-2,6-naphthalene dicarboxylate), 561P
Chien, J. C. W.
—; Iwamoto, Y.; Rausch, M. D.: Homogeneous Binary Zirconocenium Catalysts for Propylene Polymerization. II. Mixtures of Isospecific and Syndiospecific Zirconocene Systems, 2439C
—; See Correia, S. G., 2471C; Marques, M. M., 2457C
Chien, L.-N. See Wu, C.-G., 1763P
Chino, K.
—; Takata, T.; Endo, T.: Polymerization of *o*-Quinodimethanes. III. Polymerization of *o*-Quinodimethanes Bearing Electron-Withdrawing Groups Formed *in Situ* by Thermal Ring-Opening Isomerization of Corresponding Benzocyclobutenes, 1555C
—; Takata, T.; Endo, T.: Synthesis of a Poly(vinyl ether) Containing a Benzocyclobutene Moiety and Its Reaction with Dienophiles, 59C
Chira, E. See Kapantaidakis, G. C., 2788P
Chisholm, M. S. See Warmkessel, J. R., 615C
Chiu, W.-Y. See Chen, Y.-C., 3233C
Chiu, Y. S. See Wu, K. H., 2275C
Cho, D.-J. See Jeon, S.-J., 877C
Cho, K. See Lee, K., 1387P
Cho, T. J. See Han, M. J., 3361C
Cho, W.-J. See Kim, Y.-H., 4135C; Lee, S.-M., 2619C; Park, J.-G., 1589C, 2113C
Choe, S.
—; Brule, B.; Bisconti, L.; Halary, J. L.; Monnerie, L.: On the Viscoelastic and Plastic Behavior of Semiaromatic Polyamides, 1131P
—; See Lee, K., 1387P
Choi, B. K. See Yamamoto, T., 2544P
Choi, C.-S. See Kim, I., 1523C
Choi, E.-J.
—; Kim, C.-H.; Park, J.-K.: Structure–Property Relationship in PCL/Starch Blend Compatibilized with Starch-*g*-PCL Copolymer, 2430P
Choi, K.-Y. See Yi, M. H., 3441C
Choi, S. W.
—; Choi, S. Y.; Jeong, B.; Kim, S. W.; Lee, D. S.: Thermoreversible Gelation of Poly(ethylene oxide) Biodegradable Polyester Block Copolymers. II, 2207C
Choi, S. Y. See Choi, S. W., 2207C
Choi, W.-M. See Lee, S.-M., 2619C
Choi, W.-S.
—; Mikhael, M. G.; Padias, A. B.; Hall, H. K., Jr.: Effect of Lithium Perchlorate on the Spontaneous Copolymerization of 4-Vinylpyridine with Various Electron-Rich Vinyl Monomers, 1709C
—; Yuan, W.; Padias, A. B.; Hall, H. K., Jr.: Synthesis and Thermal Characterization of Poly(dimethyl bicyclobutane-1,3-dicarboxylate) and Its Copolymers, 1569C
Choi, Y. See Yoshida, T., 789C
Choi, Y. H. See Park, J.-S., 2305C
Choy, C. L.
—; Wong, Y. W.; Yang, G. W.; Kanamoto, T.: Elastic Modulus and Thermal Conductivity of Ultradrawn Polyethylene, 3359P
Chrissopoulou, K.
—; Harville, S.; Anastasiadis, S. H.; Fytas, G.; Mays, J. W.; Hadjichristidis, N.: Macromolecular Architecture Effects on Block Copolymer Dynamics. II. A_2B Simple Grafts, 3385P
Christopoulou, V. See Dondos, A., 379P Chu, B. See Liu, L.-Z., 779P
Chu, B. See Yeh, F., 3115P; Zhou, S., 2165P
Chu, C. See Weimann, P. A., 2053P
Chu, C. C. See Katsarava, R., 391C; Lee, K. H., 3558C; Zhang, Y., 4554C
Chu, P. P.
—; Huang, J.-M.; Wu, H.-D.; Chiang, C.-R.; Chang, F.-C.: Molecular Dynamics and Mechanical Properties Correlations of PA6/PPO Blends Compatibilized with SMA, 1155P
Chuang, K. C.
—; Scheiman, D. A.; Fu, J.; Crawford, M.: Synthesis and Characterization of Polyimides with Ether Linkages, 2559C
Chuang, M.-H. See Hsiao, S.-H., 3575C, 4510C
Chum, S. P. See Chen, H. Y., 2373P
Chung, C.-Y. See Liaw, D.-J., 2815C
Chung, J.
—; Killam, L. M.; Gauthier, M.: Chemical Modification of Poly(methylphenylsiloxane), 653C
Chung, T. C. See Lu, H. L., 2795C, 4176C
Chung, T.-S.
—; Xu, Z.-L.; Huan, C.-H. A.: Halo Formation in Asymmetric Polyetherimide and Polybenzimidazole Blend Hollow Fiber Membranes, 1575P
—; See Cheng, S.-X., 3084P; Shieh, J.-J., 2851P
Cifra, P.
—; Bleha, T.: Simulations of Elongation of Supercoiled and Biopolymer Networks, 2013P
Cimmino, S.
—; D'Alma, E.; Di Lorenzo, M. L.; Di Pace, E.; Silvestre, C.: Blends of Isotactic Polypropylene and Natural Terpene Resins. I. Phase Structure, Thermal, and Dynamic-Mechanical Properties, 867P
Cinader, D. K., Jr.
—; Burghardt, W. R.: X-ray Scattering Studies of Orientation in Channel Flows of a Thermotropic Liquid–Crystalline Polymer, 3411P
Clingman, S. R.
—; Mao, G.; Ober, C. K.; Colby, R. H.; Brehmer, M.; Zentel, R.; Bignozzi, M.; Laus, M.; Angeloni, A.; Gillmor, J. R.: Effect of Polymer Architecture on Self-Diffusion of LC Polymers, 405P
Colby, R. H. See Clingman, S. R., 405P; Gillmor, J. R., 2287P; Krause, W. E., 3429P
Compañ, V.
—; Guzmán, J.; Díaz-Calleja, R.; Riande, E.: Relaxation

Behavior of Methacrylic Polymers with Bulky Hydrophilic Groups in Their Structures, 3027P
Concilio, S. See Centore, R., 603C
Condo, P. D. See Han, S. J., 2835P
Connelly, R. W. See Gillmor, J. R., 2287P
Cook, D. C. See Pitsikalis, M., 4337C
Cooper-White, J. J.
—; MacKay, M. E.: Rheological Properties of Poly(lactides). Effect of Molecular Weight and Temperature on the Viscoelasticity of Poly(*l*-lactic acid), 1803P
Coote, M. L.
—; Davis, T. P.: Assessment of Errors in the Determination of Mark-Houwink-Sakurada and Stockmayer-Fixman Constants Using Size-Exclusion Chromatography with On-Line Viscometric Detection: Analyses of Poly(p-Substituted Styrenes) in Tetrahydrofuran, 2557P
Coqueret, X. See Benmouna, F., 1841P
Correia, N. T.
—; Ramos, J. J. M.: Dipolar Motions and Phase Transitions in a Side-Chain Polysiloxane Liquid Crystal. A Study by Thermally Stimulated Depolarization Currents, 227P
Correia, S. G.
—; Marques, M. M.; Ascenso, J. R.; Ribeiro, A. F. G.; Gomes, P. T.; Dias, A. R.; Blais, M.; Rausch, M. D.; Chien, J. C. W.: Polymerization with TMA-Protected Polar Vinyl Comonomers. II. Catalyzed by Nickel Complexes Containing α-Diimine-type Ligands, 2471C
—; See Marques, M. M., 2457C
Cortázar, O. D. See Oyanguren, P. A., 2711P
Costa, C. N.
—; Patrickios, C. S.: Near-Monodisperse α-Hydroxy and α,ω-Dihydroxy Amine-Based Polymers: Synthesis and Characterization, 1597C
Covas, J. A. See Machado, A. V., 1311C
Cowans, B. A. See Scott, R. A., 1953P
Crawford, M. See Chuang, K. C., 2559C
Creber, K. A. M. See Knaul, J. Z., 1079P
Crescenzi, V. See Paradossi, G., 1225P
Crist, B.
—; Mirabella, F. M.: Crystal Thickness Distributions from Melting Homopolymers or Randon Copolymers, 3131P
Cristea, M. See Dragan, S., 409C
Crivello, J. V.
—; The Discovery and Development of Onium-Salt Cationic Photoinitiators, 4241C
—; Kong, S.: Photoinitiated Cationic Oligomerization of Aryl 1-Propenyl Ethers, 3017C
—; Liu, S. S.: Synthesis and Cationic Photopolymerization of Monomers Based on Nopol, 1199C
—; Rajaraman, S. K.: Dicobalt Octacarbonyl-Catalyzed Tandem Isomerization and Cationic Polymerization of Functionalized Allylic Ethers, 687C
—; Song, S.: The Synthesis and Cationic Photopolymerization of Monomers Based on Dicyclopentadiene, 3427C
—; See Kaur, S., 199C; Rajaraman, S. K., 4007C
Crosby, A. J.
—; Shull, K. R.: Adhesive Failure Analysis of Pressure-Sensitive Adhesives, 3455P
Cuculo, J. A. See Raghavan, J. S., 1565P
Curts, C. L. See Gavrin, A. J., 4184C

D. A. di Marzio
—; My Research on the Nature of Phase Transitions in Polymers, 617P
Dahan, D. See Mecerreyes, D., 2447C
Dai, L. See Liu, Y., 369C
Dai, L.-R. See Hsiao, S.-H., 665C, 1169C, 2129C
D'Alma, E. See Cimmino, S., 867P
Damman, P. See Paternostre, L., 1197P
Daoudi, A. See Benmouna, F., 1841P
da Rosa, M. B. See dos Santos, J. H. Z., 1987C
Davankov, V. A.
—; Ilyin, M. M.; Timofeeva, G. I.; Tsyurupa, M. P.; Yaminsky, I. V.: Atomic Force Microscopy Imaging of Novel Macromolecular Species, Nanosponges, and Their Clusters, 1451C
—; See Pastukhov, A. V., 2324P
David, C. See Lefèbvre, X., 1P
David, L. See Hajji, P., 3172P
Davis, T. P. See Coote, M. L., 2557P
De Abajo, J. See Ayala, D., 805C, 3377C; Lozano, A. E., 4646C
Deák, Gy. See Soós, L., 545C
De Angelis, M. G.
—; Merkel, T. C.; Bondar, V. I.; Freeman, B. D.; Doghieri, F.; Sarti, G. C.: Hydrocarbon and Fluorocarbon Solubility and Dilation in Poly(dimethylsiloxane): Comparison of Experimental Data with Predictions of the Sanchez-Lacombe Equation of State, 3011P
de Buruaga, A. S.
—; de la Cal, J. C.; Asua, J. M.: Modeling Inverse Microemulsion Polymerization, 2167C
Degée, Ph.
—; DuBois, Ph.; Jacobsen, S.; Fritz, H.-G.; Jérôme, R.: Beneficial Effect of Triphenylphosphine on the Bulk Polymerization of L,L-Lactide Promoted by 2-Ethylhexanoic Acid Tin (II) Salt, 2413C
de Gunzbourg, A. See Jutier, J.-J., 1027C
de la Caba, K.
—; Guerrero, P.; Gavalda, J.; Mondragon, I.: Fracture Behavior–Morphology Relationships in an Unsaturated Polyester Resin Modified with a Liquid Oligomer, 1677P
de la Cal, J. C. See de Buruaga, A. S., 2167C
De La Campa, J. G. See Ayala, D., 805C, 3377C; Lozano, A. E., 4646C
De La Rosa, L. V.
—; Sudol, E. D.; El-Aasser, M. S.; Klein, A.: Emulsion Polymerization of Styrene Using Reaction Calorimeter.

I. Above and Below Critical Micelle Concentration, 4054C
—; Sudol, E. D.; El-Aasser, M. S.; Klein, A.: Emulsion Polymerization of Styrene Using Reaction Calorimeter. II. Importance of Maximum in Rate of Polymerization, 4066C
—; Sudol, E. D.; El-Aasser, M. S.; Klein, A.: Emulsion Polymerization of Styrene Using Reaction Calorimeter. III. Effect of Initial Monomer/Water Ratio, 4073C
Delgado, J. A. See González-Velasco, J. R., 4309C
de Meuter, P.
—; Amelrijckx, J.; Rahier, H.; van Mele, B.: Isothermal Crystallization of Concentrated Amorphous Starch Systems Measured by Modulated Differential Scanning Calorimetry, 2881P
Demonceau, A. See Mecerreyes, D., 2447C
Demont, P. See Menegotto, J., 3494P
Demunno, A. See Bertini, V., 3109C
de Rosa, M. E. See Jiang, H., 769P
Desimone, J. M. See Shiho, H., 2429C
De Souza, R. F. See Simon, L. C., 4656C
Dias, A. R. See Correia, S. G., 2471C; Marques, M. M., 2457C
Díaz, E. See Batista, A., 2581C
Díaz-Calleja, R. See Compañ, V., 3027P; Pérez-Feito, R., 2486P
Dillingham, K. A. See Bevington, J. C., 771C
Di Lorenzo, M. L.
—; Zhang, G.; Pyda, M.; Lebedev, B. V.; Wunderlich, B.: Heat Capacity of Solid-State Biopolymers by Thermal Analysis, 2093P
—; See Cimmino, S., 867P
Di Maio, L. See Acierno, D., 1601P
Ding, M. See Dong, D., 211C; Han, F., 3680C; Huang, W., 1907C; Huang, Y., 4640C; Mi, Q., 4536C; Song, N., 3147C; Tong, Y., 1425C
Ding, Q.
—; Zhang, L.; Wu, C.: Formation and Structure of Pachyman Aggregates in Dimethyl Sulfoxide Containing Water, 3201P
Ding, Y.
—; Hay, A. S.: Synthesis of Highly Fluorescent Materials: Isoindole-Containing Polymers, 3293C
—; Padias, A. B.; Hall, H. K., Jr.: Chemical Trapping Experiments Support a Cation-Radical Mechanism for the Oxidative Polymerization of Aniline, 2569C
Di Pace, E. See Cimmino, S., 867P
Dlubek, G.
—; Alam, M. A.; Stolp, M.; Radusch, H.-J.: Note. The Local Free Volume in Blends of Acrylonitrile-Butadiene-Styrene Copolymer and Polyamide 6. A Positron Lifetime Study, 1749P
—; Buchhold, R.; Hübner, CH.; Nakladal, A.; Sahre, K.: Local Free Volumes in Boron-Bombarded Kapton Polyimide: A Positron Lifetime Study, 2539P
Do, Y. See Kim, I., 2763C
Dobrzyński, P. See Bero, M., 4038C
Doghieri, F. See De Angelis, M. G., 3011P
Dolce, T. J. See Hanley, S. J., 3473C
Domb, A. J. See Teomim, D., 3337C
Dondos, A.
—; Christopoulou, V.; Papanagopoulos, D.: The Influence of the Molecular Mass of Two Incompatible Polymers on Their Miscibility in the Solid State without Compatibilizer after Casting from Solution, 379P
Dong, A.
—; Wan, T.; Feng, S.; Sun, D.: IR Spectra Studies of Core-Shell Type Waterborne Polyacrylate-Polyurethane Microemulsions, 2642P
Dong, D.
—; Zhuang, H.; Li, G.; Ni, Y.; Ding, M.: Synthesis and Characterization of Thermotropic Liquid Crystalline Poly(ester imide)s, 211C
Dong, H.
—; Cao, S.-G.; Li, Z.-Q.; Han, S.-P.; You, D.-L.; Shen, J.-C.: Study on the Enzymatic Polymerization Mechanism of Lactone and the Strategy for Improving the Degree of Polymerization, 1265C
Dong, L. See An, Y., 443P
Dordick, J. S. See Liu, X.-C., 1665C
Dorkenoo, K. D.
—; Pfromm, P. H.: Experimental Evidence and Theoretical Analysis of Physical Aging in Thin and Thick Amorphous Glassy Polymer Films, 2239P
Dosière, M. See Paternostre, L., 1197P
dos Santos, J. H. Z.
—; da Rosa, M. B.; Krug, C.; Stedile, F. C.; Haag, M. C.; Dupont, J.; Forte, M. D.: Effects of Ethylene Polymerization Conditions on the Activity of SiO_2-Supported Zirconocene and on Polymer Properties, 1987C
Douglas, E. P. See Gavrin, A. J., 4184C
Dragan, D. See Dragan, S., 409C
Dragan, S.
—; Dragan, D.; Cristea, M.; Airinei, A.; Ghimici, L.: Polyelectrolyte Complexes. II. Specific Aspects of the Formation of Polycation/Dye/Polyanion Complexes, 409C
Dragoe, N. See Xiao, L., 3632C
Du, F.-S.
—; Li, Z.-C.; Li, F.-M.: Vinyl Monomers Bearing Chromophore Moieties and Their Polymers. VIII. Synthesis and Fluorescence Behavior of a Vinyloxy Monomer Having an Electron-Accepting Chromophore Moiety, *p*-((Vinyloxy)methyl)benzonitrile, and Its Polymers, 179C
Dubois, P. See Stone, V. W., 233C; Zune, C., 2525C
DuBois, Ph. See Barakat, I., 2401C; Degée, Ph., 2413C; Mecerreyes, D., 1923C, 2447C
Duda, J. L. See Alsoy, S., 1665P
Dunkers, J.
—; Ishida, H.: Reaction of Benzoxazine-Based Phenolic Resins with Strong and Weak Carboxylic Acids and Phenols as Catalysts, 1913C
Dunsch, L. See Kemp, N. T., 953P; Schierholz K., 2404P

Dupont, J. See dos Santos, J. H. Z., 1987C
Dupuy, J. See Riccardi, C. C., 2799P
Duracher, D.
—; Elaíssari, A.; Pichot, C.: Preparation of Poly(*N*-isopropylmethacrylamide) Latexes Kinetic Studies and Characterization, 1823C
Durning, C. J. See Hassan, M. M., 3159P
Dutheillet, Y.
—; Mantle, M.; Vesely, D.; Gladden, L.: Diffusion of Water–Acetic Acid Mixtures in Epoxy, 3328P
Dutta, K.
—; Brar, A. S.: Poly(vinylpyrrolidone): Configurational Assignments by One- and Two-Dimensional NMR Spectroscopy, 3922C
—; Mukherjee, M.; Brar, A. S.: Spectral Assignment of Poly(vinyl acetate) by One and Two Dimensional NMR Spectroscopy: Revisited, 551C
—; See Brar, A. S., 533C
Dwan, A.-H. See Cheng, L.-P., 2079P

Ebdon, J. R.
—; Soutar, I.; Brown, P.; Lane, A. R.; McCabe, A. J.; Swanson, L.: Luminescence Studies of Polymer Matrices. III. Characterization and Evaluation of Acrylic Acid-Based Polymers as Hosts for a Phosphorescent Coding System, 2127P
Echigo, Y.
—; Kaneshiro, H.: A High Solid Precursor Solution of Thermoplastic Polyimides, 11C
Edlund, U.
—; Albertsson, A.-C.: Novel Drug Delivery Microspheres from Poly(1,5-dioxepan-2-one-*co*-L-lactide), 1877C
Edwards, S. F.
—; The Relationship of Polymer Theory to Mainstream Solid State Theory in the 60s and 70s, 619P
Eguchi, M. See Asano, A., 2007P
Eisenberg, A. See Nguyen, D., 3226P; Zhang, L., 1469P
El-Aasser, M. S. See Blythe, P. J., 4449C; De La Rosa, L. V., 4054C, 4066C, 4073C
Elaíssari, A. See Duracher, D., 1823C
Eldridge, T. D. See Robello, D. R., 2219C, 4570C
Elley-Bristow, D. M.
—; Bellinger, M. A.; Sauer, J. A.; Hara, M.: Interfacial Bonding of Silica Glass Fiber to Polystyrene Ionomers, 2705P
Elsabee, M. Z. See Al-Arbash, A. H., 1839C
Elsagheer, F. A. See Al-Arbash, A. H., 1839C
El Seoud, O. A. See Marson, G. A., 3738C; Regiani, A. M., 1357C
Elvira, C.
—; Lozano, A. E.; San Román, J.: Kinetic Behavior in Free-Radical Polymerization of Isomer Methacrylic Monomers with Active Functional Groups as Side Substituents, 4528C
Emori, S.-I. See Sata, T., 793P
Emran, S. K.
—; Newkome, G. R.; Weis, C. D.; Harmon, J. P.: Molecular Relaxations in Ester-Terminated, Amide-Based Dendrimers, 2025P
Emrick, T.
—; Hayes, W.; Fréchet, M. J.: A TEMPO-Mediated "Living" Free-Radical Approach to ABA Triblock Dendritic Linear Hybrid Copolymers, 3748C
Endo, K.
—; Matsuda, Y.: Copolymerization of Styrene and Butadiene with $Ni(acac)_2$-Methylaluminoxane Catalyst, 3838C
Endo, T. See Chino, K., 59C, 1555C; Fukuda, H., 699C; Iwamura, T., 465C; Kaji, M., 3063C, 3687C; Kihara, N., 3079C; Koizumi, T., 3419C; Lee, J.-C., 1979C; Lee, S.-D., 293C, 1041C; Nakane, Y., 609C; Nishida, H., 4502C; Otsuka, H., 4478C; Serizawa, T., 801C; Shimomura, O., 127C; Sudo, A., 4483C; Sugizaki, T., 4226C; Taguchi, M., 3916C; Yoshida, K., 2551C
Endoh, N. See Ikada, Y., 159C
Erata, T. See Kono, H., 4100C
Erbil, C.
—; Aras, S.; Uyanik, N.: Investigation of the Effect of Type and Concentration of Ionizable Comonomer on the Collapse Behavior of *N*-Isopropylacrylamide Copolymer Gels in Water, 1847C
Ericson, H. See Hietala, S., 1741C; Mattsson, B., 3317C
Erkens, S. W. See Heinen, W., 4368C
Errede, L. A.
—; Tiers, G. V. D.: Polymer Swelling. XXV. Structure-Affinity Correlation Studies That Involve Poly(styrene-*co*-divinylbenzene) Exposed to Acetylenic Liquids, 2611P
Escoubes, M. See Espuche, E., 473P
Espuche, E.
—; Escoubes, M.; Pascault, J. P.; Taha, M.: Transport Properties of Thermoplastic/Thermoset Blends, 473P
Ewart, S. W.
—; Parent, M. A.; Baird, M. C.: Effects of Low Hydrogen Partial Pressures on Propylene Polymerization by CpasterikTiMe_2(μ-Me)B$(C_6F_5)_3$, 4386C
Ezquerra, T. A. See Nogales, A., 37P

Fakirov, S.
—; Calleja, F. J. B.; Krumova, M.: On the Relationship between Microhardness and Glass Transition Temperature of Some Amorphous Polymers, 1413P
Fan, X. See Xie, W., 3486C
Fang, X.
—; Scola, D. A.: Investigation of Microwave Energy to Cure Carbon Fiber Reinforced Phenylethynyl-Terminated Polyimide Composites, PETI-5/IM7, 4616C
Faria, L. O.
—; Moreira, R. L.: Dielectric Behavior of P(VDF-TrFE)/PMMA Blends, 2996P
Faupel, F. See Thran, A., 3344P
Favis, B. D. See Lepers, J.-C., 939P
Feng, L. See Xu, Z., 2719C; Yan, C., 2649C
Feng, S. See Dong, A., 2642P
Feng, Z. See An, Y., 443P
Ferrari, C.
—; Tombari, E.; Salvetti, G.; Johari, G. P.: Calorimetric and Dielectric Effects during Polymerization of an

Elastomer-Containing Mixture and Liquid-Liquid Phase Separation, 1911P
Ferry, J. D.
—; Temperature Dependence of Viscoelastic Properties: The Fitzgerald Apparatus and the WLF Equation, 621P
Fetters, L. J.
—; Lohse, D. J.; Graessley, W. W.: Chain Dimensions and Entanglement Spacings in Dense Macromolecular Systems, 1023P
Fink, G. See Goretzki, R., 677C
Fischer, D. See Beaucage, G., 1105P
Fischer, E. W.
—; On the Enjoyment of an Accidental Discovery: The Epitaxial Crystallization of Polymers on Alkali Halides, 622P
Fischer, H.
—; The Persistent Radical Effect in Controlled Radical Polymerizations, 1885C
Flanagin, L. W.
—; Singh, V. K.; Willson, C. G.: Molecular Model of Phenolic Polymer Dissolution in Photolithography, 2103P
Flandin, L.
—; Verdier, M.; Boutherin, B.; Brechet, Y.; Cavaillé, J.-Y.: A 3-D Numerical Simulation of AC Electrical Properties of Short Fiber Composites, 805P
Fleischer, G. See Petekidis, G., 2211P
Flexman, E. A. See Yeh, F., 3115P
Flores, A.
—; Baltá Calleja, F. J.; Bassett, D. C.: Microhardness Studies of Chain-Extenced PE: I. Correlations to Microstructure, 3151P
Floudas, G. See Kapantaidakis, G. C., 2788P
Fong, H.
—; Reneker, D. H.: Elastomeric Nanofibers of Styrene–Butadiene–Styrene Triblock Copolymer, 3488P
Fontanella, C. See Guadagno, L., 173P
Forcada, J. See Santos, R. M., 501C
Ford, W. T. See Vassilev, K., 2727C
Fortelný, I.
—; Živný, A.; Jůza, J.: Coarsening of the Phase Structure in Immiscible Polymer Blends. Coalescence or Ostwald Ripening? 181P
Forte, M. D. See dos Santos, J. H. Z., 1987C
Foster, P. See Marques, M. M., 2457C
Foulger, S. H.
—; Reduced Percolation Thresholds of Immiscible Conductive Blends, 1899P
Fournier, M.
—; Prud'homme, R. E.: Synthesis and Characterization of Poly(4-Alkyl-4-Methyl-2-Azetidinone)s, 761C
Fradet, A. See Lefébvre, H., 4412C
Francisca, M. L. J.
—; Kannan, P.: Studies on the Odd-Even Effect of Methylene Spacers in Poly(pyromellitimide-ester)s, 1755C
Franco, L. See Villaseñor, P., 2383P
Fréchet, M. J. See Emrick, T., 3748C; Gong C., 3193C; Harvard J. M., 1225C; Liu, M., 3492C
Freeman, B. D. See Bondar, V. I., 2463P; Cantrell, G. R., 505P; De Angelis, M. G., 3011P; McDowell, C. C., 2973P
Freitag, R. See Baltes, T., 2977C
Friberg, S. E. See Li, F., 2863C
Friend, A. D. See Gong, L., 3129C
Fries, A. See Yamaguchi, Y., 283C
Frimer, A. A. See Turk, M. J., 3943C
Frisch, H. L. See Srikanth Sharma, P. R., 1245C
Fritz, H.-G. See Degée, Ph., 2413C
Frollini, E. See Regiani, A. M., 1357C
Fu, J. See Chuang, K. C., 2559C
Fuess, H. See Steckenreiter, T., 4318C
Fujiki, K.
—; Sakamoto, M.; Yoshida, A.; Maruyama, H.: Radical Grafting from Glass Fiber Surface: Graft Polymerization of Vinyl Monomers Initiated by Azo Groups Introduced onto the Surface, 2121C
—; See Tsubokawa, N., 3591C
Fujimori, A.
—; Saitoh, H.; Shibasaki, Y.: Influence of Molecular Arrangement on the γ-Ray-Irradiation Solid-State Polymerization of 1-Octadecyl Vinyl Ether wit a Characteristic Polymorphism, 3845C
Fujisawa, A. See Ikada, Y., 159C
Fujita, S. See Ikada, Y., 159C
Fujita, S.-I. See Tretinnikov, O. N., 1503P
Fujiwara, H. See Otsuka, H., 4478C
Fukuda, H.
—; Oda, M.; Endo, T.: Ketene Cyclic N,O-Acetal As a Novel Catalyst for Cyclotrimerization and Polymerization of Phenylisocyanate through a Zwitterion Mechanism, 699C
Fukuda, T. See Sakai, Y., 1321C
Fukuhara, M.
—; Kuwano, Y.; Tsugane, A.; Yoshida, M.: Determination of Thermal Degradation of Vulcanized Rubbers Using Diffracted SH Ultrasonic Waves, 497P
Fulchiron. R. See Assouline, E., 2534P
Fursa, M. N. See Kato, K., 357C
Furukawa, T. See Nagai, M., 2549P
Fytas, G. See Chrissopoulou, K., 3385P; Petekidis, G., 2211P

Gahn, G. S. See Turk, M. J., 3943C
Gal, Y.-S. See Jeon, S.-J., 877C
Galante, M. J. See Isasi, J. R., 323P; Oyanguren, P. A., 2711P
Galimberti, M. See Guerra, G., 1095P
Gallego Ferrer, G. See Gómez Ribelles, J. L., 1587P
Ganhadhara
—; Ponrathnam, S.; Noel, C.; Reyx, D.; Kajzar, F.: Synthesis and Characterization of Copolymaleimides Containing 4-Cyanobiphenyl-Based Side Groups for Nonlinear Optical Applications, 513C
Gao, J. See Sui, Y., 4330C
Gao, L. See Han, F., 3680C; Huang, Y., 4640C; Mi, Q., 4536C; Song, N., 3147C
Gao, Q.
—; Scheinbeim, J. I.; Newman, B. A.: Ferroelectric Properties of Nylon II and

Poly(vinylidene fluoride) Blends, 3217P
Gao, Z.
—; Tsou, A. H.: Mechanical Properties of Polymers Containing Fillers, 155P
García, J. M. See Nogales, A., 37P
Garcia-Meitin, E. I. See Sue, H.-J., 2137P
Garret-Flaudy, F. See Baltes, T., 2977C
Gauthier, M. See Chung, J., 653C
Gavalda, J. See de la Caba, K., 1677P
Gavrin, A. J.
—; Curts, C. L.; Douglas, E. P.: High-Temperature Stability of a Novel Phenylethynyl Liquid-Crystalline Thermoset, 4184C
Ge, J. J. See McCreight, K. W., 1633P
Géhant, S.
—; Schirrer, R.: Multiple Light Scattering and Cavitation in Two Phase Tough Polymers, 113P
Geil, P. H. See Rybnikar, F., 3520P; Yuan, B.-L., 3532P
Geladé, E. See Jahromi, S., 3307P
Gengenbach, T. R.
—; Griesser, H. J.: Aging of 1,3-Diaminopropane Plasma-Deposited Polymer Films: Mechanisms and Reaction Pathways, 2191C
Gentile, G. See Avitabile, G., 1687P
Gerard, J.-F. See Assouline, E., 2534P
Gerard, J. F. See Barbeau, Ph., 919P; Hajji, P., 3172P
German, A. L. See van den Brink, M., 3793C, 3804C
Ghanem, A.
—; On the Validity of Crystallization Kinetics Parameters Derived from the Depolarized Light Intensity (DLI) Technique: An Experimental Study of Polyvinylidene Fluoride, 997P
Ghi, P. Y.
—; Hill, D. J. T.; Whittaker, A. K.: A Study of the Copolymerization of Hydroxyethyl Methacrylate and Tetrahydrofurfuryl Methacrylate, 3730C
Ghimici, L. See Dragan, S., 409C
Ghosh, P.
—; Siddhanta, S. K.: Studies on Stable Aqueous Poly(*o*-Toluidine) Prepared with the Use of a Water Soluble Support Polymer, Polyacrylamide, 3243C
Gido, S. P. See Beyer, F. L., 3392P; Willcox, P. J., 3438P
Gillmor, J. R.
—; Connelly, R. W.; Colby, R. H.; Tan, J. S.: Effect of Sodium Poly(styrene sulfonate) on Thermoreversible Gelation of Gelatin, 2287P
—; See Clingman, S. R., 405P
Giorgini, L. See Angiolini, L., 3257C
Gitsov, I. See Lee, K. H., 3558C
Gladden, L. See Dutheillet, Y., 3328P
Glasser, W. See Sachinvala, N. D., 4019C
Glezakou, V.-A.
—; Soutzidou, M.; Loukoutos, C.; Xexakis, I.; Viras, K. G.: Properties of Polyvinylchloride in Solution: An Hydrodynamic and Vibrational Spectroscopy Study, 1351P
Goderis, B.
—; Reynaers, H.; Koch, M. H. J.; Mathot, V. B. F.: Use of SAXS and Linear Correlation Functions for the Determination of the Crystallinity and Morphology of Semi-Crystalline Polymers. Application to Linear Polyethylene, 1715P
—; See Peeters, M., 83P
Goethals, E. J. See Tong, J. D., 4402C
Goldoni, F.
—; Janssen, R. A. J.; Meijer, E. W.: Synthesis and Characterization of New Copolymers of Thiophene and Vinylene: Poly(thienylenevinylene)s and Poly(terthienylenevinylene)s with Thioether Side Chains, 4629C
Gomes, P. T. See Correia, S. G., 2471C; Marques, M. M., 2457C
Gómez, M. A. See Hernández, M. C., 3038P
Gómez Ribelles, J. L.
—; Monleón Pradas, M.; Gallego Ferrer, G.; Peidro Torres, N.; Pérez Giménez, V.; Pissis, P.; Kyritsis, A.: Poly(methyl acrylate)/Poly(hydroxyethyl acrylate) Sequential Interpenetrating Polymer Networks. Miscibility and Water Sorption Behavior, 1587P
Gong, C.
—; Miravet, J.; Fréchet, J. M. J.: Intramolecular Cyclization in the Polymerization of AB_x Monomers: Approaches to the Control of Molecular Weight and Polydispersity in Hyperbranched Poly(siloxysilane), 3193C
Gong, J. See Kim, B., 635C
Gong, L.
—; Wool, R. P.; Friend, A. D.; Goranov, K.: Synthesis and Characterization of High Molecular Weight Carboxylated Polybutadiene, 3129C
Gonsalves, K. E. See Wang, J., 169C
González, L. See Marcos-Fernández, A., 3155C
González-Marcos, J. A. See González-Velasco, J. R., 4309C
González-Velasco, J. R.
—; Delgado, J. A.; González-Marcos, J. A.; Gutiérrez-Ortiz, M. A.: Kinetics of Weight Loss and Chain Scission in the Thermooxidative Degradation of Poly 1-(trimethylsilyl)-1-propyne] Films, 4309C
Gooch, J. W. See Wu, X. Q., 4159C
Goranov, K. See Gong, L., 3129C
Gordon, B., III See Ogle, C. A., 1157C
Goretzki, R.
—; Fink, G.; Tesche, B.; Steinmetz, B.; Rieger, R.; Uzick, W.: Unusual Ethylene Polymerization Results with Metallocene Catalysts Supported on Silica, 677C
Goto, H. See Serizawa, T., 801C
Grade, J. See Soula, O., 4205C
Graessley, W. W. See Fetters, L. J., 1023P
Graham, P. D.
—; Barton, B. F.; McHugh, A. J.: Kinetics of Thermally

Induced Phase Separation in Ternary Polymer Solutions. II. Comparison of Theory and Experiment, 1461P
Grandfils, Ch. See Barakat, I., 2401C
Grebenkin, S. Yu.
—; Bol'Shakov, B. V.: Nonequilibrium Structure of *cis*-Azo Compounds in Polymethyl Methacrylate after Photochemical Conversion from the *trans* Form, 1753P
Gregório, R., Jr. See Rocha, I. S., 1219P
Greve, D. See Shibaev, P. V., 2909P
Griesser, H. J. See Gengenbach, T. R., 2191C
Grohens, Y.
—; Auger, M.; Prud'homme, R.; Schultz, J.: Adsorption of Stereoregular Poly(methyl methacrylates) on γ-Alumina: Spectroscopic Analysis, 2985P
Gross, S. See Cheng, Z.-Y., 983P
Grosso, P. V. See Wolf, R. A., 3203C
Grove, N. R.
—; Kohl, P. A.; Bidstrup Allen, S. A.; Jayaraman, S.; Shick, R.: Functionalized Polynorbornene Dielectric Polymers: Adhesion and Mechanical Properties, 3003P
Gruenbaum, W. T. See Borsenberger, P. M., 349P
Gryte, C. C. See Cheng, L.-P., 2079P
Guadagno, L.
—; Fontanella, C.; Vittoria, V.; Longo, P.: Physical Aging of Syndiotactic Polypropylene, 173P
Guerra, G.
—; Ruiz de Ballesteros, O.; Venditto, V.; Galimberti, M.; Sartori, F.; Pucciariello, R.: Pseudohexagonal Crystallinity and Thermal and Tensile Properties of Ethene–Propene Copolymers, 1095P
Guerrero, P. See de la Caba, K., 1677P
Guittard, F. See Bracon, F., 4487C
Guiver, M. D. See Nguyen, D., 3226P
Gulari, E. See Kwag, C., 2771P
Guleria, L. K. See Chauhan, G. S., 1763C
Gunji, T. See Takamura, N., 1017C
Guo, J. See Liu, H., 703C
Guo, M. See McCreight, K. W., 1633P
Guo, Q. See Zheng, S., 525C, 2329C, 2412P, 2726P
Guo, S.
—; Ning, Y.: A Study on Properties and Morphological Structure of Ferrocene-Filled PVC, 2828P
Gupta, V. D. See Kapoor, D., 3269P
Gürel, E. E.
—; Kayaman, N.; Baysal, B. M.; Karasz, F. E.: Dynamic Light Scattering Studies of Atactic and Syndiotactic Poly(methyl Methacrylate)s in Dilute Theta Solution, 2253P
Gururow, T. N. See Jayaseharan, J., 4033C
Gutiérrez-Ortiz, M. A. See González-Velasco, J. R., 4309C
Guyot, A. See Soula, O., 4205C; Thenoz, F., 2251C
Guzmán, J. See Compañ, V., 3027P; Pérez-Feito, R., 2486P
Guzman, J. D. See Venerus, D. C., 1069P

Ha, C.-S. See Kim, Y.-H., 4135C; Lee, S.-M., 2619C; Park, J.-G., 1589C, 2113C
Haag, M. C. See dos Santos, J. H. Z., 1987C
Haase, W. See Wolarz, E., 369P
Haba, O.
—; Itakura, I.; Ueda, M.; Kuze, S.: Synthesis of Polycarbonate from Dimethyl Carbonate and Bisphenol-A Through a Non-Phosgene Process, 2087C
—; See Amou, S., 1943C, 3702C
Habenschuss, A. See Monar, K., 3401P
Haddleton, D. M.
—; Morsley, D. R.; O'Donnell, J. P.; Richards, S. N.: The Effect of Feed Conditions in the Emulsion Catalytic Chain Transfer Polymerization of Alkyl Methacrylates, 3549C
Hadjichristidis, N.
—; Synthesis of Miktoarm Star (μ-Star) Polymers, 857C
—; See Chrissopoulou, K., 3385P; Pispas, S., 1329P; Pitsikalis, M., 4337C
Hagen, S. See Nyhus, A.-K., 3345C, 3973C
Hagiwara, T. See Amou, S., 341C
Hahimoto, K.
—; Ohsawa, R.; Imai, N.; Okada, M.: Glycopolymeric Inhibitors of β-Glucuronidase I. Synthesis and Polymerization of Styrene Derivatives Having Pendant D-Glucaric Moieties, 303C
Hajduk, D. A. See Weimann, P. A., 2053P
Hajipour, A.-R. See Mallakpour, S. E., 1211C
Hajji, P.
—; David, L.; Gerard, J. F.; Pascault, J. P.; Vigier, G.: Synthesis, Structure, and Morphology of Polymer-Silica Hybrid Nanocomposites Based on Hydroxyethyl Methacrylate, 3172P
Hakala, K. See Anttila, U., 3099C
Halary, J. L. See Choe, S., 1131P
Halasa, A. F. See Srithawatpong, R., 2754P
Hallensleben, M. L. See Sezer, E., 379C
Hall, H. K., Jr. See Choi, W.-S., 1569C, 1709C; Ding, Y., 2569C; Han, X., 1703C, 2891C
Hamana, H. See Amou, S., 341C
Hamed, O. A. See Sachinvala, N. D., 4019C
Hamielec, A. E. See Wang, W.-J., 2949C
Han, F.
—; Ding, M.; Gao, L.: Crosslinking of Polyimides via Spirodilactone Unit in Polymer Backbone, 3680C
Han, H. See Kim, S. I., 2013C
Han, M. J.
—; Cho, T. J.; Lee, G. H.; Yoo, K. S.; Park, Y. D.; Chang, J. Y.: Depurination of Synthetic Poly(inosinic acid) Analogues, 3361C
Han, S.
—; Yoon, H. G.; Suh, K. S.; Kim, W. G.; Moon, T. J.: Cure Kinetics of Biphenyl Epoxy-Phenol Novolac Resin System Using Triphenylphosphine as Catalyst, 713C
Han, S. G. See Lee, H.-J., 2355C
Han, S. J.
—; Lohse, D. J.; Condo, P. D.; Sperling, L. H.: Pressure–Volume–Temperature Properties of Polyolefin

Liquids and Their Melt Miscibility, 2835P
Han, S.-P. See Dong, H., 1265C
Han, X.
—; Padias, A. B.; Hall, H. K., Jr.: Syntheses of Polyarylates by Alcoholysis and Esterolysis, 2891C
—; Padias, A. B.; Hall, H. K., Jr.; Sung, H.-N.: Synthesis of Thermotropic LCPs Using *p*-Methoxycarbonyloxy Aromatic Acids, 1703C
Han, Z.
—; Thakur, M.; Metzger, R. M.; Cava, M. P.: Photoluminescence of Two Thienylpyrrole Polymers, 461P
Hanabusa, K. See Suzuki, M., 4360C
Hanley, S. J.
—; Rafalko, J. J.; Steele, K. A.; Linstid, H. C.; Dolce, T. J.; Sperling, L. H.: Phase Separation in Semicrystalline Blends of Poly(phenylene sulfide) and Poly(ethylene terephthalate). I. Preparation of Poly(phenylene sulfide)-*graft*-Poly(ethylene terephthalate) Copolymers by Ester Interchange and Characterization Utilizing the Model Compound 2,4-Bis(phenylthio benzoic acid), 3473C
Hanson, D. See Patterson, C. W., 2303P
Hara, M. See Elley-Bristow, D. M., 2705P; Tsou, L., 2201P
Harima, Y. See Tang, H., 1873P
Harmon, J. P. See Emran, S. K., 2025P
Harris, F. W. See McCreight, K. W., 1633P
Harrison, C. A.
—; Tan, J. S.: Differential Size-Exclusion Chromatography for the Analysis of Gelatin–Polyelectrolyte Complexes, 275P
Harville, S. See Chrissopoulou, K., 3385P
Hasegawa, K. See Kawai, Y., 1737C
Hasegawa, M.
—; Sensui, N.; Shindo, Y.; Yokota, R.: Improvement of Thermoplasticity for s-BPDA/PDA by Copolymerization and Blend with Novel Asymmetric BPDA-Based Polyimides, 2499P
Hashimoto, K.
—; Ohsawa, R.; Saito, H.: Glycopolymeric Inhibitors of β-Glucuronidase. II. Synthesis of Glycopolymers Containing Pendant L-Gulonic Moieties and Effects of the Carboxyl Group in the Glycopolymers upon the Activity of β-Glucuronidase, 2773C
—; Yasuda, J.; Kobayashi, M.: Proton Transfer-Controlled Anionic Polymerization of Methyl-Substituted β-Lactams with Potassium *t*-Butoxide and Subsequent Coupling Reaction with Saccharides, 909C
Hashimoto, T.
—; Iwata, T.; Uchiyama, N.; Kodaira, T.: Living Cationic Polymerization of Vinyl Ethers with Carboxylic Acid/Tin Tetrahalide Initiating Systems. II. Effects of Steric Hindrance of Carboxylate Counteranions, 2923C
—; Mishima, M.; Kodaira, T.: Gel Formation in Cationic Polymerization of Divinyl Ethers. II. 2,2-Bis{4-(2-vinyloxy)ethoxy}phenyl}propane, 1931C
Hassan, M. M.
—; Durning, C. J.: Effects of Polymer Molecular Weight and Temperature on Case II Transport, 3159P
Hatada, K.
—; Stereoregular Uniform Polymers, 245C
Hatano, H. See Takamura, N., 1017C
Hattori, H.
—; Uryu, T.: Synthesis and Properties of Photochromic Liquid-Crystalline Polyacrylates Containing a Spirooxazine Group, 3513C
Hattori, K. See Yoshida, T., 789C
Hattori, T. See Akita, H., 189P, 199P
Havard, J. M.
—; Yoshida, M.; Pasini, D.; Vladimirov, N.; Frechet, J. M. J.; Medeiros, D. R.; Patterson, K.; Yamada, S.; Willson, C. G.; Byers, J. D.: Design of Photoresists with Reduced Environmental Impact. II. Water-Soluble Resists Based on Photocrosslinking of Poly(2-Isopropenyl-2-oxazoline), 1225C
Hawker, C. J. See Mecerreyes, D., 1923C
Hay, A. S. See Ding, Y., 3293C; Mandal, H., 927C; Meng, Y., 1781C
Hayakawa, T. See Amou, S., 1943C
Hayashi, T. See Ikada, Y., 159C
Hayes, W. See Emrick, T., 3748C
He, G. See Zheng, S., 525C
He, J.-H.
—; Zhang, J.-C.: Sensitized Photolysis of Diphenyliodonium Cation Through Intra-Ion-Pair Electron Transfer—A Novel Near-UV Photoinitiator: Diphenyliodonium 9-Acridinecarboxylate, 4521C
He, M.-H. See Hsiao, S.-H., 1169C
He, Y. See Cao, H., 1289P; Ma, D., 2960P
Hedrick, J. L. See Mecerreyes, D., 1923C
Heinemann, J. See Liu, R., 4169C
Heinen, W.
—; Erkens, S. W.; Van Duin, M.; Lugtenburg, J.: Model Compounds and ^{13}C NMR Increments for the Characterization of Maleic Anhydride-Grafted Polyolefins, 4368C
Heinrich, J.
—; Mischnick, P.: Determination of the Substitution Pattern in the Polymer Chain of Cellulose Acetates, 3011C
Heise, B. See Al-Higari, M., 4442C
Heitz, J. See Schwödiauer, R., 2115P
Hekmatyar, S. K. See Brar, A. S., 721C
Helaja, T. See Anttila, U., 3099C
Helfand, E.
—; Polymer Science, the Lighter Side, 625P
Hempenius, M. A. See Lammertink, R. G. H., 1009P
Henson, N. See Patterson, C. W., 2303P
Hepuzer, Y. See Alkan, S., 4218C
Hernández, M. C.
—; Laredo, E.; Bello, A.; Gómez, M. A.; Marco, C.: Effect on

TSDC Relaxation Spectra of Substitutions in the Mesogenic Unit and in the Flexible Spacer of Poly(tetramethylene terephtaloyl-bis-4-oxybenzoate), 3038P

Hietala, S.
—; Maunu, S. L.; Sundholm, F.; Lehtinen, T.; Sundholm, G.: Water Sorption and Diffusion Coefficients of Protons and Water in PVDF-*g*-PSSA Polymer Electrolyte Membranes, 2893P
—; Paronen, M.; Holmberg, S.; Näsman, J.; Juhanoja, J.; Karjalainen, M.; Serimaa, R.; Toivola, M.; Lehtinen, T.; Parovuori, K.; Sundholm, G.; Ericson, H.; Mattsson, B.; Torell, L.; Sundholm, F.: Phase Separation and Crystallinity in Proton Conducting Membranes of Styrene Grafted and Sulfonated Poly(Vinylidene Fluoride), 1741C

Higashi, F.
—; Mitani, K.: Thermotropic Copolyesters Prepared by Solution Polycondensation with TsCl/DMF/Pyridine Condensing Agent, 3710C
—; Ong, C.-H.; Kim, J.-H.: Attempt to Control Monomer Sequences in Copolycondensations of IPA, TPA, BPA, and PHB, 2371C
—; Ong, C.-H.; Okada, Y.: High-Molecular-Weight Copolyesters of Dihydroxybenzophenones by 'Induced' Copolyesterification Using TsCl/DMF/Py as a Condensing Agent, 3625C
—; See Kim, I.-H., 363C

Higashimura, T. See Kanaoka, S., 3694C

High, K. A. See Mendes, L. J., 2571P

High, M. S. See Mendes, L. J., 2571P

Higuchi, J.-I. See Miyata, T., 1545P

Hill, D. J. T. See Ghi, P. Y., 3730C

Hill, M. J. See Hobbs, J. K., 3188P

Hiltner, A. See Chen, H. Y., 2373P; Sekelik, D. J., 847P

Hirahata, W. See Ishii, F., 3319P

Hirao, A. See Ishii, F., 3319P

Hirohashi, R. See Yoshida, M., 61P

Hlavatá, D.
—; Horák, Z.; Hromádková, J.; Lednický, F.; Pleska, A.: Compatibilization of Polystyrene/Polypropylene Blends by Styrene–Butadiene Block Copolymers with Differing Polystyrene Block Lengths, 1647P

Hlil, A. R. See Meng, Y., 1781C

Ho, C.-C. See Chern, C.-S., 1489C

Ho, K.-S. See Hsieh, T.-H., 2035C, 3269C

Hoagland, D. A. See Willcox, P. J., 3438P

Hobbs, J. K.
—; Hill, M. J.; Keller, A.; Barham, P. J.: Experimentally Determined Temperature-Concentration Phase Diagrams of Monodisperse Alkanes with Chains Containing Between 100 and 200 Carbons, 3188P

Hobbs, T.
—; Lesser, A. J.: *In Situ* Drawing of High Molecular Weight Poly(ethylene terephthalate) in Subcritical and Supercritical CO_2, 1881P

Hobbs, T. R. See Schueneman, G. T., 2601P

Hodge, T. C.
—; Bidstrup Allen, S. A.; Kohl, P. A.: *In Situ* Measurement of the Thermal Expansion Behavior of Benzocyclobutene Films, 311P

Höger, S.
—; Highlight. Highly Efficient Methods for the Preparation of Shape-Persistent Macrocyclics, 2685C

Holmberg, S. See Hietala, S., 1741C

Hong, S. See Lu, H. L., 2795C

Hong, S.-P. See Kang, K. K., 3756C

Horak, D.
—; Effect of Reaction Parameters on the Particle Size in the Dispersion Polymerization of 2-Hydroxyethyl Methacrylate, 3785C

Horák, Z. See Hlavatá, D., 1647P

Horie, K. See Ito, K., 2634P; Machida, S., 585P; Obata, M., 2173P

Horimoto, W. See Oishi, T., 473C

Howie, D. W., Jr. See Willcox, P. J., 3438P

Hromádková, J. See Hlavatá, D., 1647P

Hsiao, B. See Samon, J. M., 1277P

Hsiao, B. S. See Yeh, F., 3115P

Hsiao, H.-C. See Yang, C.-P., 69C

Hsiao, S.-H.
—; Dai, L.-R.: Synthesis and Properties of Novel Aromatic Poly(*o*-hydroxy amide)s and Polybenzoxazoles Based on the Bis(ether benzoyl chloride)s from Hydroquinone and Its Methyl-, *tert*-Butyl-, and Phenyl-Substituted Derivatives, 2129C
—; Dai, L.-R.: Synthesis and Properties of Poly(ether imide)s Based on the Bis(ether anhydride)s from Hydroquinone and Its Derivatives, 665C
—; Dai, L.-R.; He, M.-H.: Synthesis and Properties of Novel Aromatic Polyhydrazides and Poly(amide–hydrazide)s Based on the Bis(ether benzoic acid)s from Hydroquinone and Substituted Hydroquinones, 1169C
—; Lee, C.-T.; Chern, Y.-T.: Synthesis and Properties of New Adamantane-Based Poly(ether imide)s, 1619C
—; Li, C.-T.: Synthesis and Characterization of New Adamantane-Based Cardo Polyamides, 1435C
—; Li, C.-T.: Synthesis and Characterization of New Fluorene-Based Poly(ether imide)s, 1403C
—; Yang, C.-P.; Chuang, M.-H.; Lin, S.-J.: Synthesis and Characterization of Novel Aromatic Polyamides with Polyalicyclic Cardo Groups, 4510C
—; Yang, C.-P.; Wang, S.-W.; Chuang, M.-H.: Synthesis and Properties of Aromatic Polyamides Containing the Cyclohexane Structure, 3575C
—; See Yang, C.-P., 69C

Hsieh, M. L. See Chang, C. J., 1057P

Hsieh, T.-H.
—; Ho, K.-S.: Effects of Thermal Stability on the Crystallization Behavior of Poly(vinylidene chloride), 3269C
—; Ho, K.-S.: Thermal Dehydrochlorination of Poly(vinylidene chloride), 2035C
Hsieh, Y.-L. See Zhou, W.-J., 1393C
Hsiue, G.-H.
—; Lee, R.-H.; Jeng, R.-J.: Organic Sol-Gel Materials for Second-Order Nonlinear Optics Based on Melamines, 2503C
Hsu, C.-S.
—; Chen, H.-L.: Preparation of Liquid–Crystal Thermosets: *In Situ* Photopolymerization of Oriented Liquid–Crystal Diacrylates, 3929C
Hsu, K. Y. See Chang, C. J., 1057P
Hsu, T.-J. See Lin, S.-Y., 4422C
Hu, C. P. See Hua, F. J., 3568C
Hu, G.-H. See Li, H., 3368P; Yu, Z.-Z., 2664P
Hu, T. See Zhao, Y., 3288P
Hu, X.
—; Li, X.: Preparation and Structure/Property Relationships of Polyesters Containing Conjugated Diacetylene Groups, 965P
Hua, F. J.
—; Hu, C. P.: Graft Interpenetrating Polymer Networks Composed of Epoxy Resin and Urethane Acrylate Resin, 3568C
Huai, G. See Qi, C., 2476P
Huan, C.-H. A. See Chung, T.-S., 1575P
Huang, B. See Meng, F., 37C
Huang, C.-C. See Yang, C.-P., 2421C
Huang, C.-P. See Tsai, C.-Y., 4108C
Huang, D.-Y. See Sui, Y., 4330C
Huang, H. See Li, H., 4233C
Huang, J.
—; Wan, M.: *In Situ* Doping Polymerization of Polyaniline Microtubules in the Presence of β-Naphthalenesulfonic Acid, 151C
—; Wan, M.: Polyaniline Doped with Different Sulfonic Acids by *In Situ* Doping Polymerization, 1277C
—; Wu, X. Y.: Effects of pH, Salt, Surfactant and Composition on Phase Transition of Poly(NIPAm/MAA) Nanoparticles, 2667C
—; See Huang, X., 825C; Lu, Z., 2595C; Wan, D., 2755C; Zheng, S., 525C
Huang, J.-M. See Chu, P. P., 1155P
Huang, M. See Xu, R., 1441P
Huang, M. T.
—; Ishida, H.: Investigation of the Boron Nitride/Polybenzoxazine Interphase, 2360P
Huang, Q. See Zhu, F., 4497C
Huang, W.
—; Ding, M.: Synthesis and Imidization of Biphenylic Dianhydride–Oxydianiline-Based Isomeric Poly(amic methyl ester)s, 1907C
—; See Tong, Y., 1425C; Yi, M. H., 3441C
Huang, X.
—; Chen, S.; Huang, J.: Synthesis and Characterization of Linear ABC Triblock Copolymer of Ethylene Oxide, Methyl Methacrylate, and Styrene, 825C
—; See Lu, Z., 2595C
Huang, Y.
—; Gao, L.; Ding, M.: Polymerization of Styrene Oxide Catalyzed by a Diethylzinc/α-Pinene Oxide System, 4640C
Huang, Y. H.
—; Wang, W.-J.; Zhu, S.; Rempel, G. L.: ESR Study on Styrene Polymerization with $CpTiCl_3$/MMAO: Effect of Monomer Addition on Catalyst Activity, 3385C
—; Yu, Q.; Zhu, S.; Rempel, G. L.; Li, L.: ESR Studies on Oxidation State of Titanocene and Zirconocene Catalysts, 1465C
Huang, Z. See Chen, Y., 3745C
Hübner, CH. See Dlubek, G., 2539P
Huckerby, T. N. See Bevington, J. C., 771C
Hudlicky, M. See Sebenda, J., 1221C
Hudson, S. M. See Knaul, J. Z., 1079P
Hunt, B. J. See Bevington, J. C., 771C
Hunter, T. F. See Penn, L. S., 261C
Hurduc, N. See Pavel, D., 2334P
Hurlbut, J. See Asrar, J., 3119C
Hwang, C. R. See Bhatt, C. U., 1045P
Hwang, G. T. See Kim, S. I., 2013C
Hwang, I.-W.
—; Song, N. W.; Kim, D.; Park, Y. T.; Kim, Y.-R.: Excited-State Dynamics of Conjugated Polycarbosilane Oligomers with Branched Dimethyl or Diphenyl Group, 2901P

Iannelli, P. See Acierno, D., 1601P
Ibos, L.
—; Maraval, C.; Bernès, A.; Teyssèdre, G.; Lacabanne, C.; Wu, S.-L.; Scheinbeim, J. I.: Thermal Behavior of Ferroelectric Polyamide 11 in Relation to Pyroelectric Properties, 715P
Iddir, H. See Venerus, D. C., 1069P
Iemma, F. See Bertini, V., 3109C
Ihm, D. W. See Kwak, S.-Y., 1429P
Ikada, Y.
—; Nakamura, K.; Ogata, S.; Makino, K.; Tajima, K.; Endoh, N.; Hayashi, T.; Fujita, S.; Fujisawa, A.; Masuda, S.; Oonishi, H.: Characterization of Ultrahigh Molecular Weight Polyethylene Irradiated with γ-Rays and Electron Beams to High Doses, 159C
—; See Kato, K., 357C; Tretinnikov, O. N., 1503P
Ikake, H. See Shimizu, S., 2195P
Ikeda, A.
—; Tsubata, A.; Kameyama, A.; Nishikubo, T.: Synthesis and Photochemical Properties of Poly(ester–amide)s Containing Norbornadiene (NBD) Residues, 917C
Ikeda, K. See Shimazu, A., 2941P
Ikeda, T. See Kang, K. K., 3756C
Ikegami, Y. See Yamaguchi, Y., 283C
Ilyin, M. M. See Davankov, V. A., 1451C
Im, J. K.
—; Jung, J. C.: Synthesis and Characterization of New AB-Type Poly(etherimide)s Containing Bisphenol Moieties, 3530C

Im, S. S. See Yoo, E. S., 1357P
Imai, N. See Hahimoto, K., 303C
Imai, Y. See Itoya, K., 683C
Imre, A. R.
—; Melnichenko, G.; Van Hook, W. A.: A Polymer–Solvent System with Two Homogeneous Double Critical Points: Polystyrene (PS)/(*n*-heptane + methylcyclohexane), 2747P
Inaba, J. See Tsubokawa, N., 3591C
Incarnato, L.
—; Acierno, D.; Russo, P.; Malinconico, M.; Laurienzo, P.: Influence of Composition on Properties on Nylon 6/EVOH Blends, 2445
Inoki, M. See Akutsu, F., 2055C
Inoue, H. See Shinoda, T., 1549C
Inoue, T.
—; Onogi, T.; Yao, M.-L.; Osaki, K.: Viscoelasticity of Low Molecular Weight Polystyrene. Separation of Rubbery and Glassy Components, 389P
—; Ryu, D.-S.; Osaki, K.; Takebe, T.: Viscoelasticity and Birefringence of Syndiotactic Polystyrene. I. Dynamic Measurement in Supercooled State, 399P
Iribarren, I. See Bou, J. J., 983C
Isasi, J. R.
—; Mandelkern, L.; Galante, M. J.; Alamo, R. G.: The Degree of Crystallinity of Monoclinic Isotactic Poly(propylene), 323P
Ishida, H. See Dunkers, J., 1913C; Huang, M. T., 2360P; Low, H. Y., 647P; Shen, S. B., 3257P; Srithawatpong, R., 2754P; Xu, R., 1441P
Ishidoya, M. See Nakane, Y., 609C
Ishii, F.
—; Hirahata, W.; Yokota, K.; Tuda, K.; Hirao, A.; Kakuchi, T.: Fixed Crosslink Formation and Viscoelasticity of Polystyrene Networks, 3319P
—; Matsunami, S.; Shibata, M.; Kakuchi, T.: *Cis-Trans* Isomerization and ^{13}C-NMR Chemical Shift of Polyphenylacetylene, 1657P
Ishizawa, M. See Kim, B., 635C
Itakura, I. See Haba, O., 2087C
Ito, K.
—; Ujihira, Y.; Yamashita, T.; Horie, K.: Free-Volume Change in Volume Phase Transition of Polyacrylamide Gel as Studied by Positron Annihilation: Salt Dependence, 2634P
Ito, M. See Nishikubo, T., 2781C
Itoh, T.
—; Miyachi, M.; Kubo, M.: Polymerization Behavior of 2,5-Bis(dicyanomethylene)-2,5-dihydrofuran, 1285C
—; Nakamura, T.; Kubo, M.: Synthesis and Polymerization of 2,5-Dimethylene-2,5-dihydrothieno 3,2-b]thiophene Derivatives: The Structure and Reactivity of Quinonoid Monomers, 3027C
—; See Kubo, M., 2027C
Itoya, K.
—; Sawada, H.; Kakimoto, M.-A.; Imai, Y.: Facile Synthesis of Aromatic Polybenzoxazoles from Monomers Having *o*-Aminophenol and Nitrile Functions, 683C
Iwamoto, Y. See Chien, J. C. W., 2439C
Iwamura, T.
—; Tomita, I.; Suzuki, M.; Endo, T.: Hydrogen-Transfer Polymerization of Vinyl Monomers Derived from 4-Methylbenzoyl Isocyanate and Acrylamide Derivatives, 465C
Iwata, T. See Hashimoto, T., 2923C
Iyo, M.
—; Tsutsui, K.; Kameyama, A.; Nishikubo, T.: Synthesis and Photochemical Reaction of Novel *p*-Alkylcalix 6]arene Derivatives Containing Acryloyl or Methacryloyl Groups, 3071C
—; See Nishikubo, T., 1805C

Jackson, D. A.
—; Korberstein, J. T.; Weiss, R. A.: Small-Angle X-ray Scattering Studies of Zinc Stearate-Filled Sulfonated Poly(ethylene-co-propylene-co-ethylidene norbornene) Ionomers, 3141P
Jackson, N. R.
—; Wilder, E. A.; White, S. A.; Bukovnik, R.; Spontak, R. J.: Modification of a Thermoplastic Elastomer Gel through the Addition of an Endblock-Selective Homopolymer, 1863P
Jacobsen, S. See Degée, Ph., 2413C
Jahromi, S.
—; Litvinov, V.; Geladé, E.: Physical Gelation of Melamine Formaldehyde Resin Solutions. II. A Combined Light-Scattering and Low-Resolution Relaxation Proton NMR Study, 3307P
Jamieson, A. M. See Srithawatpong, R., 2754P
Jamison, G. M. See Loy, D. A., 129C
Janeczek, H. See Seķ, D., 3523C
Jang, B.-B.
—; Lee, K.; Kwon, W. J.; Suh, J.: Binding of Uranyl Ion by 2,2′-Dihydroxyazobenzene Attached to a Partially Chloromethylated Polystyrene, 3169C
—; See Lee, K., 4117C
Jang, J. See Lee, J. Y., 419C
Jankova, K. See Chen, X., 627C
Jankowski, R. See Orban, J. M., 3537C
Jannerfeldt, G.
—; Boogh, L.; Månson, J.-A. E.: Influence of Hyperbranched Polymers on the Interfacial Tension of Polypropylene/Polyamide-6 Blends, 2069P
Janssen, R. A. J. See Goldoni, F., 4629C
Jar, P.-Y. B.
—; Lee, R.; Shinmura, T.; Konishi, K.: Rapid Communication. Rubber Particle Cavitation on Toughness Enhancement of SMI-Modified Poly(acrylonitrile-butadiene-styrene), 1739P
Jayaraman, S. See Grove, N. R., 3003P
Jayaseharan, J.
—; Kishore, K.; Nalini, G.; Gururow, T. N.: First Report on a Semicrystalline Vinyl Polyperoxide, 4033C
Jean, Y. C. See Cao, H., 1289P
Jeng, R.-J. See Hsiue, G.-H., 2503C
Jenkins, A. D.
—; Interpretation of Reactivity in Radical Polymerization—Radicals, Monomers, and Transfer Agents: Beyond the *Q-e* Scheme, 113C

Jeon, C. H.
—; Makhaeva, E. E.; Khokhlov, A. R.: Complexes of Polyelectrolyte Hydrogels with Organic Dyes: Effect of Charge Density on the Complex Stability and Intragel Dye Aggregation, 1209P

Jeon, S.-J.
—; Cho, D.-J.; Shim, S.-C.; Kim, T.-J.; Gal, Y.-S.: $Mo(CO)_6$-Catalyzed Cyclopolymerization of Diethyl Dipropargylmalonate to Give a Polyene Containing Only Five-Membered Rings, 877C

Jeong, B.
—; Lee, D. S.; Shon, J.-I.; Bae, Y. H.; Kim, S. W.: Thermoreversible Gelation of Poly(Ethylene Oxide) Biodegradable Polyester Block Copolymers, 751C
—; See Choi, S. W., 2207C; Park, J.-S., 2305C

Jeong, Y.-T. See Kang, K. K., 3756C

Jérôme, R.
—; Teyssié, Ph.; Vuillemin, B.; Zundel, T.; Zune, C.: Recent Achievements in Anionic Polymerization of (Meth)acrylates, 1C
—; See Barakat, I., 2401C; Degée, Ph., 2413C; Mecerreyes, D., 1923C, 2447C Stone, V. W., 233C; Tong, J. D., 4402C; Zune, C., 2525C

Jhon, M. S. See Park, S. Y., 1407P

Ji, Q. See Wang, S., 1849P

Jian, X. G.
—; Cheng, L.: Rapid Communication. Synthesis of All-Aromatic Polyamides Containing the 1,2-Dihydro-4-phenyl(2H)phthalazinone Moiety, 1565C

Jian, X. G. See Zheng, H. B., 4541C

Jiang, A. See Liu, H., 703C

Jiang, B. See Wang, Z., 2682P

Jiang, H.
—; Su, W.; Brant, M.; de Rosa, M. E.; Bunning, T. J.: Chitosan-Based Hydrogels: A New Polymer-Based System with Excellent Laser-Damage Threshold Properties, 769P

Jiang, M. See Pan, Q., 2699C

Jiang, W. See Wang, Z., 2682P

Jin, J.-I. See Song, J.-Y., 881C

Jin, X. See McCreight, K. W., 1633P

Jin, Y. See Liu, Y., 369C

Jog, J. P. See Saheb, D. N., 2439P

Johari, G. P. See Ferrari, C., 1911P; Wasylyshyn, D. A., 3071P

Johnson, T.
—; Thomas, S.: Transport of Benzene and Methyl-Substituted Benzenes through Carbon Black-Filled Epoxidized Natural Rubber, 415P

Jonas, A. M. See Stone, V. W., 233C

Jones, N. A.
—; Lesser, A. J.: The Use of Etching Techniques to Investigate the Morphology of Mechanically Induced Transformations in an Aliphatic Polyketone, 3246P

Jonquières, A.
—; Vicherat, A.; Lochon, P.: Synthesis and Characterization of New Polyamideimides with a Highly Flexible Soft Block, 2873C

Juhanoja, J. See Aseyev, V. O., 3337P; Hietala, S., 1741C

Jukić, M. See Zorić, Z., 25C

Jung, J. C. See Im, J. K., 3530C; Kim, S. I., 2909C

Jung, J. H.
—; Ree, M.; Chang, T.: Copolymerization of Carbon Dioxide and Propylene Oxide Using an Aluminum Porphyrin System and Its Components, 3329C
—; See Ree, M., 1863C

Jung, S. G. See Kwak, S.-Y., 1429P

Juraničová, V. See Capek, I., 3087C

Jutier, J.-J.
—; de Gunzbourg, A.; Prud'homme, R. E.: Synthesis and Characterization of Poly(3,3-bis(azidomethyl)oxetane-*co*-ε-caprolactone)s, 1027C

Jůza, J. See Fortelný, I., 181P

Kagawa, K. See Akita, H., 199P

Kageyama, T. See Sugizaki, T., 2363C, 4226C

Kaiser, A. B. See Kemp, N. T., 953P

Kaji, E. See Takawaki, K., 691C

Kaji, M.
—; Endo, T.: Synthesis of a Novel Epoxy Resin Containing Naphthalene Moiety and Properties of Its Cured Polymer with Phenol Novolac, 3063C
—; Nakahara, K.; Ogami, K.; Endo, T.: Synthesis of a Novel Epoxy Resin Containing Diphenylether Moiety and Thermal Properties of Its Cured Polymer with Phenol Novolac, 3687C

Kajiyama, M.
—; Kudo, J.; Mizumachi, H.: Synthesis and Characterization of Aromatic Polymers Derived from 5-Perfluoroalkylisophthalic Acid, 1135C

Kajzar, F. See Ganhadhara, 513C

Kakimoto, M.-A. See Itoya, K., 683C

Kakuchi, T. See Ishii, F., 1657P, 3319P

Kalashnikov, V. N.
—; Onset Conditions for Bicontinuity of Domain Structure in Polymeric Fluids, 3208P

Kaldis, S. P. See Kapantaidakis, G. C., 2788P

Kallitsis, J. K. See Konstandakopoyloy, F. D., 3826C

Kaluzynski, K. See Pretula, J., 1365C

Kamachi, M. See Yusa, S.-I., 47C

Kambour, R. P.
—; Stumbling upon the Nature of Crazes and Their Importance to Crack Toughness in Glassy Polymers, 626P

Kameyama, A. See Chen, B.-Q., 1009C; Ikeda, A., 917C; Iyo, M., 3071C; Minegishi, S., 959C; Nishikubo, T., 1805C, 2781C

Kamigaito, M. See Uegaki, H., 3003C

Kaminsky, W.
—; Arrowsmith, D.; Strübel, C.: Polymerization of Styrene with Supported Half-Sandwich Complexes, 2959C

Kanamoto, T. See Choy, C. L., 3359P; Nagai, M., 2549P; Nakae, M., 1921P

Kanaoka, S.
—; Higashimura, T.: Living Cationic Polymerization of *p*-Alkoxystyrenes by Free Ionic Species, 3694C
Kanbara, T. See Kawai, Y., 1737C
Kaneko, T.
—; Tatsumi, H.; Aoki, T.; Oikawa, E.; Yoshiki, H.; Yoshioka, N.; Tsuchida, E.; Nishide, H.: Polymerization of (*p*-Vinylphenyl)hydrogalvinoxyl and Formation of a Stable Polyradical Derivative, 189C
Kaneko, Y. See Yoshida, T., 789C
Kaneshiro, H. See Echigo, Y., 11C
Kanetaka, S.-Y. See Miyamoto, M., 3671C
Kang, K. K.
—; Hong, S.-P.; Jeong, Y.-T.; Shiono, T.; Ikeda, T.: The Synthesis and Polymerization Behavior of Bimetallic Pyridine Diamide Coplexes Containing Transition Metal (Ti, Zr), 3756C
Kang, Y. S. See Kim, M. H., 2950P
Kannan, P.
—; Murugavel, S. C.: Studies on Photocrosslinkable-cum-Flame Retardant Poly(benzylidene phosphoramide ester)s, 3285C
—; See Francisca, M. L. J., 1755C
Kano, K. See Tsutsumi, N., 745P
Kapantaidakis, G. C.
—; Kaldis, S. P.; Sakellaropoulos, G. P.; Chira, E.; Loppinet, B.; Floudas, G.: Interrelation Between Phase State and Gas Permeation in Polysulfone/Polyimide Blend Membranes, 2788P
Kapoor, D.
—; Misra, N. K.; Tandon, P.; Gupta, V. D.: Phonons and Their Dispersion in Poly(*S*-benzyl-L-cysteine), 3269P
Karabanova, L. See Bershtein, V. A., 429P
Karas, C. L. See So, Y.-H., 2637C
Karasz, F. E. See Gürel, E. E., 2253P
Karayannidis, G. P. See Tourasanidis, E. V., 2391C
Karjalainen, M. See Hietala, S., 1741C
Kasashima, Y. See Akutsu, F., 2055C
Kase, T. See Miyazawa, A., 695C
Kasperczyk, J. See Bero, M., 4038C
Kato, K.
—; Vasilets, V. N.; Fursa, M. N.; Meguro, M.; Ikada, Y.; Nakamae, K.: Surface Oxidation of Cellulose Fibers by Vacuum Ultraviolet Irradiation, 357C
Kato, T. See Kim, K.-S., 3877C; Nakano, S., 1413C
Katsarava, R.
—; Beridze, V.; Arabuli, N.; Kharadze, D.; Chu, C. C.; Won, C. Y.: Amino Acid-Based Bioanalogous Polymers. Synthesis, and Study of Regular Poly(ester amide)s Based on Bis(α-amino acid) α,ω-Alkylene Diesters, and Aliphatic Dicarboxylic Acids, 391C
Katsumura, Y. See Wu, G., 1541C
Katzenberg, F. See Yan, S., 1893P
Kaur, I. See Chauhan, G. S., 1763C
Kaur, S.
—; Crivello, J. V.; Pascuzzi, N.: Synthesis and Cationic Photopolymerization of 1-Butenyl and 1-Pentenyl Ethers, 199C
Kawai, T. See Yoshida, M., 61P
Kawai, Y.
—; Kanbara, T.; Hasegawa, K.: Rapid Communication. Preparation of Polythioamides from Dialdehydes and 4,4′-Trimethylenedipiperidine with Sulfur by the Willgerodt–Kindler Reaction, 1737C
Kawakami, K. See Kitamura, M., 729C
Kawatsuki, N.
—; Sai, I.; Yamamoto, T.: Linearly Polarized Ultraviolet Photoreaction of Photocrosslinkable Polymers Comprising the *p*-Phenylenediacrylate Group and Photoalignment Control of Liquid Crystals on the Resultant Film, 4000C
Kawauchi, S. See Tamura, T., 1523P
Kayaman, N. See Gürel, E. E., 2253P
Keith, H. D.
—; People and Polymers: First Encounters, 628P
Kéki, S. See Soós, L., 545C
Keller, A. See Hobbs, J. K., 3188P
Keller, T. M. See Bucca, D., 4356C; Sastri, S. B., 2105C
Kemp, N. T.
—; Kaiser, A. B.; Liu, C.-J.; Chapman, B.; Mercier, O.; Carr, A. M.; Trodahl, H. J.; Buckley, R. G.; Partridge, A. C.; Lee, J. Y.; Kim, C. Y.; Bartl, A.; Dunsch, L.; Smith, W. T.; Shapiro, J. S.: Thermoelectric Power and Conductivity of Different Types of Polypyrrole, 953P
Kennedy, J. P.
—; Highlight. Living Cationic Polymerization of Olefins. How Did the Discovery Come About? 2285C
—; See Asthana, S., 2235C; Shim, J. S., 815C
Keskkula, H. See Wildes, G., 71P
Keum, C. D. See Kim, G. H., 3715C
Khan, A. See Calabrese, V. T., 2711C
Khan, A. A. See Ravindra, R., 1969P
Khan, S. A. See Bhatt, C. U., 1045P
Kharadze, D. See Katsarava, R., 391C
Khastgir, D.
—; Adachi, K.: Piezoelectric and Dielectric Properties of Siloxane Elastomers Filled with Bariumtitanate, 3065P
Khoee, S. See Mallakpour, S. E., 1211C
Khokhlov, A. R. See Jeon, C. H., 1209P
Kholostyakov, A. G. See Kuchanov, S. I., 2145C
Khoury, F.
—; A Crystalline Polymer Morphologist's Perspective on the Occasion of the Centenary of the Foundation of the American Physical Society, 631P
Kihara, N.
—; Sugimoto, Y.; Endo, T.: Application of Selective 1 : 2 Addition of Ketene *N,N*-Acetal and Isocyanates to Novel Polyamide Syntheses, 3079C

Kikuchi, T. See Nishino, T., 3294P

Kilian, D. See Wolarz, E., 369P

Killam, L. M. See Chung, J., 653C

Kim, B.
—; Ishizawa, M.; Gong, J.; Osada, Y.: Molecular and Supramolecular Structures of Complexes Formed by Polyelectrolyte-Surfactant Interactions: Effects of Charge Density and Compositions, 635C

Kim, B. H. See Kim, S. I., 2013C

Kim, B. K.
—; Paik, S. H.: UV-Curable Poly(ethylene glycol)–Based Polyurethane Acrylate Hydrogel, 2703C

Kim, B.-K. See Kim, J. K., 1991P

Kim, C.-H. See Choi, E.-J., 2430P

Kim, C. K. See Kim, M. H., 2950P

Kim, C.-K. See Lee, S.-H., 3108P

Kim, C. Y. See Kemp, N. T., 953P

Kim, D. See Hwang, I.-W., 2901P

Kim, D. S.
—; Shim, S. C.: Synthesis and Properties of Poly(silylenephenylene-vinylene)s, 2263C
—; Shim, S. C.: Synthesis and Properties of Poly(silylenevinylene(bi)phenyl-enevinylene)s by Hydrosilylation Polymerization, 2933C

Kim, G. H.
—; Keum, C. D.; Kim, S. J.; Park, L. S.: Synthesis of Nonlinear Optical Maleimide Copolymer by Polymer Reaction and Their Electro-Optic Properties, 3715C

Kim, I.
—; Choi, C.-S.: The Effect of AlR_3 on Propylene Polymerization by *rac*-(EBI)$Zr(NMe_2)_2$/AlR_3/CPh_3} $B(C_6F_5)_4$} Catalyst, 1523C
—; Kim, S. Y.; Lee, M. H.; Do, Y.; Won, M.-S.: Ethylene/1-Hexene Copolymerizations by Syndioselective Metallocenes: Direct Comparison of $Me_2C(Cp)(Flu)ZrMe_2$ with $Et(Cp)(Flu)ZrMe_2$, 2763C
—; Zhou, J.-M.: MAO-Free Polymerization of Propylene by *rac*-$Me_2Si(1\text{-}C_5H_2\text{-}2\text{-}Me\text{-}4\text{-}^tBu)_2Zr(NMe_2)_2$ Compound, 1071C
—; Zhou, J.-M.; Won, M.-S.: Kinetics of Propylene Polymerization Initiated by *rac*-$Me_2Si(1\text{-}C_5H_2\text{-}2\text{-}Me\text{-}4\text{-}^tBu)_2Zr(NMe_2)_2$/MAO Catalyst, 737C

Kim, I.-H.
—; Kimura, M.; Higashi, F.: Thermotropic Copolyamides from Triethylene Glycol Bis(4-carboxyphenyl) Ether and *o*-Tolidine Modified by Kinking Monomers, 363C

Kim, J. See Kim, J. K., 889P

Kim, J. D.
—; Soares, J. B. P.; Rempel, G. L.: Synthesis of Tailor-Made Polyethylene through the Control of Polymerization Conditions Using Selectively Combined Metallocene Catalysts in a Supported System, 331C

Kim, J.-H. See Higashi, F., 2371C

Kim, J. H. See Kim, M. H., 2950P

Kim, J. K.
—; Kim, B.-K.: Effect of the Liquid–Liquid Phase Separation on the Crystallization Behavior and Mechanical Properties of Poly(ethylene-*ran*-vinyl acetate) and Paraffin Wax Blend, 1991P
—; Son, H. W.; Lee, Y.; Kim, J.: The Effect of Phase-Separated Morphology on the Rheological Properties of Polystyrene/Poly(vinyl methyl ether) Blend, 889P

Kim, J.-S. See Nguyen, D., 3226P

Kim, K. J.
—; White, J. L.: X-Ray Absorption, Particle Orientation, and Rheological Behavior of Talc–Calcite Mixed-Particle Compounds in a Polystyrene Matrix, 1787P

Kim, K.-S.
—; Kato, T.; Uryu, T.: Synthesis and Characterization of Liquid Crystalline Polyacrylates and Non-Liquid Crystalline Polypyrroles from Bifunctional Monomers, 3877C

Kim, M. G.
—; Examination of Selected Synthesis Parameters for Typical Wood Adhesive-Type Urea–Formaldehyde Resins by ^{13}C NMR Spectroscopy. I, 995C

Kim, M. H.
—; Kim, J. H.; Kim, C. K.; Kang, Y. S.; Park, H. C.; Won, J. O.: Control of Phase Separation Behavior of PC/PMMA Blends and Their Application to the Gas Separation Membranes, 2950P

Kim, S.-B. See Yamamoto, T., 2544P

Kim, S. I.
—; Ree, M.; Shin, T. J.; Jung, J. C.: Synthesis of New Aromatic Polyimides with Various Side Chains Containing A Biphenyl Mesogen Unit and Their Abilities to Control Liquid-Crystal Alignments on the Rubbed Surface, 2909C
—; Shin, T. J.; Ree, M.; Hwang, G. T.; Kim, B. H.; Han, H.; Seo, J.: Synthesis and Characterization of New Polyimides Containing Calix 4}arenes in the Polymer Backbone, 2013C
—; See Pyo, S. M., 937C

Kim, S. J. See Kim, G. H., 3715C

Kim, S. W. See Choi, S. W., 2207C; Jeong, B., 751C; Park, J.-S., 2305C

Kim, S. Y. See Kim, I., 2763C

Kim, T.-J. See Jeon, S.-J., 877C

Kim, W. G. See Han, S., 713C

Kim, W.-J. See Lee, K.-H., 247P

Kim, Y.-H.
—; Shin, D.-C.; Ha, C.-S.; Cho, W.-J.; Kwon, S.-K.: Synthesis and Characterization of Poly 4,4-bis(pivaloxymethyl)-1,6-heptadiyne} Having High Oxygen Permselectivity, 4135C

Kim, Y.-R. See Hwang, I.-W., 2901P

Kimura, M. See Kim, I.-H., 363C; Suzuki, M., 4360C

Kimura, N. See Nishio, Y., 1533P

Kimura, Y. See Miyamoto, M., 435C, 445C; Yamaoka, T., 1513C

Kishida, A. See Chen, M.-Q., 2155C; Serizawa, T., 801C

Kishore, K. See Jayaseharan, J., 4033C

Kissin, Y. V.
—; Brandolini, A. J.: Ethylene Polymerization Reactions with Ziegler–Natta Catalysts. II. Ethylene Polymerization Reactions in the Presence of Deuterium, 4273C
—; Mink, R. I.; Nowlin, T. E.: Ethylene Polymerization Reactions with Ziegler–Natta Catalysts. Part I. Ethylene Polymerization Kinetics and Kinetic Mechanism, 4255C
—; Mink, R. I.; Nowlin, T. E.; Brandolini, A. J.: Ethylene Polymerization Reactions with Ziegler–Natta Catalysts. III. Chain-End Structures and Polymerization Mechanism, 4281C
Kitamura, M.
—; Kawakami, K.; Nakamura, N.; Tsumoto, K.; Uchiyama, H.; Ueda, Y.; Kumagai, I.; Nakaya, T.: Expression of a Model Peptide of a Marine Mussel Adhesive Protein in *Escherichia coli* and Characterization of Its Structural and Functional Properties, 729C
—; See Yamaguchi, M., 1513P
Kitazawa, K. See Xiao, L., 3632C
Klein, A. See Blythe, P. J., 4449C; De La Rosa, L. V., 4054C; 4066C, 4073C
Kleiner, L. W. See Willcox, P. J., 3438P
Klemm, E. See Al-Higari, M., 4442C
Klenin, S. I. See Aseyev, V. O., 3337P
Kleppinger, R.
—; Mischenko, N.; Reynaers, H. L.; Koch, M. H. J.: Long-Range Order in Physical Networks of Gel-Forming Triblock Copolymer Solutions, 1833P
Klok, H.-A.
—; Rebrov, E. A.; Muzafarov, A. M.; Michelberger, W.; Möller, M.: Reversible Gelation of Poly(dimethylsiloxane) with Ionic and Hydrogen-Bonding Substituents, 485P
Knaul, J. Z.
—; Hudson, S. M.; Creber, K. A. M.: Crosslinking of Chitosan Fibers with Dialdehydes: Proposal of a New Reaction Mechanism, 1079P
Kobayashi, H. See Akita, H., 199P, 209P
Kobayashi, M. See Hashimoto, K., 909C
Kobayashi, N. See Yoshida, M., 61P
Kobayashi, S.
—; Highlight. Enzymatic Polymerization: A New Method of Polymer Synthesis, 3041C
—; See Uyama, H., 2737C
Koch, M. H. J. See Goderis, B., 1715P; Kleppinger, R., 1833P; Lefebvre, X., 1P
Kodaira, T. See Hashimoto, T., 1931C; 2923C
Koenig, J. L. See Snively, C. M., 2261P, 2353P
Kohjiya, S. See Tosaka, M., 2456P
Kohl, P. A. See Grove, N. R., 3003P; Hodge, T. C., 311P
Kohn, J. See Puma, M., 3504P
Koide, T. See Nishio, Y., 1533P
Koizumi, N. See Umemura, J., 531P
Koizumi, T.
—; Saeki, N.; Abematsu, H.; Terada, S.-I.; Moriya, O.; Endo, T.: Radical Polymerization Behavior of *N*-Vinylsaccharin, 3419C
Kok, W. Th. See Mes, E. P. C., 593P
Kolb, R. See Samon, J. M., 1277P
Kolodka, E. See Wang, W.-J., 2949C
Komatsu, S. See Minegishi, S., 959C
Komiyama, J. See Taki, K., 1035P; Tamura, T., 1523P
Komolov, A. See Shibaev, P. V., 2909P
Kondo, T. See Togawa, E., 451P
Kong, S. See Crivello, J. V., 3017C
Konishi, K. See Jar, P.-Y. B., 1739P
Kono, H.
—; Numata, Y.; Nagai, N.; Erata, T.; Takai, M.: CPMAS ^{13}C NMR and X-Ray Studies of Cellooligosaccharide Acetates as A Model for Cellulose Triacetate, 4100C
Kono, K. See Liu, M., 3492C
Konstandakopoyloy, F. D.
—; Kallitsis, J. K.: Soluble Rigid-Flexible Polyethers Containing Bis(biphenyl)anthracene or Bis(styryl)anthracene Units in the Main Chain for Light-Emitting Applications, 3826C
Kops, J. See Chen, X., 627C
Korberstein, J. T. See Jackson, D. A., 3141P
Korenowski, G. M. See Srikanth Sharma, P. R., 1245C
Koros, W. J. See Zimmerman, C. M., 1235P, 1251P
Koshino, H. See Yamaguchi, Y., 283C
Kostov, G. See Ameduri, B., 3991C
Krause, W. E.
—; Tan, J. S.; Colby, R. H.: Semidilute Solution Rheology of Polyelectrolytes with No Added Salt, 3429P
Kraus, J.
—; Müller-Buschbaum, P.; Bucknall, D. G.; Stamm, M.: Roughness Correlation and Interdiffusion in Thin Films of Polymer Chains, 2862P
Kresse, I.
—; Usenko, A.; Springer, J.; Privalko, V.: Gas Transport Properties of Soluble Poly(amide imide)s, 2183P
Kricheldorf, H. R.
—; Lorenc, A.; Spickermann, J.; Maskos, M.: Macrocycles 11. Polycondensations of Aliphatic Dicarboxylic Acid Dichlorides with Catechol or Bis-trimethylsilyl Catechol, 3861C
—; Stricker, A.; Lossin, M.: Polymers of Carbonic Acid. XXVII. Macrocyclic Polymerization of Trimethylene Carbonate, 2179C
—; See Sun, S.-J., 1125C
Krishnan, K. See Mathew, D., 1103C
Krochta, J. M. See Zhou, W.-J., 1393C
Kroll, G. See Thran, A., 3344P
Krug, C. See dos Santos, J. H. Z., 1987C
Krukonis, V. See Britto, L. J. D., 553P
Krumova, M. See Fakirov, S., 1413P
Krykin, M. A.
—; Zinovieva, O. M.; Zinoviev, A. B.: Sorption and Diffusion of Low Molecular Weight Gases and Vapors in Glassy Polymers at High

Concentration of Sorbate, 2314P
Kuang, J. See Quirk, R. P., 1143C
Kubisa, P. See Bednarek, M., 3447C
Kubo, M.
—; Takeuchi, H.; Ohara, T.; Itoh, T.; Nagahata, R.: Synthesis of a Well-Defined Cyclic Polystyrene via α-Carboxyl, ω-Amino Heterodifunctional Polystyrene, 2027C
—; See Itoh, T., 1285C, 3027C
Kubota, I. See Okuzaki, H., 991P
Kuchanov, S. I.
—; Kholostyakov, A. G.: On Calculation of Gel Point for Processes of Branched Polycondensation, 2145C
Kudoh, H. See Wu, G., 1541C
Kudo, J. See Kajiyama, M., 1135C
Kultys, A.
—; Polyesters Containing Sulfur. VII. New Aliphatic-Aromatic Polyesters for Synthesis of Polyester-Sulfur Compositions and Polyurethanes, 835C
—; Podkościelny, W.; Pikus, S.: Polyurethanes Containing Sulfur. I. New Thermoplastic Polyurethanes with Benzophenone Unit in Their Structure, 4140C
Kumagai, I. See Kitamura, M., 729C
Kunai, A. See Tang, H., 1873P
Kunugi, T. See Okuzaki, H., 991P; Suzuki, A., 1703P
Kuratani, K. See Patil, R. C., 2657C
Kurita, K. See Shimizu, S., 2195P
Kurotu, T. See Asano, A., 2007P
Kurth, M. J. See Zhou, W.-J., 1393C
Kusumoto, K. See Nishida, H., 4502C
Kuwano, Y. See Fukuhara, M., 497P
Kuze, S. See Haba, O., 2087C
Kwag, C.
—; Manke, C. W.; Gulari, E.: Rheology of Molten Polystyrene with Dissolved Supercritical and Near-Critical Gases, 2771P
Kwak, S.-Y.
—; Jung, S. G.; Yoon, Y. S.; Ihm, D. W.: Details of Surface Features in Aromatic Polyamide Reverse Osmosis Membranes Characterized by Scanning Electron and Atomic Force Microscopy, 1429P
Kwok, D. Y.
—; Li, A.; Neumann, A. W.: Low-Rate Dynamic Contact Angles on Poly(methyl methacrylate/ethyl methacrylate, 30/70) and the Determination of Solid Surface Tensions, 2039P
Kwon, O.-P. See Lee, S.-H., 3108P
Kwon, S.-K. See Kim, Y.-H., 4135C
Kwon, W. J. See Jang, B.-B., 3169C; Lee, K., 4117C
Kwon, Y.-M. See Park, J.-S., 2305C
Kyritsis, A. See Gómez Ribelles, J. L., 1587P

Lacabanne, C. See Ibos, L., 715P; Menegotto, J., 3494P
Lacroix, C. See Lepers, J.-C., 939P
Lahti, P. M. See Xie, C., 779C
Laibinis, P. E. See Angelino, M. D., 3888C
Lammertink, R. G. H.
—; Hempenius, M. A.; Thomas, E. L.; Vancso, G. J.: Periodic Organic–Organometallic Microdomain Structures in Poly(styrene-*block*-ferrocenyldimethylsilane) Copolymers and Blends with Corresponding Homopolymers, 1009P
Lando, J. B. See Srikhirin, T., 1057C, 1771C
Lane, A. R. See Ebdon, J. R., 2127P
Lange, R. F. M.
—; Van Gurp, M.; Meijer, E. W.: Hydrogen-Bonded Supramolecular Polymer Networks, 3657C
Langsam, M. See Tullos, G. L., 1183C
Lappan, U. See Schierholz K., 2404P
Laredo, E. See Hernández, M. C., 3038P
Laslett, B. See Cass, P., 3277C
Lath, D. See Capek, I., 3087C
Lathová, E. See Capek, I., 3087C
Laurienzo, P. See Avitabile, G., 1687P; Incarnato, L., 2445
Laus, M. See Clingman, S. R., 405P; Mariani, M., 1237C
Leal, L. G. See Chaubal, C. V., 281P
Lebedev, B. V. See Di Lorenzo, M. L., 2093P
Lecomte, Ph. See Mecerreyes, D., 2447C
Lednický, F. See Hlavatá, D., 1647P
Lee, B. H. See Lee, K., 1387P
Lee, B. J. See Yi, M. H., 3441C
Lee, C.-K. See Chern, C.-S., 1489C
Lee, C.-T. See Hsiao, S.-H., 1619C
Lee, D. S. See Choi, S. W., 2207C; Jeong, B., 751C
Lee, G. H. See Han, M. J., 3361C
Lee, H.-J.
—; Lee, M.-H.; Oh, M.-C.; Ahn, J.-H.; Han, S. G.: Crosslinkable Polymers for Optical Waveguide Devices. II. Fluorinated Ether Ketone Oligomers Bearing Ethynyl Group at the Chain End, 2355C
Lee, H. S.
—; You, S. R.; Seo, S. W.: Domain and Segmental Deformation Behavior of Thermoplastic Elastomers Using Synchrotron SAXS and FTIR Methods, 3233P
Lee, J.-C.
—; Tomita, I.; Endo, T.: Cobalt(III)-Catalyzed Cycloaddition Polymerization of Diynes with Nitriles: Synthesis of Polymers Containing Pyridine Moieties in the Main Chain, 1979C
Lee, J. Y.
—; Jang, J.: Synthesis and Curing of Liquid Crystalline Epoxy Resin Based on Naphthalene Mesogen, 419C
—; See Kemp, N. T., 953P
Lee, K.
—; Cho, K.; Park, I.; Lee, B. H.; Rana, D.; Choe, S.: Migration Phenomena of Surfactants in Polyethylene Film, 1387P
—; Jang, B.-B.; Kwon, W. J.; Suh, J.: Binding of Uranyl Ion by 2,2′-Dihydroxyazobenzene Attached to Crosslinked Polystyrenes Covered with Highly Populated Quaternary Ammonium Cations, 4117C
—; See Jang, B.-B., 3169C; Noh, Y.-S., 3936C
Lee, K.-H.
—; Park, J.-K.; Kim, W.-J.: Preparation and Ion

Conductivities of the Plasticized Polymer Electrolytes Based on the Poly(acrylonitrile-*co*-lithium methacrylate), 247P
Lee, K. H.
—; Won, C. Y.; Chu, C. C.; Gitsov, I.: Hydrolysis of Biodegradable Polymers by Superoxide Ions, 3558C
Lee, K.-W. See Yu, J., 2806P
Lee, M. H. See Kim, I., 2763C
Lee, M.-H. See Lee, H.-J., 2355C
Lee, M.-W. See Lee, S.-H., 3108P
Lee, R. See Jar, P.-Y. B., 1739P
Lee, R.-H. See Hsiue, G.-H., 2503C
Lee, S. C. See Park, L. S., 2311C
Lee, S.-D.
—; Sanda, F.; Endo, T.: Graft Polymerization of Epoxide and Alternating Graft Copolymerization of Epoxide–Acid Anhydride onto a Polystyrene Backbone Having an Aminimide Moiety, 1041C
—; Takata, T.; Endo, T.: Cationic Polymerization Behavior of Isobutyl Vinyl Ether with Arenesulfonates as Non-Salt-Type Latent Thermal Initiators, 293C
Lee, S.-H.
—; Kim, C.-K.; Kwon, O.-P.; Lee, M.-W.; Won, Y.-H.: Investigation of Dipole Alignments by Swelling in Poled Thin Films of a Side-Group Polymer Using Second Harmonic Generation, 3108P
Lee, S.-M.
—; Choi, W.-M.; Ha, C.-S.; Cho, W.-J.: Syntheses and Antitumor Activities of Medium Molecular Weight Polymers Containing α-Ethoxy-*exo*-3,6-Epoxy-1,2,3,6-Tetrahydrophthaloyl-5-Fluorouracil, 2619C
Lee, S.-T. See Mi, F.-L., 1551P
Lee, T. H. See Park, L. S., 2311C
Lee, W.-C. See Chen, C.-H., 1457C
Lee, Y. See Kim, J. K., 889P
Lee, Y.-K.
—; Onimura, K.; Tsutsumi, H.; Oishi, T.: Synthesis and Characterization of Novel Vinyl Polymers Containing Thioester Group in Side Chain, 3871C &Lefébvre, H.; Fradet, A.: Bis 4-monosubstituted-5(4H)oxazolinones} as Coupling Agents for Block Copolymer Synthesis: Reaction with Amine-Terminated Oligomers and with Hydroxy-Terminated/Amine-Terminated Oligomer Mixtures, 4412C
Lefèbvre, X.
—; Koch, M. H. J.; Reynaers, H.; David, C.: Thermal Behavior of Poly(hexamethylene terephthalate) Oligomers. I. Melting Behavior and Morphology of the Crystalline Phase, 1P
Legras, R. See Stone, V. W., 233C
Lehtinen, T. See Hietala, S., 1741C, 2893P
Lei, M. See Yu, Z.-Z., 2664P
Lelli, M. See Mariani, M., 1237C
Lepers, J.-C.
—; Favis, B. D.; Lacroix, C.: The Influence of Partial Emulsification on Coalescence Suppression and Interfacial Tension Reduction in PP/PET Blends, 939P
Lesser, A. J. See Hobbs, T., 1881P; Jones, N. A., 3246P; Sabbagh, A. B., 2651P; Schueneman, G. T., 2601P
Li, A. See Kwok, D. Y., 2039P
Li, B. See Machida, S., 585P
Li, C. F. See Zhang, G. Y., 575P
Li, C.-T. See Hsiao, S.-H., 1403C, 1435C
Li, D. S. See Wang, M. Z., 2928P
Li, F.
—; Zhang, Z.; Friberg, S. E.; Aikens, P. A.: Polymeric Surfactants Based on Oleic Acid. II. Copolymerization of Sodium Acrylamidostearate and 10-Undecen-1-ol in a Lamellar Liquid Crystal, 2863C
—; See McCreight, K. W., 1633P; Wu, S., 3854C, 3302P
Li, F.-M. See Du, F.-S., 179C
Li, G. See Dong, D., 211C
Li, H.
—; Huang, H.; Ruckenstein, E.: Self-Compatibilization of Polymer Blends Prepared via Functionalized Concentrated Emulsion Polymerization, 4233C
—; Hu, G.-H.; Sousa, J. A.: Morphology Development of Immiscible Polymer Blends During Melt Blending: Effects of Interfacial Agents on the Liquid-Solid Interfacial Heat Transfer, 3368P
—; See Qi, C., 2476P; Wang, X., 837P
Li, J. See Pitsikalis, M., 4337C; Wan, M., 4605C; Wu, S., 3854C; Xiao, L., 3632C; Xie, W., 3486C
Li, K. See Li, W.-H., 2295C
Li, L. See An, Y., 443P; Huang, Y. H., 1465C
Li, M.-S. See Li, Y-S., 3614C
Li, P. See Xu, J., 2069C
Li, W.-H.
—; Li, K.; Stöver, H. D. H.: Monodisperse Poly(Chloromethylstyrene-*co*-Divinylbenzene) Microspheres by Precipitation Polymerization, 2295C
—; Stöver, H. D. H.: Mono- or Narrow Disperse Poly(Methacrylate-*co*-Divinylbenzene) Microspheres by Precipitation Polymerization, 2899C
Li, X. See Hu, X., 965P
Li, Y. See Zheng, M., 2587C
Li, Y-S.
—; Li, M.-S.; Chang, F.-C.: Kinetics and Curing Mechanism of Epoxy and Boron Trifluoride Monoethyl Amine Complex System, 3614C
Li, Z. See Cheng, X., 3770C
Li, Z.-C. See Du, F.-S., 179C
Li, Z.-Q. See Dong, H., 1265C
Liang, J.-L. See Nikles, D. E., 2339C
Liao, C. L. See Chang, T. C., 1717C
Liaw, B.-Y. See Liaw, D.-J., 1331C, 1997C, 2629C, 2791C, 2815C, 3456C, 4591C
Liaw, D.-J.
—; Liaw, B.-Y.: Radical Polymerization of New Functional Monomer: Methacryloyl Isocyanate Containing 4-Chloro-1-phenol, 3456C
—; Liaw, B.-Y.: Synthesis and Characterization of Norbornane-Containing Cardo Polyamides, 2791C
—; Liaw, B.-Y.: Synthesis and Characterization of Novel Polyaryloxydiphenylsilane Derived from 2,2′-Dimethyl-biphenyl-4,4′-Diol, 4591C

—; Liaw, B.-Y.; Chung, C.-Y.: Synthesis and Characterization of New Cardo Polyimides Prepared from 5,5-Bis 4-(4-aminophenoxy)phenyl}-4,7-methanohexahydroindane, 2815C
—; Liaw, B.-Y.; Su, K.-L.: Synthesis and Characterization of New Soluble Polyamides Derived from 3,3′,5,5′-Tetramethyl-2,2-bis 4-(4-carboxyphenoxy)phenyl]propane, 1997C
—; Liaw, B.-Y.; Tseng, J.-M.: Synthesis and Characterization of Novel Poly(amide-imide)s Containing Hexafluoroisopropylidene Linkage, 2629C
—; Lin, S.-P.; Liaw, B.-Y.: Photolysis of Bisphenol-Based Polyurethanes in Solution, 1331C
—; Sang, H.-C.: Radical Polymerization of New Functional Monomers Derived from Methacryloyl Isocyanate and Urea, 1789C
Lim, A. S. C.
—; Solomon, D. H.; Zhang, X.: Chemistry of Novolac Resins. X. Polymerization Studies of HMTA and Strategically Synthesized Model Compounds, 1347C
Lim, Y.-B. See Park, J.-S., 2305C
Lin, C. H. See Wang, C. S., 891C, 3903C, 2269P
Lin, D.-J. See Cheng, L.-P., 2079P
Lin, J. S. See Bond, E. B., 3050P
Lin, K.-C. See Chen, Y., 2969C
Lin, K.-F. See Chen, Y.-C., 3233C
Lin, S.
—; Cabasso, I.: Synthesis of Poly(phosphonosiloxane) and Its Cyclic Monomer Via Hydrosilylation and Phosphonylation of Vinylbenzyl Chloride, 4043C
—; See Zhu, F., 4497C
Lin, S.-J. See Hsiao, S.-H., 4510C
Lin, S.-P. See Liaw, D.-J., 1331C
Lin, S.-Y.
—; Capek, I.; Hsu, T.-J.; Chern, C.-S.: On the Emulsion Polymerization of Styrene in the Presence of a Nonionic Emulsifier, 4422C
—; Yu, H.-L.: Thermal Stability of Methacrylic Acid Copolymers of Eudragits L, S, and L30D and the Acrylic Acid Polymer of Carbopol, 2061C
Lin, T. L. See Yu, T. L., 2673P
Lin, Y.-C. See Wu, C.-G., 1763P
Lindberg, T. See Ohrlander, M., 1651C
Linstid, H. C. See Hanley, S. J., 3473C
Liou, G.-S.
—; New Rigid-Rod Poly(benzoxazole-imide)s Containing Chloro-Substituted *p*-Phenylene Units in the Main Chain, 4151C
—; Chern, Y.-T.: Synthesis and Properties of New Polyarylates from 1,4-Bis(4-carboxyphenoxy)naphthyl or 2,6-Bis(4-carboxyphenoxy)naphthyl and Various Bisphenols, 645C
—; Wang, J.-S. B.; Tseng, S.-T.; Tsiang, R. C.-C.: New Organo-Soluble Aromatic Polyimides Based on 3,3′,5,5′-Tetrabromo-2,2-bis 4-(3,4-dicarboxy-phenoxy)phenyl]propane Dianhydride and Aromatic Diamines, 1673C
Liou, Y.-C. See Chern, C.-S., 2537C
Lipic, P. M.
—; Bates, F. S.; Matsen, M. W.: Non-Equilibrium Phase Behavior of Diblock Copolymer Melts and Binary Blends in the Intermediate Segregation Regime, 2229P
Lisac, S. See Zorić, Z., 25C
Litvinov, V. See Jahromi, S., 3307P
Liu, C.-J. See Kemp, N. T., 953P
Liu, H.
—; Jiang, A.; Guo, J.; Uhrich, K. E.: Unimolecular Micelles: Synthesis and Characterization of Amphiphilic Polymer Systems, 703C
Liu, K.-H. See Shieh, Y.-T., 4126C
Liu, L.-Z.
—; Chu, B.: Crystalline Structure and Morphology of Microphases in Compatible Mixtures of Poly(tetrahydrofuran-methyl methacrylate) Diblock Copolymer and Polytetrahydrofuran, 779P
Liu, M.
—; Kono, K.; Fréchet, J. M. J.: Water-Soluble Dendrimer-Poly(ethylene glycol) Starlike Conjugates as Potential Drug Carriers, 3492C
Liu, R.
—; Moffitt, M.; Winnik, M. A.; Heinemann, J.; Mülhaupt, R.: Energy Transfer from Phenanthrene to Anthracene in a Dye-Labeled (Ethylene-Methyl Acrylate) Copolymer, 4169C
Liu, S. See Pan, Q., 2699C
Liu, S. S. See Crivello, J. V., 1199C
Liu, W. J. See Yu, T. L., 2673P
Liu, X.-C.
—; Dordick, J. S.: Sugar Acrylate-Based Polymers as Chiral Molecularly Imprintable Hydrogels, 1665C
Liu, Y.
—; Jin, Y.; Dai, L.; Bu, H.; Luise, R. R.: Crystallization and Melting Behavior of Liquid Crystalline Copolyesters Based on Poly(ethylene terephthalate), 369C
—; See Xu, Y., 2347C
Liu, Y.-G. See Sui, Y., 4330C
Liu, Z.
—; Brook, B. W.: Kinetics of Redox Polymerizations of Acrylic Acid in Inverse Dispersion and in Aqueous Solution, 313C
Lochon, P. See Jonquières, A., 2873C
Löfgren, B. See Anttila, U., 3099C
Lohse, D. J. See Fetters, L. J., 1023P; Han, S. J., 2835P
Long, G. See Beaucage, G., 1105P
Longo, P. See Guadagno, L., 173P
Loontjens, T. See Bruch, M., 3367C
Lopez-Guillen, R. See Medellín-Rodriguez, F. J., 1981P
Loppinet, B. See Kapantaidakis, G. C., 2788P
Lorenc, A. See Kricheldorf, H. R., 3861C
Lossin, M. See Kricheldorf, H. R., 2179C
Lotz, B. See Paredes, N., 2521P

Loukoutos, C. See Glezakou, V.-A., 1351P
Lousenberg, R. D.
—; Shoichet, M. S.: Polymerization of Novel Trifluorovinyl Ethers: Insight into the Mechanisms of Termination and Chain Transfer[1], 3301C
Low, H. Y.
—; Ishida, H.: An Investigation of the Thermal and Thermo-Oxidative Degradation of Polybenzoxazines with a Reactive Functional Group, 647P
Loy, D. A.
—; Jamison, G. M.; McClain, M. D.; Alam, T. M.: Spontaneous Polymerization of Phenylphosphaethyne, 129C
Lozano, A. E.
—; De La Campa, J. G.; De Abajo, J.: Aromatic Polyamides and Polyimides Derived from 3,3′-Diaminobiphenyl: Synthesis, Characterization, and Molecular Simulation Study, 4646C
—; See Ayala, D., 805C, 3377C; Elvira, C., 4528C
Lovinger, A. J.
—; Morawetz, H.; Percec, V.; Tirrell, D. A.: A Tribute to Norbert M. Bikales, 1049C
Lu, H. L.
—; Chung, T. C.: Synthesis of PP Graft Copolymers via Anionic Living Graft-from Reactions of Polypropylene Containing Reactive *p*-Methylstyrene Units, 4176C
—; Hong, S.; Chung, T. C.: Synthesis of Polypropylene-*co*-*p*-methylstyrene Copolymers by Metallocene and Ziegler–Natta Catalysts, 2795C
Lu, W.
—; Meng, X. S.; Wang, Z. Y.: Electrochemical Behavior of a New Electroactive Polyimide Derived from Aniline Trimer, 4295C
Lu, Z.
—; Huang, X.; Huang, J.: Synthesis, Characterization, and Hydrolysis of PVAc-PS-PVAc *via* Charge Transfer Polymerization, 2595C
—; See Zhao, Y., 3288P
Lucchesini, F. See Bertini, V., 3109C
Lugtenburg, J. See Heinen, W., 4368C
Luise, R. R. See Bi, S., 3763C; Liu, Y., 369C
Lunkwitz, K. See Schierholz K., 2404P
Luo, J. See Tong, Y., 1425C
Luo, N. See Wang, X.-S., 1255C
Luo, X. See Cheng, X., 3770C; Ma, D., 2960P
Luo, X. L. See Ma, D. A., 2918P; Wang, M. Z., 2928P; Zhang, G. Y., 575P

Ma, D.
—; Zhang, G.; He, Y.; Ma, J.; Luo, X.: Compatibilizing Effect of Transesterification Product Between Components in Bisphenol-A Polycarbonate/Poly(ethylene terephthalate) Blend, 2960P
—; See Cheng, X., 3770C
Ma, D. A.
—; Wang, M. Z.; Zhao, M. C.; Zhang, X. Y.; Luo, X. L.: Crystallization and Melting Behavior of the Soft and Hard Segments in Poly(ester-ether)s. I. Ethylene Oxide-Ethylene Terephthalate Segmented Copolymers, 2918P
Ma, D. Z. See Wang, M. Z., 2928P; Zhang, G. Y., 575P
Ma, J. See Ma, D., 2960P
Ma, Y. See Mi, Q., 4536C
Maccone, P. See Tonelli, C., 1473C
MacDiarmid, A. G. See Xu, H.-S., 2845P
Macdonald, P. M. See Masaro, L., 2396P
Machado, A. V.
—; Covas, J. A.; van Duin, M.: Chemical and Morphological Evolution of PA-6/Epm/Epm-*g*-MA Blends in a Twin Screw Extruder, 1311C
Machida, S.
—; Tanaka, S.; Horie, K.; Li, B.: Low-Temperature Relaxation of Polymers around Doped Dyes Studied by Persistent Spectral Hole Burning, 585P
—; See Obata, M., 2173P
Machida, T. See Nagata, M., 2005C
MacKay, M. E. See Cooper-White, J. J., 1803P
MacManus, L. F.
—; Walzak, M. J.; McIntyre, N. S.: Study of Ultraviolet Light and Ozone Surface Modification of Polypropylene, 2489C
Madruga, E. L. See Sánchez-Chaves, M., 2941C
Maeda, H. See Miyamoto, M., 435C
Maeda, M. See Shimazu, A., 2941P
Magalhães, W. F. See Porto, A. O., 219P
Maggana, C.
—; Pissis, P.: Water Sorption and Diffusion Studies in an Epoxy Resin System, 1165P
Magin, E. H. See Borsenberger, P. M., 349P
Magny, B. See Barbeau, Ph., 919P
Mahdavian, A.-R. See Mallakpour, S. E., 1211C
Mähl, S.
—; Neumann, M.; Schneider, B.; Schlett, V.; Baalmann, A.: Analysis of XPS Valence Band Spectra of Polymers Using a Density-Functional Theory Based Calculation of Model Oligomers, 95C
Maier, T. R. See Srithawatpong, R., 2754P
Makhaeva, E. E. See Jeon, C. H., 1209P
Makino, K. See Ikada, Y., 159C
Malinconico, M. See Avitabile, G., 1687P; Incarnato, L., 2445
Mallakpour, S. E.
—; Hajipour, A.-R.; Mahdavian, A.-R.; Khoee, S.: Asymmetric Polymerization Via Cycloaddition Reactions, 1211C
Malmonge, L. F. See Rocha, I. S., 1219P
Malucelli, G. See Ameduri, B., 77C
Mandal, B. M. See Mandal, T. K., 3723C; Ray, B., 493C
Mandal, H.
—; Hay, A. S.: Synthesis and Characterization of Polycyclic Structures and Linear Polycarbonate Copolymers from a Bisphenol A Dimer, 927C
Mandal, T. K.
—; Mandal, B. M.: Dispersion Polymerization of Pyrrole using Ethylhydroxy-Ethylcellulose as a Stabilizer, 3723C

Mandelkern, L.
—; Crystalline Polymers: Reminiscences and Some Thoughts, 633P
—; See Isasi, J. R., 323P
Mani, R.
—; Bhattacharya, M.; Tang, J.: Functionalization of Polyesters with Maleic Anhydride by Reactive Extrusion, 1693C
Manke, C. W. See Kwag, C., 2771P
Mann, I. See McCreight, K. W., 1633P
Mann, J. A., Jr. See Srikhirin, T., 1057C, 1771C
Mann, T. See Cass, P., 3277C
Månson, J.-A. E. See Jannerfeldt, G., 2069P
Mantle, M. See Dutheillet, Y., 3328P
Mao, G. See Clingman, S. R., 405P
Maraval, C. See Ibos, L., 715P
Marco, C. See Hernández, M. C., 3038P
Marcos-Fernández, A.
—; Posadas, P.; Rodríguez, A.; González, L.: Synthesis and Characterization of New Dicyanate Monomers. A Way to Obtain Fully Aromatic Crosslinked Poly(ether ketone)s, 3155C
Mariani, M.
—; Lelli, M.; Sparnacci, K.; Laus, M.: Diblock and Triblock Functional Copolymers by Controlled Radical Polymerization, 1237C
Mark, J. E. See Breiner, J. M., 1421P
Marom, G. See Assouline, E., 2534P
Marques, M. M.
—; Correia, S. G.; Ascenso, J. R.; Ribeiro, A. F. G.; Gomes, P. T.; Dias, A. R.; Foster, P.; Rausch, M. D.; Chien, J. C. W.: Polymerization with TMA-Protected Polar Vinyl Comonomers. I. Catalyzed by Group 4 Metal Complexes with η^5-type Ligands, 2457C
—; See Correia, S. G., 2471C
Marson, G. A.
—; El Seoud, O. A.: Cellulose Dissolution in Lithium Chloride/*N,N*-Dimethylacetamide Solvent System: Relevance of Kinetics of Decrystallization to Cellulose Derivatization Under Homogeneous Solution Conditions, 3738C
—; See Regiani, A. M., 1357C
Martín, O.
—; Mendicuti, F.; Saiz, E.; Mattice, W. L.: Intramolecular Excited State Complexes in Trichromophoric Model Compounds for Polyesters Derived from 2,6-Naphthalenedicarboxylic Acid and Aliphatic Glycols: Experiment, Rotational Isomeric State Model, and Molecular Dynamics, 253P
Martin, S. J. See So, Y.-H., 2637C
Martínez de Ilarduya, A. See Bou, J. J., 983C
Martínez, G. See Sánchez-Chaves, M., 2941C
Martuscelli, E. See Avitabile, G., 1687P
Maruyama, H. See Fujiki, K., 2121C
Masaro, L.
—; Zhu, X. X.; Macdonald, P. M.: Study of the Self-Diffusion of Poly(ethylene glycol)s in Poly(vinyl alcohol) Aqueous Systems, 2396P
Maschke, U. See Benmouna, F., 1841P
Mashlyakovskiy, L.
—; Zaiviy, V.; Simeone, G.; Tonelli, C.: Fluoropolyethers End-Capped by Polar Functional Groups. I. Kinetic Approach to the Reaction of Hydroxy-Terminated Fluoropolyethers with Cycloalyphatic and Aromatic Diisocyanates, 557C
Maskos, K. See Sachinvala, N. D., 4019C
Maskos, M. See Kricheldorf, H. R., 3861C
Masuda, S.
—; Miyahara, T.; Minagawa, K.; Tanaka, M.: Polymerization and Complexation of Methacryloylglycine, 1303C
—; See Ikada, Y., 159C
Masuda, T. See Nanjo, K., 277C; Teraguchi, M., 4546C
Mathew, D.
—; Reghunadhan Nair, C. P.; Krishnan, K.; Ninan, K. N.: Catalysis of the Cure Reaction of Bisphenol A Dicyanate. A DSC Study, 1103C
Mathias, L. J. See Avci, D., 901C; Tullos, G. L., 1183C; Yagci, H., 1189C
Mathot, V. See Peeters, M., 83P
Mathot, V. B. F. See Goderis, B., 1715P
Matsen, M. W. See Lipic, P. M., 2229P
Matsuda, H. See Matsuzawa, H., 3545C; Sakai, Y., 1321C
Matsuda, Y. See Endo, K., 3838C
Matsui, R. See Nishino, T., 1191P
Matsumoto, A.
—; ESR Study of the Radicals Obtained from Adducts of Dialkyl Itaconates with Bromotrichloromethane, 1969C
—; Mohri, Y.: Effects of Solvent as an Electron-Pair Acceptor on Propagation Reactions During Radical Polymerization and Copolymerization of Polar Vinyl Monomers, 2803C
—; See Yamaguchi, Y., 283C
Matsunami, S. See Ishii, F., 1657P
Matsuoka, S.
—; Reflections on Relaxation Phenomena in Polymers, 635P
Matsusaki, K. See Sata, T., 793P
Matsushita, T. See Shimazu, A., 2941P
Matsuzawa, H.
—; Okada, S.; Sarkar, A.; Nakanishi, H.; Matsuda, H.: Synthesis of Ladder Polymers Containing Polydiacetylene Backbones Connected with Methylene Chains and Their Optical Properties, 3545C
Matthews, R. G.
—; Ward, I. M.; Capaccio, G.: Structural Heterogeneity and Dynamic Mechanical Relaxations of Ethylene α-Olefin Copolymers, 51P
Mattice, W. L. See Martín, O., 253P
Mattoso, L. H. C. See Rocha, I. S., 1219P
Mattsson, B.
—; Ericson, H.; Torell, L. M.; Sundholm, F.: Micro-Raman Investigations of PVDF-Based Proton-Conducting Membranes, 3317C
—; See Hietala, S., 1741C
Mauler, R. S. See Simon, L. C., 4656C

Maunu, S. L. See Hietala, S., 2893P
Mauritz, K. A. See Siuzdak, D. A., 143P
Mayer, J. See Szadkowska–Nicze, M., 2853C
Mays, J. W. See Beyer, F. L., 3392P; Chrissopoulou, K., 3385P; Pitsikalis, M., 4337C
McCabe, A. J. See Ebdon, J. R., 2127P
McClain, M. D. See Loy, D. A., 129C
McCreight, K. W.
—; Ge, J. J.; Guo, M.; Mann, I.; Li, F.; Shen, Z.; Jin, X.; Harris, F. W.; Cheng, S. Z. D.: Phase Structures and Transition Behaviors in Polymers Containing Rigid Rodlike Backbones with Flexible Side Chains. V. Methylene Side-Chain Effects on Structure and Molecular Motion in a Series of Polyimides, 1633P
McCurdie, M. P.
—; Belfiore, L. A.: Solid-State Complexes of Poly(L-Histidine) with Metal Chlorides from the First Row of the *d*-Block, 301P
McDowell, C. C.
—; Freeman, B. D.; McNeely, G. W.: Interval Kinetic Gravimetric Sorption of Acetone in Random Copolymers of Poly(ethylene terephthalate) and Poly(ethylene 2,6-naphthalate), 2973P
—; See Cantrell, G. R., 505P
McGervey, J. D. See Srithawatpong, R., 2754P
McGrath, J. E. See Wang, S., 1849P
McHugh, A. J. See Barton, B. F., 1449P; Graham, P. D., 1461P
McIntyre, N. S. See MacManus, L. F., 2489C
McKellop, H. A. See Yu, Y.-J., 3309C
McKenna, T. F.
—; Villanueva, A.: Effect of Solvent on the Rate Constants in Solution Polymerization. Part II. Vinyl Acetate, 589C
—; Villanueva, A.; Santos, A. M.: Effect of Solvent on the Rate Constants in Solution Polymerization. Part I. Butyl Acrylate, 571C
McLean, R. S.
—; Sauer, B. B.: Nano-Deformation of Crystalline Domains during Tensile Stretching Studied by Atomic Force Microscopy, 859P
McNeely, G. W. See McDowell, C. C., 2973P
Mecerreyes, D.
—; Dahan, D.; Lecomte, Ph.; DuBois, Ph.; Demonceau, A.; Noels, A. F.; Jérôme, R.: Ring-Opening Metathesis Polymerization of New α-Norbornenyl Poly(ε-caprolactone) Macromonomers, 2447C
—; DuBois Ph.; Jérôme, R.; Hedrick, J. L.; Hawker, C. J.: Synthesis of Dendritic–Linear Block Copolymers by Living Ring-Opening Polymerization of Lactones and Lactides Using Dendritic Initiators, 1923C
Medeiros, D. R. See Havard, J. M., 1225C
Medellín–Rodriguez, F. J.
—; Lopez–Guillen, R.; Waldo–Mendoza, M. A.: Microkinetics of Crystallization and Melting Behavior of Solid-State Polymerized Poly(ethylene terephthalate) (PET), 1981P
Meguro, M. See Kato, K., 357C
Meijer, E. W. See Goldoni, F., 4629C; Lange, R. F. M., 3657C
Meives, M. F. See Yu, Q. S., 4432C
Melnichenko, G. See Imre, A. R., 2747P
Memon, S. See Yilmaz, A., 4351C
Mende, M.
—; Steinert, V.; Zschoche, S.: The Influence of Cations on the Dissociation Behaviour of Copolymers of Propene and Maleic Acid and Their Modified Products with Taurine in Salt-Free Solution, 1949C
Mendes, L. J.
—; Tsai, T.-C.; High, K. A.; High, M. S.; Tree, D. A.: Model of Processing-Induced Microstructure Formation in Polymeric Materials, 2571P
Mendicuti, F. See Martín, O., 253P
Menegotto, J.
—; Demont, P.; Bernes, A.; Lacabanne, C.: Combined Dielectric Spectroscopy and Thermally Stimulated Currents Studies of the Secondary Relaxation Process in Amorphous Poly(ethylene terephthalate), 3494P
Meng, F.
—; Yu, G.; Huang, B.: Polymer-Supported Zirconocene Catalyst for Ethylene Polymerization, 37C
Meng, X. S. See Lu, W., 4295C
Meng, Y.
—; Hlil, A. R.; Hay, A. S.: Synthesis and Thermal Properties of Poly(arylene ether ketone)s Containing Phthalazinone Moieties, 1781C
Meng, Z. See Cao, W., 2601C
Mercier, O. See Kemp, N. T., 953P
Merkel, T. C. See De Angelis, M. G., 3011P
Mes, E. P. C.
—; Kok, W. Th.; Poppe, H.; Tijssen, R.: Comparison of Methods for the Determination of Diffusion Coefficients of Polymers in Dilute Solutions: The Influence of Polydispersity, 593P
Metzger, R. M. See Han, Z., 461P
Mi, F.-L.
—; Shyu, S.-S.; Lee, S.-T.; Wong, T.-B.: Kinetic Study of Chitosan-Tripolyphosphate Complex Reaction and Acid-Resistive Properties of the Chitosan-Tripolyphosphate Gel Beads Prepared by in-Liquid Curing Method, 1551P
Mi, Q.
—; Ma, Y.; Gao, L.; Ding, M.: Synthesis and Characterization of Optically Active Aromatic Polyimides Derived from 2,2′-Bis(2-trifluoro-4-aminophenoxy)-1,1′-Binaphthyl and Aromatic Tetracarboxylic Dianhydrides, 4536C
Mi, Y. See Zheng, S., 2412P; Zhong, Z., 237P
Michaels, F. M. See Robello, D. R., 2219C
Michelberger, W. See Klok, H.-A., 485P

Mikhael, M. G. See Choi, W.-S., 1709C
Miki, N. See Nishino, T., 3294P
Mikroyannidis, J. A.
—; Rigid-Rod Polyamides and Polyimides Prepared from 4,3″-Diamino-2′,6′-Di(2-naphthyl)-*p*-terphenyl and 2′,6′,3‴,5‴-Tetra(2-naphthyl)-4,4″-Diamino-*p*-quinquephenyl, 15C
—; Tsivgoulis, G. M.: Synthesis and Characterization of Soluble, Blue-Fluorescent Polyamides and Polyimides Containing Substituted p-Terphenyl as Well as Long Aliphatic Segments in the Main Chain, 3646C
Mima, T. See Tobita, H., 1267P
Mimura, T. See Yoshida, T., 789C
Minagawa, K. See Masuda, S., 1303C
Minegishi, S.
—; Komatsu, S.; Kameyama, A.; Nishikubo, T.: Novel Synthesis of Polyphosphonates by the Polyaddition of Bis(epoxide) with Diaryl Phosphonates, 959C
Mink, R. I. See Kissin, Y. V., 4255C; 4281C
Mirabella, F. M. See Crist, B., 3131P
Miravet, J. See Gong, C., 3193C
Mischenko, N. See Kleppinger, R., 1833P
Mischnick, P. See Heinrich, J., 3011C
Mise, T. See Yamaguchi, Y., 283C
Mishima, M. See Hashimoto, T., 1931C
Misra, B. N. See Chauhan, G. S., 1763C
Misra, N. K. See Kapoor, D., 3269P
Mitani, K. See Higashi, F., 3710C
Mitsui, S. See Yoshida, M., 61P
Mitsuoka, Y. See Nishino, T., 3294P
Miyachi, M. See Itoh, T., 1285C
Miyahara, T. See Masuda, S., 1303C
Miyamoto, M.
—; Kanetaka, S.-Y.: Anionic Polymerization of Lewis Acid-Activated Methyl Methacrylate by Enamines, 3671C
—; Saeki, Y.; Maeda, H.; Kimura, Y.: Isomerization Polymerization and Copolymerization of Glycidyl Alkanoates Catalyzed by Methylaluminum Bis(2,6-di-*t*-butyl-4-methylphenoxide), 435C
—; Tsutsui, K.; Kimura, Y.: Isomerization Polymerization of Alkyl Glycidyl Carbonates to Produce Novel Poly(orthocarbonate)s, 445C
—; See Yamaoka, T., 1513C
Miyashita, Y. See Nishio, Y., 1533P
Miyata, H. See Yamaguchi, M., 701P
Miyata, T.
—; Takagi, T.; Higuchi, J.-I.; Uragami, T.: Two Types of Fractal Dimensions for Phase Separation in Multicomponent Polymer Membranes, 1545P
Miyazaki, H. See Nishikubo, T., 2781C
Miyazaki, T. See Shimazu, A., 2941P
Miyazawa, A.
—; Kase, T.; Soga, K.: Living Polymerization of 1,3-Butadiene with the Catalyst System Composed of Cyclopentadienyltitanium Trichloride and Methylaluminoxane, 695C
Mizawa, T.
—; Takenaka, K.; Shiomi, T.: Synthesis of Polymers Containing Conjugated Dienyl End-Groups by Means of Anionic Living Polymerization, 3464C
Mizumachi, H. See Kajiyama, M., 1135C
Mo, Z. See An, Y., 443P
Mochizuki, A. See Seino, H., 3584C
Moffitt, M. See Liu, R., 4169C
Mohri, Y. See Matsumoto, A., 2803C
Möller, M. See Klok, H.-A., 485P
Monar, K.
—; Habenschuss, A.: Modeling the Principal Amorphous Halo in Quiescent Melts of Polyethylene and Ethylene Copolymers Using Wide-Angle X-ray Scattering and Its Implications, 3401P
Monat, J. E. See Robertson, C. G., 1931P
Mondragon, I. See de la Caba, K., 1677P; Oyanguren, P. A., 2711P
Monleón Pradas, M. See Gómez Ribelles, J. L., 1587P
Monnerie, L. See Choe, S., 1131P
Monrabal, B.
—; Blanco, J.; Nieto, J.; Soares, J. B. P.: Characterization of Homogeneous Ethylene/1-Octene Copolymers Made with a Single-Site Catalyst. CRYSTAF Analysis and Calibration, 89C
—; See Britto, L. J. D., 539P
Moon, I.-K. See Chen, W., 1539P
Moon, T. J. See Han, S., 713C
Morawetz, H.
—; Highlight. On the Versatility of Fluorescence Techniques in Polymer Research, 1725C
—; See Lovinger, A. J., 1049C
Moreira, R. L. See Faria, L. O., 2996P
Mori, J. See Tobita, H., 1267P
Morishima, Y. See Yusa, S.-I., 47C
Morita, Y. See Wu, G., 1541C
Moriya, O. See Koizumi, T., 3419C; Sugizaki, T., 2363C, 4226C
Morsley, D. R. See Haddleton, D. M., 3549C
Motta, A. See Bordi, F., 3123P
Mowers, W. A. See Rajaraman, S. K., 4007C
Muhammad, M. See Spaans, R. D., 267P
Mukherjee, M. See Dutta, K., 551C
Mülhaupt, R. See Bruch, M., 3367C; Liu, R., 4169C
Müllen, K. See Petekidis, G., 2211P
Müller-Buschbaum, P. See Kraus, J., 2862P
Mullick, S. See Cheng, S.-X., 3084P
Muñoz-Guerra, S. See Bou, J. J., 983C
Murakami, A. See Yamaoka, T., 1513C
Murakami, S. See Tosaka, M., 2456P
Murakami, T. See Yasuniwa, M., 2420P
Murata, Y. See Umemura, J., 531P
Murgašová, R. See Capek, I., 3087C
Murugavel, S. C. See Kannan, P., 3285C

Musselman, S. G.
—; Santosusso, T. M.; Barnes, J. D.; Sperling, L. H.: Domain Structure and Interphase Dimensions in Poly(urethaneurea) Elastomers Using DSC and SAXS, 2586P
Muzafarov, A. M. See Klok, H.-A., 485P

Nagahata, R. See Kubo, M., 2027C
Nagai, M.
—; Nakamura, K.; Uehara, H.; Kanamoto, T.; Takahashi, Y.; Furukawa, T.: Enhanced Electrical Properties of Highly Oriented Poly(vinylidene fluoride) Films Prepared by Solid-State Coextrusion, 2549P
Nagai, N. See Kono, H., 4100C
Nagata, M.
—; Machida, T.; Sakai, W.; Tsutsumi, N.: Synthesis, Characterization, and Enzymatic Degradation of Network Aliphatic Copolyesters, 2005C
Nair, C. P. R.
—; Chaumont, P.; Charmot, D.: Addition–Fragmentation Behavior of a Capto-Dative Group-Substituted Acrylic Ester in Free-Radical Polymerization and Reactivity of the Derived Macromonomers, 2511C
Nakae, M.
—; Uehara, H.; Kanamoto, T.; Ohama, T.; Porter, R. S.: Melt Drawing of Ultra-High Molecular Weight Polyethylene: Comparison of Ziegler- and Metallocene-Catalyzed Reactor Powders, 1921P
Nakahara, K. See Kaji, M., 3687C
Nakahara, T. See Nishida, H., 4502C
Nakajima, T. See Nishikubo, T., 2781C
Nakamae, K. See Kato, K., 357C; Nishino, T., 1191P, 3294P
Nakamichi, T. See Uedono, A., 2875P
Nakamura, K. See Ikada, Y., 159C; Nagai, M., 2549P
Nakamura, N. See Kitamura, M., 729C
Nakamura, T. See Itoh, T., 3027C
Nakamura, Y. See Sudo, A., 4483C; Sugizaki, T., 4226C; Suzuki, A., 1703P
Nakane, Y.
—; Ishidoya, M.; Endo, T.: Synthesis and Thermal Dissociation of Polymers Having Hemiacetal Ester Moieties, 609C
Nakanishi, H. See Matsuzawa, H., 3545C
Nakano, S.
—; Kato, T.: A New Process for Producing Polyamide from Polyester, 1413C
Nakano, T. See Wu, J., 2645C; Yamada, K., 2677C
Nakashima, H. See Yoshida, T., 789C
Nakayama, M. See Ogura, K., 4458C; Patil, R. C., 2657C, 4596C
Nakaya, T. See Kitamura, M., 729C; Wang, Y.-F., 1293C
Nakladal, A. See Dlubek, G., 2539P
Nalini, G. See Jayaseharan, J., 4033C
Nam, J.-D.
—; Seferis, J. C.: Viscoelastic Characterization of Phenolic Resin–Carbon Fiber Composite Degradation Process, 907P
Nanjo, K.
—; Abdul Karim, S. M.; Nomura, R.; Wada, T.; Sasabe, H.; Masuda, T.: Synthesis and Properties of Poly(1-naphthylacetylene) and Poly(9-anthrylacetylene), 277C
Narita, T. See Amou, S., 341C
Nasar, A. S.
—; Subramani, S.; Radhakrishnan, G.: Synthesis and Properties of Aromatic Secondary Amine-Blocked Isocyanates, 1815C
Näsman, J. See Hietala, S., 1741C
Nazarenko, S. See Sekelik, D. J., 847P
Neumann, A. W. See Kwok, D. Y., 2039P
Neumann, M. See Mähl, S., 95C
Newkome, G. R. See Emran, S. K., 2025P
Newman, B. A. See Gao, Q., 3217P; Winsor, D. L., 19P, 29P; Wu, S. L., 2737P
Nguyen, D.
—; Kim, J.-S.; Guiver, M. D.; Eisenberg, A.: Clustering in Carboxylated Polysulfone Ionomers: A Characterization by Dynamic Mechanical and Small-Angle X-ray Scattering Methods, 3226P
Nguyen, S. H.
—; Berek, D.: Reconcentration of Diluted Polymer Solutions by Full Adsorption/Desorption Procedure: II. Desorption of Macromolecules by a Narrow Pulse of Displacer, 267C
Ni, Y. See Dong, D., 211C
Nickol, R. G. See Xie, W., 3486C
Nielsen, B. See Cao, H., 1289P
Niemczura, W. P. See Sachinvala, N. D., 4019C
Nieto, J. See Monrabal, B., 89C
Niizeki, K. See Amou, S., 3702C
Nikles, D. E.
—; Chacko, A. P.; Liang, J.-L.; Webb, R. I.: Amine-Quinone Polyurethanes: Preparation of Polyurethane Segmented Block Copolymers Containing 2,5-Bis(*N*-2-hydroxyethyl-*N*-methylamino)-1,4-benzoquinone, Toluene Diisocyanate, and an Oligomeric Polyether Diol, 2339C
Ninan, K. N. See Mathew, D., 1103C
Ning, Y. See Guo, S., 2828P
Nishida, H.
—; Sanda, F.; Endo, T.; Nakahara, T.; Ogata, T.; Kusumoto, K.: Addition Reaction of Spiro Orthoesters with Electrophiles: A Model Reaction for the Development of Novel Polyaddition Accompanying Ring-Opening Isomerization, 4502C
Nishide, H. See Kaneko, T., 189C
Nishikubo, T.
—; Kameyama, A.; Ito, M.; Nakajima, T.; Miyazaki, H.: A Novel Synthesis of Polyethers with Pendant Hydroxyl Groups by Polyaddition of Bis(oxetane)s with Bis(phenol)s, 2781C
—; Kameyama, A.; Tsutsui, K.; Iyo, M.: Synthesis and Photochemical Reaction of Novel *p*-Alkylcalix*n*]arene Derivatives Containing Cationically Polymerizable Groups, 1805C

—; See Chen, B.-Q., 1009C; Ikeda, A., 917C; Iyo, M., 3071C; Minegishi, S., 959C
Nishimura, K. See Sudo, A., 4483C
Nishimura, S. See Amou, S., 341C
Nishino, T.
—; Matsui, R.; Nakamae, K. : Elastic Modulus of the Crystalline Regions of Chitin and Chitosan, 1191P
—; Miki, N.; Mitsuoka, Y.; Nakamae, K.; Saito, T.; Kikuchi, T.: Elastic Modulus of the Crystalline Regions of Polyimide Derived from Poly(amic acid)–Biphtalic Dianhydride and *p*-Phenylene Diamine, 3294P
Nishio, Y.
—; Koide, T.; Miyashita, Y.; Kimura, N.; Suzuki, H.: Water-Soluble Polymer Blends with Partially Deacetylated Chitin: A Miscibility Characterization, 1533P
Nishiwaki, T. See Shinoda, T., 1549C
Nitta, K.-H.
—; Takayanagi, M.: Role of Tie Molecules in the Yielding Deformation of Isotactic Polypropylene, 357P
—; See Yamaguchi, M., 1513P
Noël, C. See Cantrell, G. R., 505P
Noel, C. See Ganhadhara, 513C
Noels, A. F. See Mecerreyes, D., 2447C
Nogales, A.
—; Ezquerra, T. A.; García, J. M.; Baltá–Calleja, F. J.: Structure–Dynamics Relationships of the α-Relaxation in Flexible Copolyesters during Crystallization as Revealed by Real-Time Methods, 37P
Noh, Y.-S.
—; Lee, K.; Suh, J.: Uranyl Ion Complexation of 2,2′-Dihydroxyazobenzene Enhanced on a Backbone of Poly(ethylenimine), 3936C
Nojima, S. See Sata, T., 1773P
Nomura, R. See Nanjo, K., 277C
Nordmeier, E.
—; Beyer, P.: Nonstoichiometric Polyelectrolyte Complexes: A Mathematical Model and Some Experimental Results, 335P
Norgaard, K. See Shibaev, P. V., 2909P
Novak, B. M. See Schueneman, G. T., 2601P
Nowlin, T. E. See Kissin, Y. V., 4255C, 4281C
Numata, Y. See Kono, H., 4100C
Nyhus, A.-K.
—; Hagen, S.; Berge, A.: A Kinetic Study of the Polymerization of Pure *meta*-Divinylbenzene and Pure *para*-Divinylbenzene, 3345C
—; Hagen, S.; Berge, A.: Formation of the Porous Structure During the Polymerization of *meta*-Divinylbenzene and *para*-Divinylbenzene with Toluene and 2-Ethylhexanoic Acid (2-EHA) as Porogens, 3973C
—; See Axelson, D. E., 1307P

Obata, M.
—; Machida, S.; Horie, K.: Correlation between Real Inhomogeneous Widths of Zero-Phonon Absorption Components and Intermolecular Interactions for Dye-Doped Polymers, 2173P
Ober, C. K. See Clingman, S. R., 405P
Oda, M. See Fukuda, H., 699C
O'Donnell, J. P. See Haddleton, D. M., 3549C
Ogami, K. See Kaji, M., 3687C
Ogasawara, T. See Tsubokawa, N., 3591C
Ogata, S. See Ikada, Y., 159C; Tretinnikov, O. N., 1503P
Ogata, T. See Nishida, H., 4502C
Ogawa, A. See Ogura, K., 4458C
Ogawara, K. See Tamura, T., 1523P
Ogle, C. A.
—; Wang, X. L.; Carlin, C. M.; Strickler, F. H.; Gordon, B., III: A Rapid-Injection NMR Study of the Effect of Lithium Alkoxides on the Butyllithium-Initiated Polymerization and Propagation of Styrene, 1157C
Ogura, K.
—; Shiigi, H.; Nakayama, M.; Ogawa, A.: Thermal Properties of Poly(anthranilic acid) (PANA) and Humidity-Sensitive Composites Derived from Heat-Treated PANA and Poly(vinyl alcohol), 4458C
—; See Patil, R. C., 2657C, 4596C
Oh, M.-C. See Lee, H.-J., 2355C
Ohama, T. See Nakae, M., 1921P
Ohara, T. See Kubo, M., 2027C
Ohmori, H. See Yamaguchi, Y., 283C
Ohrlander, M.
—; Lindberg, T.; Wirsén, A.; Albertsson, A.-C.: The Grafting of Acrylamide onto Poly(ε-caprolactone) and Poly(1,5-dioxepan-2-one) Using Electron Beam Preirradiation. II. An *in Vitro* Degradation Study on Grafted Poly(ε-caprolactone), 1651C
—; Palmgren, R.; Wirsén, A.; Albertsson, A.-C.: The Grafting of Acrylamide onto Poly(ε-caprolactone) and Poly(1,5-dioxepan-2-one) Using Electron Beam Preirradiation. III. The Grafting and *in Vitro* Degradation of Chemically Crosslinked Poly(1,5-dioxepan-2-one), 1659C
—; Wirsén, A.; Albertsson, A.-C.: The Grafting of Acrylamide onto Poly(ε-caprolactone) and Poly(1,5-dioxepan-2-one) Using Electron Beam Preirradiation. I. Influence of Dose and Mohr's Salt for the Grafting onto Poly(ε-caprolactone), 1643C
Ohsawa, R. See Hahimoto, K., 303C, 2773C
Ohshita, J. See Tang, H., 1873P
Ohta, T. See Yamaoka, T., 1513C
Oikawa, E. See Kaneko, T., 189C
Oikawa, M. See Sugizaki, T., 2363C
Oishi, T.
—; Onimura, K.; Tanaka, K.; Horimoto, W.; Tsutsumi, H.: Asymmetric Polymerization of *N*-Substituted Maleimides with Chiral Oxazolidine–Organolithium, 473C
—; See Lee, Y.-K., 3871C
Okada, A. See Tobita, H., 1267P
Okada, K. See Wang, Y.-F., 1293C
Okada, M. See Hashimoto, K., 303C
Okada, S. See Matsuzawa, H., 3545C
Okada, T. See Amou, S., 3702C

Okada, Y. See Higashi, F., 3625C
Okamoto, Y. See Vyprachtický, D., 1341C; Wu, J., 2645C; Yamada, K., 2677C
Okuzaki, H.
—; Kubota, I.; Kunugi, T.: Mechanical Properties and Structure of the Zone-Drawn Poly(L-lactic acid) Fibers, 991P
Olley, R. H. See Shahin, M. M., 2279P
Olson, B. G. See Srithawatpong, R., 2754P
Ong, C.-H. See Higashi, F., 2371C, 3625C
Onimura, K. See Lee, Y.-K., 3871C; Oishi, T., 473C
Onogi, T. See Inoue, T., 389P
Oohori, T. See Uchida, S., 383C
Oonishi, H. See Ikada, Y., 159C
Orban, J. M.
—; Chapman, T. M.; Wagner, W. R.; Jankowski, R.: Easily Grafted Polyurethanes with Reactive Main Chain Functional Groups. Synthesis, Characterization, and Antithrombogenicity of Poly(Ethylene Glycol)-Grafted Poly(Urethanes), 3537C
Osada, Y. See Kim, B., 635C
Osakada, K. See Yamaguchi, I., 1383C
Osaki, K. See Inoue, T., 389P, 399P
Ostrowski, C. See Yagci, H., 1189C
Otsuka, H.
—; Fujiwara, H.; Endo, T.: Thermal Dissociation Behavior of Polymers with Hemiacetal Ester Moieties in the Side Chain: The Effect of Structure on Dissociation Temperature, 4478C
Ou, R.
—; Samuels, R.: Investigation of Fundamental Molecular Parameters of Polyaniline Films, 3473P
Ou, Y.-C. See Yu, Z.-Z., 2664P
Owen, K. See So, Y.-H., 2637C
Oyanguren, P. A.
—; Aizpurua, B.; Galante, M. J.; Riccardi, C. C.; Cortázar, O. D.; Mondragon, I.: Design of the Ultimate Behavior of Tetrafunctional Epoxies Modified with Polysulfone by Controlling Microstructure Development, 2711P
Ozawa, M. See Xiao, L., 3632C
Özgür, G. See Saraç, A. S., 2319C
Özkara, S. See Saraç, A. S., 2319C; Ustamehmetoglu, B., 1115C

Padias, A. B. See Choi, W.-S., 1569C, 1709C; Ding, Y., 2569C; Han, X., 1703C, 2891C;
Paik, S. H. See Kim, B. K., 2703C
Paillet, M. See Chazeau, L., 2151P
Palmese, G. R. See Ziaee, S., 725P
Palmgren, R. See Ohrlander, M., 1659C
Pan, C. See Xu, Y., 2347C, 3391C, 3401C
Pan, Q.
—; Liu, S.; Xie, J.; Jiang, M.: Rapid Communication. Synthesis and Characterization of Block-Graft Copolymers Composed of Poly(styrene-*b*-ethylene-*co*-propylene) and Poly(ethyl methylacrylate) by Atom Transfer Radical Polymerization, 2699C
Panin, A. N. See Sukhova, T. A., 1083C
Panunzi, B. See Centore, R., 603C
Papanagopoulos, D. See Dondos, A., 379P
Paradossi, G.
—; Cavalieri, F.; Capitani, D.; Crescenzi, V.: Physicochemical Characterization of Chemical Hydrogels Based on PVA, 1225P
Pardo, E.
—; Tomba, J. P.; Carella, J. M.: Note. Development of a Simple Experimental Method to Measure Interphase Composition Profiles Generated by Diffusion in Polymers. Comparison between Bending and Torsion Techniques, 1949P
Paredes, N.
—; Casas, M. T.; Puiggali, J.; Lotz, B.: Structural Data on the Packing of Poly(ester amides)s Derived from Glycine, Hexanediol, and Odd-Numbered Dicarboxylic Acids, 2521P
Parent, M. A. See Ewart, S. W., 4386C
Parikh, D. V. See Sachinvala, N. D., 4019C
Park, H. C. See Kim, M. H., 2950P
Park, I. See Lee, K., 1387P
Park, J.-G.
—; Ha, C.-S.; Cho, W.-J.: Syntheses and Antitumor Activities of Monomer and Medium Molecular Weight Polymers. III. 3,6-*Endo*-methylene-1,2,3,6-tetrahydrophthalimidopropanoyl-5-fluorouracil and Its Polymers, 2113C
—; Ha, C.-S.; Cho, W.-J.: Syntheses and Antitumor Activities of Polymers Containing Amino Acid and 5-Fluorouracil Moieties, 1589C
Park, J.-K. See Choi, E.-J., 2430P; Lee, K.-H., 247P
Park, J.-S.
—; Lim, Y.-B.; Kwon, Y.-M.; Jeong, B.; Choi, Y. H.; Kim, S. W.: Liposome Fusion Induced by pH-Sensitive Copolymer: Poly(4-Vinylpyridine-*co*-*N,N'*-Diethylaminoethyl Methacrylate), 2305C
Park, L. S.
—; Lee, T. H.; Lee, S. C.: Synthesis and Characterization of Copoly(arylene sulfide)s, 2311C
—; See Kim, G. H., 3715C
Park, S.-H. See Park, S.-W., 3504C
Park, S.-W.
—; Yang, S.-S.; Park, S.-H.: The Kinetics of Radical Copolymerization of Acrylonitrile and Methylacrylate with Tricaprylylmethylammonium Chloride as a Phase-Transfer Catalyst, 3504C
Park, S. Y.
—; Yang, J. H.; Yuk, S. H.; Jhon, M. S.: Temperature-Induced Phase Transition of Poly(*N*-*n*-propylacrylamide-*co*-butyl methacrylate-*co*-*N,N*-diethylaminoethyl methacrylate), 1407P
Park, Y. D. See Han, M. J., 3361C
Park, Y. H. See Pyo, S. M., 937C
Park, Y. T. See Hwang, I.-W., 2901P

Paronen, M. See Hietala, S., 1741C
Parovuori, K. See Hietala, S., 1741C
Partridge, A. C. See Kemp, N. T., 953P
Pascault, J. P. See Barbeau, Ph., 919P; Espuche, E., 473P; Hajji, P., 3172P
Pascuzzi, N. See Kaur, S., 199C
Pasini, D. See Havard, J. M., 1225C
Pastukhov, A. V.
—; Tsyurupa, M. P.; Davankov, V. A.: Hypercrosslinked Polystyrene: A Polymer in a Non-Classical Physical State, 2324P
Paternostre, L.
—; Damman, P.; Dosière, M.: Morphology and Crystal Structure of the Poly(ethylene oxide)—Hydroquinone Molecular Complex, 1197P
Patil, R. C.
—; Ahmed, S. M.; Shiigi, H.; Nakayama,M.; Ogura, K.: Investigation of Some Physicochemical Properties of Camphor Sulfonic Acid (CSA)–Dopled Poly(*o*-anisidine) (PoAN) and CSA-Doped PoAN/ABS Composites, 4596C
—; Kuratani, K.; Nakayama, M.; Ogura, K.: Studies on CSA-Induced Processability of Conducting Poly(*o*-toluidine) and Its Polyblend with ABS, 2657C
Patrickios, C. S. See Costa, C. N., 1597C; Simmons, M. R., 1501C
Patterson, C. W.
—; Hanson, D.; Redondo, A.; Scott S. L.; Henson, N.: Conformational Analysis of the Crystal Structure for MDI/BDO Hard Segments of Polyurethane Elastomers, 2303P
Patterson, K. See Havard, J. M., 1225C
Paul, D. R. See Wildes, G., 71P
Pavel, D.
—; Ball, J.; Bhattacharya, A.; Shanks, R.; Hurduc, N.: Molecular Simulation of Thermophysical Properties of Aromatic Polymers Containing Oxetane Ring in the Main Chain, 2334P
Pebalk, D. A. See Barmatov, E. B., 3215C
Peeters, M.
—; Goderis, B.; Reynaers, H.; Mathot, V.: Morphology of Homogeneous Copolymers of Ethylene and 1-Octene. II. Structural Changes on Annealing, 83P
Peidro Torres, N. See Gómez Ribelles, J. L., 1587P
Pelton, R. See Zhang, J., 2137C
Penczek, S. See Pretula, J., 1365C
Peng, Z. L. See Srithawatpong, R., 2754P
Penlidis, A. See Britto, L. J. D., 539P, 553P
Penn, L. S.
—; Hunter, T. F.: A Method for Evaluation of Molecular Weight Distribution of Polydisperse Grafted Layers, 261C
Peppas, N. A. See Scott, R. A., 1953P
Percec, V.
—; Sawamoto, M.; Tirrell, D. A.: Editorial Announcement, 4037C
—; See Lovinger, A. J. 1049C
Pérez-Feito, R.
—; Díaz-Calleja, R.; Guzmán, J.; Riande, E.: Influence of Oxycycloaliphatic Groups in the Relaxation Behavior of Acrylic Polymers, 2486P
Pérez Giménez, V. See Gómez Ribelles, J. L., 1587P
Perng, L. H.
—; Thermal Cracking Characteristics of PEEK Under Different Environments by the TG/FTIR Technique, 4582C
Petekidis, G.
—; Fytas, G.; Scherf, U.; Müllen, K.; Fleischer, G.: Dynamics of Poly(*p*-phenylene) Ladder Polymers in Solution, 2211P
Petermann, J. See Yan, S., 1893P
Petr, A. See Schierholz K., 2404P
Petrov, P. See Ameduri, B., 3991C
Petrova, P. See Ameduri, B., 3991C
Pfromm, P. H. See Dorkenoo, K. D., 2239P
Phillips, J. A. See Blythe, P. J., 4449C
Picci, N. See Bertini, V., 3109C
Pichot, C. See Duracher, D., 1823C
Pietikäinen, P.
—; Starck, P.; Seppälä, J. V.: Characterization of Comonomer Distributions in Ethylene/Diene Copolymers by ^{13}C-NMR, and Using the Segregation Fractionation Technique by DSC and DMTA, 2379C
Pikus, S. See Kultys, A., 4140C
Pinnau, I. See Bondar, V. I., 2463P
Pispas, S.
—; Avgeropoulos, A.; Hadjichristidis, N.; Roovers, J.: Hydrodynamic Properties of A_8B_8 Type Miktoarm (Vergina) Stars, 1329P
—; See Pitsikalis, M., 4337C
Pissis, P. See Bershtein, V. A., 429P; Gómez Ribelles, J. L., 1587P; Maggana, C., 1165P
Pitsikalis, M.
—; Sioula, S.; Pispas, S.; Hadjichristidis, N.; Cook, D. C.; Li, J.; Mays, J. W.: Linking Reactions of Living Polymers with Bromomethylbenzene Derivatives: Synthesis and Characterization of Star Homopolymers and Graft Copolymers with Polyelectrolyte Branches, 4337C
Pittman, C. U., Jr. See Cao, L., 2823C, 2841
Platt, A. E. See Wolf, R. A., 3203C
Pleska, A. See Hlavatá, D., 1647P
Ploehn, H. J. See Simon, P. P., 127P
Po, R.
—; Santi, R.; Cardi, N.: Syndiospecific Polymerization of Styrene: Activity Enhancement of Ti/MAO Catalytic Systems in the Presence of SnR_4 Compounds, 1053C
Pocci, M. See Bertini, V., 3109C
Podkościelny, W. See Kultys, A., 4140C
Pogodina, N. V.
—; Winter, H. H.; Srinivas, S.: Strain Effects on Physical Gelation of Crystallizing Isotactic Polypropylene, 3512P
Pogue, R. T. See Schultz, J. W., 1183P
Pollicino, A. See Ameduri, B., 77C

Ponrathnam, S. See Ganhadhara, 513C
Poppe, H. See Mes, E. P. C., 593P
Porter, R. S. See Nakae, M., 1921P
Porto, A. O.
—; Silva, G. G.; Magalhães, W. F.: Free Volume-Size Dependence on Temperature and Average Molecular-Weight in Poly(ethylene oxide) Determined by Positron Annihilation Lifetime Spectroscopy, 219P
Posadas, P. See Marcos-Fernández, A., 3155C
Pratt, K. See Cass, P., 3277C
Premanathan, M. See Yoshida, T., 789C
Pretula, J.
—; Kaluzynski, K.; Szymanski, R.; Penczek, S.: Transesterification of Oligomeric Dialkyl Phosphonates, Leading to the High-Molecular-Weight Poly-H-phosphonates, 1365C
Priola, A. See Ameduri, B., 77C
Privalko, V. See Kresse, I., 2183P
Prud'homme, R. See Grohens, Y., 2985P
Prud'homme, R. E. See Fournier, M., 761C; Jutier, J.-J., 1027C
Pucciariello, R.
—; Angioletti, C.: Phase Behavior of Crystalline Blends of Poly(tetrafluoroethylene) and of Random Fluorinated Copolymers of Tetrafluoroethylene, 679P
—; See Guerra, G., 1095P
Puckett, P. M. See Sue, H.-J., 2137P
Pudjijanto, S. See Willcox, P. J., 3438P
Puértolas, J. A.
—; Castro, M.; Tellería, I.; Alegría, A.: Analysis of the Relaxations on Polymers from the Real Part of a General Complex Susceptibility. Application to Dielectric Relaxations, 1337P
Puiggali, J. See Paredes, N., 2521P; Villaseñor, P., 2383P
Puma, M.
—; Suárez, N.; Kohn, J.: Conductivity and High-Temperature Relaxation of Tyrosine-Derived Polyarylates Measured with Thermal Stimulated Currents, 3504P
Pyda, M. See Di Lorenzo, M. L., 2093P
Pyo, S. M.
—; Kim, S. I.; Shin, T. J.; Park, Y. H.; Ree, M.: Synthesis and Characterization of Fully Rodlike Poly(4,4′-biphenylene pyromellitimide)s with Various Short Side Groups, 937C
Pyriadi, T. M.
—; Alazawi, A. M.: Synthesis, Polymerization, and Curing of *N*-Substituted Citraconimidyl Acrylate, 427C

Qi, C.
—; Zhang, S.; Wu, Y.; Li H.; Wang, G.; Huai, G.; Wang, T.: A Study on Free-Volume Properties of Styrene-Acrylic Ester Type Copolymers, 2476P
—; Zhang, S.; Wu, Y.; Zhong, Y.; Song, D.; Wang, T.: A Study on Free Volume of Acrylonitrile-Styrene Copolymer and Methyl Methacrylate-Styrene Copolymer by Using Positron Annihilation, 465P
Qi, Y. See Zheng, H. B., 4541C
Qin, S.-H.
—; Qiu, K.-Y.; Swift, G.; Westmoreland, D. G.; Wu, S.: "Living" Radical Polymerization of Methyl Methacrylate with Diethyl 2,3-Dicyano-2,3-Diphenylsuccinate as a Thermal Iniferter, 4610C
Qiu, K.-Y. See Qin, S.-H., 4610C
Quirk, R. P.
—; Kuang, J.: Anionic Synthesis and Characterization of ω-Carboaldehyde-Functionalized Polybutadienes and Polyisoprenes, 1143C

Radhakrishnan, G. See Nasar, A. S., 1815C
Radusch, H.-J. See Dlubek, G., 1749P
Rafalko, J. J. See Hanley, S. J., 3473C
Raghavan, J. S.
—; Cuculo, J. A.: Analysis of Necking in High-Speed Spinning, 1565P
Rahier, H. See de Meuter, P., 2881P
Rajaraman, S. K.
—; Mowers, W. A.; Crivello, J. V.: Interaction of Epoxy and Vinyl Ethers During Photoinitiated Cationic Polymerization, 4007C
—; See Crivello, J. V., 687C
Ramasami, T. See Usha, R., 1397P
Ramis, X.
—; Salla, J. M.: Effect of the Initiator Content and Temperature on the Curing of an Unsaturated Polyester Resin, 751P
Ramos, J. J. M. See Correia, N. T., 227P
Rana, D. See Lee, K., 1387P
Rane, S. See Beaucage, G., 1105P
Ranganathan, S.
—; Baker, W. E.; Russell, K. E.; Whitney, R. A.: Peroxide-Initiated Grafting of Maleic Anhydride onto Linear and Branched Hydrocarbons, 3817C
—; Baker, W. E.; Russell, K. E.; Whitney, R. A.: Peroxide Initiated Maleic Anhydride Grafting: Structural Studies on an Ester-Containing Copolymer and Related Substrates, 1609C
Rapić, V. See Zorić, Z., 25C
Rausch, M. D. See Chien, J. C. W., 2439C; Correia, S. G., 2471C; Marques, M. M., 2457C
Raut, S.
—; Athawale, V.: New Elastomers Based on Uralkyd/Polyethyl Methacrylate Semi- and Full Interpenetrating Polymer Networks, 4302C
Ravindra, R.
—; Sridhar, S.; Khan, A. A.: Separation Studies of Hydrazine from Aqueous Solutions by Pervaporation, 1969P
Ray, B.
—; Mandal, B. M.: Dispersion Polymerization of Acrylamide: Part II. 2,2′-Azobisisobutyronitrile Initiator, 493C
Rebrov, E. A. See Klok, H.-A., 485P
Reddy, C. M. See Yu, Q. S., 4432C

Redondo, A. See Patterson, C. W., 2303P
Ree, M.
—; Bae, J. Y.; Jung, J. H.; Shin, T. J.: A New Copolymerization Process Leading to Poly(propylene carbonate) with a Highly Enhanced Yield from Carbon Dioxide and Propylene Oxide, 1863C
—; See Jung, J. H., 3329C; Kim, S. I., 2013C, 2909C; Pyo, S. M., 937C; Yu, J., 2806P
Reghunadhan Nair, C. P. See Mathew, D., 1103C
Regiani, A. M.
—; Frollini, E.; Marson, G. A.; Arantes, G. M.; El Seoud, O. A.: Some Aspects of Acylation of Cellulose Under Homogeneous Solution Conditions, 1357C
Reifsnider, K. L. See Shan, L., 2815P
Reinhardt, S. See Steinert, V., 2045C
Rempel, G. L. See Huang, Y. H., 1465C, 3385C; Kim, J. D., 331C
Reneker, D. H. See Fong, H., 3488P
Reyes, H. R. See Batista, A., 2581C
Reynaers, H. See Goderis, B., 1715P; Lefèbvre, X., 1P; Peeters, M., 83P
Reynaers, H. L. See Kleppinger, R., 1833P
Reyx, D. See Ganhadhara, 513C
Riande, E. See Compañ, V., 3027P; Pérez-Feito, R., 2486P
Ribeiro, A. F. G. See Correia, S. G., 2471C; Marques, M. M., 2457C
Riccardi, C. C.
—; Dupuy, J.; Williams, R. J. J.: A Simple Model to Explain the Complex Kinetic Behavior of Epoxy/Anhydride Systems, 2799P
—; See Oyanguren, P. A., 2711P
Richards, S. N. See Haddleton, D. M., 3549C
Rieger, R. See Goretzki, R., 677C
Riva, F. See Avitabile, G., 1687P
Rizzardo, E. See Cass, P., 3277C
Robello, D. R.
—; Eldridge, T. D.; Michaels, F. M.: Revisions to the Microstructural Assignments of Poly(ethyl cyanoacrylate), 2219C
—; Eldridge, T. D.; Swanson, M. T.: Degradation and Stabilization of Polycyanoacrylates, 4570C
Robertson, C. G.
—; Monat, J. E.; Wilkes, G. L.: Physical Aging of an Amorphous Polyimide: Enthalpy Relaxation and Mechanical Property Changes, 1931P
—; See Shan, L., 2815P
Rocha, I. S.
—; Mattoso, L. H. C.; Malmonge, L. F.; Gregório, R., Jr.: Effect of Low Contents of a Polyaniline Derivative on the Crystallization and Electrical Properties of Blends with PVDF, 1219P
Rodríguez, A. See Marcos-Fernández, A., 3155C
Roovers, J. See Pispas, S., 1329P
Roussel, F. See Benmouna, F., 1841P
Royer, J. R. See Bhatt, C. U., 1045P
Ruaan, R.-C.
—; Chang, T.; Wang, D.-M.: Selection Criteria for Solvent and Coagulation Medium in View of Macrovoid Formation in the Wet Phase Inversion Process, 1495P
Ruckenstein, E.
—; Zhang, H.: Grafting by *in Situ* Coupling of Epoxy Groups of a Living Copolymer with an Anionic Living Polymer, 105C
—; See Chen, X., 4390C; Li, H., 4233C; Xu, G., 2481C; Yu, B., 4191C
Ruiz de Ballesteros, O. See Guerra, G., 1095P
Russell, K. E. See Ranganathan, S., 1609C, 3817C
Russo, P. See Incarnato, L., 2445
Rybnikar, F.
—; Saha, P.; Yuan, B.-L.; Geil, P. H.: Phase I and II Crystals of Poly(*p*-oxybenzoate). I. Effects of Substrate and Melt Polymerization Conditions, 3520P
—; See Yuan, B.-L., 3532P
Ryu, D.-S. See Inoue, T., 399P
Rzaev, Z. M. O.
—; Complex-Radical Terpolymerization of Glycidyl(Methyl) Methacrylates, Styrene, and Maleic Anhydride, 1095C
Sabbagh, A. B.
—; Lesser, A. J.: On the Phenomena of Deformation and Neck Formation in LLDPE Films Subjected to Uniaxial and Biaxial Loading Conditions, 2651P
Sachinvala, N. D.
—; Hamed, O. A.; Winsor, D. L.; Niemczura, W. P.; Maskos, K.; Parikh, D. V.; Glasser, W.; Becker, U.; Blanchard, E. J.; Bertoniere, N. R.: Characterization of Tri-O-Methylcellulose by One- and Two-Dimensional NMR Methods, 4019C
Saeki, N. See Koizumi, T., 3419C
Saeki, Y. See Miyamoto, M., 435C
Saha, P. See Rybnikar, F., 3520P; Yuan, B.-L., 3532P
Saheb, D. N.
—; Jog, J. P.: Crystallization and Equilibrium Melting Behavior of PBT/PETG Blends, 2439P
Sahoo, P. K.
—; Swain, S. K.: Synthesis of Zirconocene-Acetylene and Zirconocene-Diacetylene Polymer, 3899C
Sahre, K. See Dlubek, G., 2539P
Sai, I. See Kawatsuki, N., 4000C
Saigo, K. See Xiao, L., 3632C
Saito, H. See Hashimoto, K., 2773C
Saito, T. See Nishino, T., 3294P
Saitoh, H. See Fujimori, A., 3845C
Saiz, E. See Martín, O., 253P
Sajjadi, S.
—; Brooks, B. W.: Butyl Acrylate Batch Emulsion Polymerization in the Presence of Sodium Lauryl Sulphate and Potassium Persulphate, 3957C
Sajkiewicz, P. See Wasiak, A., 2821P
Sakai, W. See Nagata, M., 2005C
Sakai, Y.
—; Ueda, M.; Fukuda, T.; Matsuda, H.: Synthesis and Properties of a Second-Order Nonlinear Optical Side-Chain Polyimide, 1321C
Sakamoto, M. See Fujiki, K., 2121C
Sakellaropoulos, G. P. See Kapantaidakis, G. C., 2788P
Sakurai, I. See Wang, Y.-F., 1293C

Salatelli, E. See Angiolini, L., 3257C
Salla, J. M. See Ramis, X., 751P
Salovey, R. See Cai, J. J., 815P; Yu, Y.-J., 3309C
Salvetti, G. See Ferrari, C., 1911P
Samon, J. M.
—; Schultz, J. M.; Wu, J.; Hsiao, B.; Yeh, F.; Kolb, R.: Study of the Structure Development during the Melt Spinning of Nylon 6 Fiber by On-Line Wide-Angle Synchrotron X-ray Scattering Techniques, 1277P
Samson, J. J. C.
—; Bosman, P. J.; Weickert, G.; Westerterp, K. R.: Liquid-Phase Polymerization of Propylene with a Highly Active Ziegler-Natta Catalyst. Influence of Hydrogen, Cocatalyst, and Electron Donor on the Reaction Kinetics, 219C
Samuels, R. See Ou, R., 3473P
Sánchez-Chaves, M.
—; Martínez, G.; Madruga, E. L.: Low- and High-Conversion Studies of the Free Radical Copolymerization of 2-Hydroxyethyl Methacrylate with Styrene in *N,N'*-Dimethylformamide Solution, 2941C
Sanda, F. See Lee, S.-D., 1041C; Nishida, H., 4502C; Yoshida, K., 2551C
Sandreczki, T. C. See Cao, H., 1289P
Sang, H.-C. See Liaw, D.-J., 1789C
Sano, M. See Suzuki, M., 4360C
Sano, T. See Takawaki, K., 691C
San Román, J. See Elvira, C., 4528C
Santi, R. See Po, R., 1053C
Santos, A. M. See McKenna, T. F., 571C
Santos, R. M.
—; Forcada, J.: Acetal-Functionalized Polymer Particles Useful for Immunoassays. II. Surface and Colloidal Characterization, 501C
Santosusso, T. M. See Musselman, S. G., 2586P
Saraç, A. S.
—; Özkara, S.; Ustamehmetoglu, B.; Özgür, G.: Electroinduced Polymerization of Acrylonitrile in the Presence of Ce(IV), 2319C
—; See Sezer, E., 379C; Ustamehmetoglu, B., 1115C
Sarkar, A. See Matsuzawa, H., 3545C
Sarti, G. C. See De Angelis, M. G., 3011P
Sartori, F. See Guerra, G., 1095P
Sasabe, H. See Nanjo, K., 277C
Sasaki, Y. See Sugizaki, T., 4226C
Sastri, S. B.
—; Keller, T. M.: Phthalonitrile Polymers: Cure Behavior and Properties, 2105C
Sata, T.
—; Emori, S.-I.; Matsusaki, K.: Transport Properties of Thermally Responsive Anion Exchange Membranes Containing *N*-Isopropylacrylamide in Electrodialysis, 793P
—; Nojima, S.: Transport Properties of Anion Exchange Membranes Prepared by the Reaction of Crosslinked Membranes Having Chloromethyl Groups with 4-Vinylpyridine and Trimethylamine, 1773P
Satoh, M. See Taki, K., 1035P; Tamura, T., 1523P
Sauer, B. B. See McLean, R. S., 859P; Yeh, F., 3115P
Sauer, J. A. See Elley-Bristow, D. M., 2705P; Tsou, L., 2201P
Sawada, H. See Itoya, K., 683C
Sawamoto, M. See Percec, V., 4037C; Uegaki, H., 3003C
Schaùmburg, K. See Shibaev, P. V., 2909P
Schaefer, D. W. See Beaucage, G., 1105P
Scheiman, D. A. See Chuang, K. C., 2559C; Turk, M. J., 3943C
Scheinbeim, J. I. See Gao, Q., 3217P; Ibos, L., 715P; Shah, H. V., 605P; Winsor, D. L., 19P, 29P; Wu, S. L., 2737P
Scherf, U. See Petekidis, G., 2211P
Schieber, J. D. See Venerus, D. C., 1069P
Schierholz K.
—; Lappan, U.; Petr, A.; Dunsch, L.; Lunkwitz, K.: Temperature Influence on the Stability and Chemical Composition of Electron Beam-Irradiated Polytetrafluoroethylene, 2404P
Schildkraut, D. E. See Borsenberger, P. M., 349P
Schiraldi, D. See Sekelik, D. J., 847P
Schirrer, R. See Géhant, S., 113P
Schlett, V. See Mähl, S., 95C
Schmidt-Rohr, K. See Willcox, P. J., 3438P
Schneider, B. See Mähl, S., 95C
Schnell, M.
—; Wolf, B. A.: Molecular Surfaces: An Advantageous Starting Point for the Description of Composition-Dependent Viscosities Applied to Polymer Solutions, 2221P
Schork, F. J. See Wu, X. Q., 4159C
Schreiber, H. P. See Xu, R., 1441P
Schueneman, G. T.
—; Lesser, A. J.; Hobbs, T. R.; Novak, B. M.: Evaluation of Short Term—High Intensity Thermal Degradation of Graphite Fiber Reinforced Laminates via Ultrasonic Spectroscopy, 2601P
Schultz, J. See Grohens, Y., 2985P
Schultz, J. M. See Samon, J. M., 1277P
Schultz, J. W.
—; Bhatt, J.; Chartoff, R. P.; Pogue, R. T.; Ullett, J. S.: Polymerization and Viscoelastic Behavior of Networks from a Dual-Curing, Liquid Crystalline Monomer, 1183P
Schwarz, G. See Sun, S.-J., 1125C
Schwödiauer, R.
—; Heitz, J.; Arenholz, E.; Bauer–Gogonea, S.; Bauer, S.; Wirges, W.: Pulsed-Laser–Deposited and Plasma-Polymerized Polytetrafluoroethylene (PTFE)-Like Thin Films: A Comparative Study on PTFE-Specific Properties, 2115P
Scola, D. A. See Fang, X., 4616C
Scott, R. A.
—; Cowans, B. A.; Peppas, N. A.: NMR Spectroscopy and Free Volume Analysis of the Effects of Copolymer Composition on the Swelling Kinetics and Chain Dynamics

of Highly Crosslinked Copolymers of Acrylic Acid with PEG-Containing Multiacrylates, 1953P

Scott S. L. See Patterson, C. W., 2303P

Sebenda, J.
—; Hudlicky, M.: Obituary: Otto Wichterle (1913–1998): The Father of Soft Contact Lenses, 1221C

Seferis, J. C. See Nam, J.-D., 907P

Seguchi, T. See Wu, G., 1541C; Yamazaki, T., 349C

Seino, H.
—; Mochizuki, A.; Ueda, M.: Synthesis of Aliphatic Polyimides Containing Adamantyl Units, 3584C

Seino, M. See Amou, S., 3702C

Seķ, D.
—; Wanic, A.; Janeczek, H.; Abadie, M. J. M.: Investigation of Polyimides Containing Naphthalene Units. IV. Mechanism of Naphthalisoimides Formation and Their Isomerization to Naphthalimides, 3523C

Sekelik, D. J.
—; Stepanov, E. V.; Nazarenko, S.; Schiraldi, D.; Hiltner, A.; Baer, E.: Oxygen Barrier Properties of Crystallized and Talc-Filled Poly(ethylene terephthalate), 847P

Senake Perera, M. C.
—; Structure and Dynamics of MG Rubber Studied by Dynamic Mechanical Analysis and Solid-State NMR, 1141P

Sengupta, T. See Aich, S., 3910C

Sensui, N. See Hasegawa, M., 2499P

Seo, J. See Kim, S. I., 2013C

Seo, S. W. See Lee, H. S., 3233P

Seppälä, J. See Anttila, U., 3099C

Seppälä, J. V. See Pietikäinen, P., 2379C

Sergeeva, L. See Bershtein, V. A., 429P

Serimaa, R. See Hietala, S., 1741C

Serizawa, T.
—; Akashi, M.: A Novel Approach for Fabricating Ultrathin Polymer Films by the Repetition of the Adsorption/Drying Processes, 1903C
—; Goto, H.; Kishida, A.; Endo, T.; Akashi, M.: Improved Alternate Deposition of Biodegradable Naturally Occurring Polymers onto a Quartz Crystal Microbalance, 801C
—; See Chen, M.-Q., 2155C

Sezer, E.
—; Van Hooren, M.; Saraç, A. S.; Hallensleben, M. L.: Synthesis and Electrochemical Polymerization of Ter-arenes Based on *N*-Ethyl Carbazole and Thiophene, 379C

Shah, H. V.
—; Scheinbeim, J. I.; Arbuckle, G. A.: Structural Anisotropy in Unstretched and Uniaxially Stretched Poly(*p*-phenylene vinylene), 605P

Shahin, M. M.
—; Olley, R. H.; Blissett, M. J.: Refinement of Etching Techniques to Reveal Lamellar Profiles in Polyethylene Banded Spherulites, 2279P

Shan, L.
—; Verghese, K. N. E.; Robertson, C. G.; Reifsnider, K. L.: Note. Effect of Network Structure of Epoxy DGEBA-Poly(oxypropylene)diamines on Tensile Behavior, 2815P

Shanks, R. See Pavel, D., 2334P

Shapiro, J. S. See Kemp, N. T., 953P

Shen, F.-W. See Yu, Y.-J., 3309C

Shen, J. See Chen, Y., 3745C

Shen, J.-C. See Dong, H., 1265C

Shen, S. B.
—; Ishida, H.: Dynamic Mechanical and Thermal Characterization of High-Performance Polybenzoxazines, 3257P

Shen, Y.
—; Wan, M.: Tubular Polypyrrole Synthesized by *In Situ* Doping Polymerization in the Presence of Organic Function Acids as Dopants, 1443C

Shen, Z. See McCreight, K. W., 1633P

Shi, L. See Xu, J., 2297P

Shibaev, P. V.
—; Arzhakov, M. S.; Schaumburg, K.; Vinokur, R.; Bjornholm, T.; Greve, D.; Komolov, A.; Norgaard, K.: The Conformation of Poly(3-dodecyl thiophene) Within Methacrylic Polymer Matrix, 2909P

Shibaev, V. P. See Barmatov, E. B., 3215C

Shibasaki, Y. See Fujimori, A., 3845C; Yang, M., 2747C

Shibata, M. See Ishii, F., 1657P

Shick, R. See Grove, N. R., 3003P

Shieh, J.-J.
—; Chung, T. S.: Gas Permeability, Diffusivity, and Solubility of Poly(4-Vinylpyridine) Film, 2851P

Shieh, Y.-T.
—; Chen, H.-T.; Liu, K.-H.; Twu, Y.-K.: Thermal Degradation of MDI-Based Segmented Polyurethanes, 4126C
—; Chen, S.-A.: Kinetics and Mechanism of the Cationic Polymerization of Trioxane. I. Crystallization During Polymerization, 483C
—; Yeh, M.-J.; Chen, S.-A.: Kinetics and Mechanism of the Cationic Polymerization of Trioxane. II. Consideration of Hydride Transfer, 4198C

Shih, C.-H. See Cheng, L.-P., 2079P

Shiho, H.
—; Desimone, J. M.: Preparation of Micron-Size Polystyrene Particles in Supercritical Carbon Dioxide, 2429C

Shiigi, H. See Ogura, K., 4458C; Patil, R. C., 4596C

Shim, J. S.
—; Kennedy, J. P.: Novel Thermoplastic Elastomers. II. Properties of Star-Block Copolymers of PSt-*b*-PIB Arms Emanating from Cyclosiloxane Cores, 815C

Shim, S.-C. See Jeon, S.-J., 877C

Shim, S. C. See Kim, D. S., 2263C, 2933C

Shimazu, A.
—; Miyazaki, T.; Matsushita, T.; Maeda, M.; Ikeda, K.: Relationships Between Chemical Structures and Solubility, Diffusivity, and Permselectivity of 1,3-Butadiene and *n*-Butane in 6FDA-Based Polyimides, 2941P

Shimizu, S.
—; Aiki, Y.; Ikake, H.; Kurita, K.: Small-Angle X-Ray Scattering from Poly(methylmethacrylate) in Aqueous Solutions of *t*-Butyl Alcohol, 2195P

Shimomura, O.
—; Tomita, I.; Endo, T.: Cationic Polymerization of Glycidyl Phenyl Ether Initiated by Sulfonium Salts of Phenoxathiin and Thianthrene as Novel Thermal Latent Cationic Initiators, 127C
Shimotani, H. See Xiao, L., 3632C
Shimura, H. See Yokozawa, T., 2607C
Shimura, T. See Akutsu, F., 2055C
Shin, D.-C. See Kim, Y.-H., 4135C
Shin, T. J. See Kim, S. I., 2013C, 2909C; Pyo, S. M., 937C; Ree, M., 1863C; Yu, J., 2806P
Shindo, Y. See Hasegawa, M., 2499P
Shinmura, T. See Jar, P.-Y. B., 1739P
Shinoda, K. See Akutsu, F., 2055C
Shinoda, T.
—; Nishiwaki, T.; Inoue, H.: Desulfonylation of Poly(4-hydroxystyrene sulfone) by Vapor Phase Silylation, 1549C
Shiomi, T. See Mizawa, T., 3464C
Shiono, T. See Kang, K. K., 3756C
Shirai, H. See Suzuki, M., 4360C; Uchida, S., 383C
Shirato, K. See Amou, S., 1943C
Shoemake, K. A. See Storey, R. F., 1629C
Shoichet, M. S. See Lousenberg, R. D., 3301C
Shon, J.-I. See Jeong, B., 751C
Shull, K. R. See Crosby, A. J., 3455P
Shultz, A. R. See Wang, S., 1849P
Shyu, S.-S. See Mi, F.-L., 1551P
Siddhanta, S. K. See Ghosh, P., 3243C
Silva, G. G. See Porto, A. O., 219P
Silvestre, C. See Cimmino, S., 867P
Simeone, G. See Mashlyakovskiy, L., 557C
Simha, R.
—; Note. On the Relation between the Mark–Houwink–Sakurada Constants, 1947P
—; Some Recollections: Activities, Motivations, Circumstances, 638P
—; See Srithawatpong, R., 2754P
Simmons, M. R.
—; Patrickios, C. S.: Near-Monodisperse, Catalytically Active, Imidazole-Containing Homooligomers: Synthesis by Group Transfer Polymerization and Solution Characterization, 1501C
Simon, L. C.
—; Mauler, R. S.; De Souza, R. F.: Effect of the Alkylaluminum Cocatalyst on Ethylene Polymerization by a Nickel–Diimine Complex, 4656C
Simon, P. P.
—; Ploehn, H. J.: Investigating Time–Temperature Superpositioning in Crosslinked Polymers Using the Tube-Junction Model, 127P
Simonsick, W. J., Jr. See Warmkessel, J. R., 615C
Singh, V. K. See Flanagin, L. W., 2103P
Sioula, S. See Pitsikalis, M., 4337C
Sirigu, A. See Centore, R., 603C
Siuzdak, D. A.
—; Mauritz, K. A.: Surlyn®/ Silicon Oxide} Hybrid Materials. 2. Physical Properties Characterization, 143P
Smith, P. B. See So, Y.-H., 2637C
Smith, W. T. See Kemp, N. T., 953P
Smulders, W. See van den Brink, M., 3804C
Snively, C. M.
—; Koenig, J. L.: Fast FTIR Imaging: A New Tool for the Study of Semicrystalline Polymer Morphology, 2353P
—; Koenig, J. L.: Studying Anomalous Diffusion in a Liquid Crystal/Polymer System Using Fast FTIR Imaging, 2261P
Snow, A. W.
—; Buckley, L. J.; Armistead, J. P.: $NCOCH_2(CF_2)_6CH_2OCN$ Cyanate Ester Resin. A Detailed Study, 135C
So, Y.-H.
—; Martin, S. J.; Owen, K.; Smith, P. B.; Karas, C. L.: A Study of Benzobisoxazole and Benzobisthiazole Compounds and Polymers under Hydrolytic Conditions, 2637C
Soares, J. B. P. See Britto, L. J. D., 539P, 553P; Kim, J. D., 331C; Monrabal, B., 89C
Soga, K. See Miyazawa, A., 695C; Takawaki, K., 691C
Solomon, D. H. See Lim, A. S. C., 1347C
Son, D. Y. See Yao, J., 3778C
Son, H. W. See Kim, J. K., 889P
Song, D. See Qi, C., 465P
Song, H. H.
—; Chain Coherence Length of Rigid-Rod Poly(*p*-phenylene benzobisthiazole) and Derivatives, 661P
Song, J.-Y.
—; Yun, Y.-K.; Jin, J.-I.: Synthesis and Characterization of a Series of Wholly Aromatic Copolyesters Containing 2-(α-Phenylisopropyl)hydroquinone Moiety, 881C
Song, N.
—; Gao, L.; Ding, M.: Optically Active Poly(amide–imide)s Containing Axially Dissymmetric 1,1′-Binaphthyl Moieties, 3147C
Song, N. W. See Hwang, I.-W., 2901P
Song, S. See Crivello, J. V., 3427C
Sönmez, G. See Ustamehmetoglu, B., 1115C
Soós, L.
—; Deák, Gy.; Kéki, S.; Zsuga, M.: Anionic Bulk Oligomerization of Ethylene and Propylene Carbonate Initiated by Bisphenol-A/Base Systems, 545C
Soula, O.
—; Guyot, A.; Williams, N.; Grade, J.; Blease, T.: Styrenic Surfmer in Emulsion Copolymerization of Acrylic Monomers. II. Copolymerization and Film Properties, 4205C
—; See Thenoz, F., 2251C
Sousa, J. A. See Li, H., 3368P
Soutar, I. See Ebdon, J. R., 2127P
Soutzidou, M. See Glezakou, V.-A., 1351P
Spaans, R. D.
—; Muhammad, M.; Williams, M. C.: Probing the Interfacial Region of Microphase-

Separated Block Copolymers by Differential Scanning Calorimetry, 267P
Sparnacci, K. See Mariani, M., 1237C
Sperling, L. H. See Han, S. J., 2835P; Hanley, S. J., 3473C; Musselman, S. G., 2586P
Spickermann, J. See Kricheldorf, H. R., 3861C
Spontak, R. J. See Jackson, N. R., 1863P
Springer, J. See Kresse, I., 2183P
Spruiell, J. E. See Bond, E. B., 3050P
Sridhar, S. See Ravindra, R., 1969P
Srikanth Sharma, P. R.
—; Zhou, P.; Frisch, H. L.; van Wagenen, E. A.; Korenowski, G. M.: Characterization of a Side Chain Polymer for Second-Order Nonlinear Optical Properties, 1245C
Srikhirin, T.
—; Cham, P.-M.; Mann, J. A., Jr.; Lando, J. B.: Functionalized Diacetylenes for Nonlinear Optical Applications: Synthesis, Characterization, and the Properties of Their Monolayers, 1771C
—; Mann, J. A., Jr.; Lando, J. B.: Synthesis of Side Chain Liquid Crystalline Copolymers and Characterization of Their Polar Structure, 1057C
Srinivas, S. See Pogodina, N. V., 3512P
Srithawatpong, R.
—; Peng, Z. L.; Olson, B. G.; Jamieson, A. M.; Simha, R.; McGervey, J. D.; Maier, T. R.; Halasa, A. F.; Ishida, H.: Positron Annihilation Lifetime Studies of Changes in Free Volume on Cross-Linking Cis-Polyisoprene, High-Vinyl Polybutadiene, and their Miscible Blends, 2754P
Stamm, M. See Kraus, J., 2862P
Staples, T. L. See Wolf, R. A., 3203C
Starck, P. See Pietikäinen, P., 2379C
Steckenreiter, T.
—; Balanzat, E.; Fuess, H.; Trautmann, C.: Chemical Degradation of Polyimide and Polysulfone Films under the Irradiation with Heavy Ions of Several Hundred MeV, 4318C
Stedile, F. C. See dos Santos, J. H. Z., 1987C
Steele, K. A. See Hanley, S. J., 3473C
Steinert, V.
—; Reinhardt, S.; Werner, K.: Poly(propene-*co*-maleic acid) with Lateral Perester Groups as Initiator in the Emulsion Polymerization of Styrene, 2045C
—; See Mende, M., 1949C
Stein, R. S.
—; Some Early Optical Studies of the Size, Organization, and Orientation of Polymer Molecules, 640P
Steinmetz, B. See Goretzki, R., 677C
Stepanov, E. V. See Sekelik, D. J., 847P
Stephanov, E. V. See Chen, H. Y., 2373P
Stockmayer, W. H.
—; Reminiscences of "Light Scattering in Multicomponent Systems", 642P
Stolp, M. See Dlubek, G., 1749P
Stone, V. W.
—; Jonas, A. M.; Legras, R.; Dubois, P.; Jerome, R.: Synthesis and Bulk Characterization of New P(CB-*b*-S) Diblock Copolymers, 233C
Storey, R. F.
—; Shoemake, K. A.: Poly(Styrene-*b*-Isobutylene) Multiarm Star-Block Copolymers, 1629C
Stöver, H. D. H. See Li, W.-H., 2295C, 2899C
Strehmel, B.
—; Strehmel, V.; Younes, M.: Fluorescence Probes for Investigation of Epoxy Systems and Monitoring of Crosslinking Processes, 1367P
Strehmel, V. See Strehmel, B., 1367P
Stribeck, N.
—; The Equatorial Small-Angle Scattering during the Straining of Poly(ether ester) and Its Analysis, 975P
Stricker, A. See Kricheldorf, H. R., 2179C
Strickler, F. H. See Ogle, C. A., 1157C
Stridsberg, K.
—; Albertsson, A.-C.: Ring-Opening Polymerization of 1,5-Dioxepan-2-one Initiated by a Cyclic Tin–Alkoxide Initiator in Different Solvents, 3407C
Strübel, C. See Kaminsky, W., 2959C
Su, J. See Cheng, Z.-Y., 983P
Su, K.-L. See Liaw, D.-J., 1997C
Su, W. See Jiang, H., 769P
Suárez, N. See Puma, M., 3504P
Subirana, J. A. See Villaseñor, P., 2383P
Subramani, S. See Nasar, A. S., 1815C
Subramanian, K.
—; Synthesis and Characterization of Poly(vinyl ferrocene) Grafted Hydroxyl-Terminated Poly(butadiene): A Propellant Binder with a Built-In Burn-Rate Catalyst, 4090C
Sudo, A.
—; Nishimura, K.; Nakamura, Y.; Endo, T.: Reductive Crosslinking of Isocyanate-Containing Polymer: A Novel Networked Polymer with Oxamide Linkage Induced by SmI_2, 4483C
Sudol, E. D. See Blythe, P. J., 4449C; De La Rosa, L. V., 4054C, 4066C, 4073C
Sue, H.-J.
—; Puckett, P. M.; Bertram, J. L.; Walker, L. L.; Garcia-Meitin, E. I.: Structure and Property Relationships in Model Diglycidyl Ether of Bisphenol-A and Diglycidyl Ether of Tetramethyl Bisphenol-A Epoxy Systems. I. Mechanical Property Characterizations, 2137P
Sugimoto, Y. See Kihara, N., 3079C
Sugizaki, T.
—; Oikawa, M.; Moriya, O.; Kageyama, T.: Synthesis of Organofunctionalized Polysiloxane from Polymeric Tributylstannyl Ester of Silicic Acid and Chlorosilanes, 2363C
—; Sasaki, Y.; Moriya, O.; Nakamura, Y.; Endo, T.; Kageyama, T.: Synthetic Application of Tributylstannyl Ester of Silicic Acid: Synthesis and Polymerization of

Polysiloxane Having Methacryloyloxypropyl Groups, 4226C
Suh, J. See Jang, B.-B., 3169C; Lee, K., 4117C; Noh, Y.-S., 3936C
Suh, K. S. See Han, S., 713C
Sui, Y.
—; Liu, Y.-G.; Yin, J.; Gao, J.; Zhu, Z.-K.; Huang, D.-Y.; Wang, Z.-G.: Study on Side-Chain Second-Order Nonlinear Optical Polyimides Based on Novel Chromophore-Containing Diamines. I. Synthesis and Characterization, 4330C
Sukhova, T. A.
—; Panin, A. N.; Babkina, O. N.; Bravaya, N. M.: Catalytic Systems $Me_2SiCp^*kN'BuMX_2/(CPh_3)(B(C_6F_5)_4)$ (M=Ti, X=CH_3, M=Zr, X=^{t}Bu) in Copolymerization of Ethylene with Styrene, 1083C
Sumita, M. See Chiba, T., 561P
Summan, A. M.
—; Electrical Conductivity of Heat Treated Polyacrylonitrile and its Copper Halide Complexes, 3057C
Sun, D. See Dong, A., 2642P
Sun, S.-J.
—; Schwarz, G.; Kricheldorf, H. R.; Chang, T.-C.: New Polymers of Carbonic Acid. XXV. Photoreactive Cholesteric Polycarbonates Derived from 2,5-Bis(4′-hydroxybenzylidene)cyclopentanone and Isosorbide, 1125C
Sundholm, F. See Hietala, S., 1741C, 2893P; Mattsson, B., 3317C
Sundholm, G. See Hietala, S., 1741C, 2893P
Sung, H.-N. See Han, X., 1703C
Sung, K. W. See Vyprachtický, D., 1341C
Susukida, T. See Akutsu, F., 2055C
Suzuki, A.
—; Nakamura, Y.; Kunugi, T.: Microstructure and Mechanical Properties of Hot-Air Drawn Poly(ethylene terephthalate) Fibers, 1703P
Suzuki, H. See Nishio, Y., 1533P
Suzuki, K.-I. See Yamaguchi, M., 701P
Suzuki, M.
—; Sano, M.; Kimura, M.; Hanabusa, K.; Shirai, H.: Effects of L-Tyrosine Esters on Quenching and Photosensitized Charge Separation Using Polymers Containing Ruthenium(II) Complex, 4360C
—; See Iwamura, T., 465C; Uchida, S., 383C
Suzuki, N. See Yamaguchi, Y., 283C
Swain, S. K. See Sahoo, P. K., 3899C
Swanson, L. See Ebdon, J. R., 2127P
Swanson, M. T. See Robello, D. R., 4570C
Swift, G. See Qin, S.-H., 4610C
Szadkowska-Nicze, M.
—; Mayer, J.: Investigation of Transient Species in Pulse-Irradiated Poly(ethylene terephthalate) Film, 2853C
Szwarc, M.
—; Treatment of Experimental Data, 873C
Szymanski, R. See Pretula, J., 1365C

Taffin De Givenchy, E. See Bracon, F., 4487C
Taguchi, M.
—; Tomita, I.; Yoshida, Y.; Endo, T.: Block Copolymerization of Allene Derivatives with 1,3-Butadiene by Living Coordination Polymerization with π-Allylnickel Catalyst, 3916C
Taha, M. See Espuche, E., 473P
Tajima, K. See Ikada, Y., 159C
Takagi, T. See Miyata, T., 1545P
Takahashi, A. See Amou, S., 341C
Takahashi, Y. See Nagai, M., 2549P; Yamaoka, T., 1513C
Takai, M. See Kono, H., 4100C
Takamura, N.
—; Gunji, T.; Hatano, H.; Abe, Y.: Preparation and Properties of Polysilsesquioxanes: Polysilsesquioxanes and Flexible Thin Films by Acid-Catalyzed Controlled Hydrolytic Polycondensation of Methyl- and Vinyltrimethoxysilane, 1017C
Takata, T. See Chino, K., 59C, 1555C; Lee, S.-D., 293C
Takawaki, K.
—; Uozumi, T.; Kaji, E.; Sano, T.; Soga, K.: Polymerization of Propene over the $MgCl_2$-Supported Tris(acetylacetonato)Chromium Catalyst Combined with Diethylaluminiumchloride, 691C
Takayanagi, M. See Nitta, K.-H., 357P
Takebe, T. See Inoue, T., 399P
Takenaka, K. See Mizawa, T., 3464C
Takeuchi, H. See Kubo, M., 2027C
Takeuchi, K. See Amou, S., 1943C, 3702C; Yamakawa, Y., 3638C
Taki, K.
—; Arita, I.; Satoh, M.; Komiyama, J.: Selective Transport of D,L-Tryptophan through Poly(L-glutamic acid) Membranes, 1035P
Tamura, T.
—; Uehara, H.; Ogawara, K.; Kawauchi, S.; Satoh, M.; Komiyama, J.: Dissociation Behavior of Poly(α-hydroxy acrylic acid), 1523P
Tan, J. S. See Gillmor, J. R., 2287P; Harrison, C. A., 275P; Krause, W. E., 3429P
Tan, N. B. See Beyer, F. L., 3392P
Tanabe, T. See Tobita, H., 1267P
Tanaka, A. See Yamaguchi, M., 1513P
Tanaka, K. See Oishi, T., 473C
Tanaka, M. See Masuda, S., 1303C
Tanaka, S. See Machida, S., 585P
Tandon, P. See Kapoor, D., 3269P
Tang, H.
—; Zhu, L.; Harima, Y.; Yamashita, K.; Ohshita, J.; Kunai, A.: Photophysical Properties of σ–π-Conjugated Alternating Oligothienylene–Oligosilylene Polymers, 1873P
Tang, J. See Mani, R., 1693C
Tang, S.-Y. See Yang, C.-P., 455C
Tang, X. See Wang, X., 837P
Tanigawa, S. See Uedono, A., 2875P
Tatsumi, H. See Kaneko, T., 189C
Tchatchoua, C. N. See Wang, S., 1849P
Tellería, I. See Puértolas, J. A., 1337P
Tenhu, H. See Aseyev, V. O., 3337P

Teomim, D.
—; Domb, A. J.: Fatty Acid Terminated Polyanhydrides, 3337C
Terada, S.-I. See Koizumi, T., 3419C
Teraguchi, M.
—; Masuda, T.: Synthesis and Properties of Polyacetylenes with Adamantyl Groups, 4546C
Termonia, Y.
—; Polymer Solubility in Mixed Solvents, 2782P
Tesche, B. See Goretzki, R., 677C
Teyssèdre, G. See Ibos, L., 715P
Teyssié, P. See Zune, C., 2525C
Teyssié, Ph. See Jérôme, R., 1C
Thakur, M. See Han, Z., 461P
Thenoz, F.
—; Soula, O.; Guyot, A.: Reactive Surfactants in Heterophase Polymerization. XXV. Core–Shell Lattices Stabilized with a Mixture of Maleic Anionic and Styrenic Nonionic Surfactants, 2251C
Thiyagarajan, M. See Brar, A. S., 3179C
Thomas, E. L. See Lammertink, R. G. H., 1009P
Thomas, S. See Johnson, T., 415P; Varghese, H., 1815P
Thran, A.
—; Kroll, G.; Faupel, F.: Correlation Between Fractional Free Volume and Diffusivity of Gas Molecules in Glassy Polymers, 3344P
Tien, Y. I. See Chen, T. K., 2225C
Tiers, G. V. D. See Errede, L. A., 2611P
Tijssen, R. See Mes, E. P. C., 593P
Timofeeva, G. I. See Davankov, V. A., 1451C
Tirelli, N. See Centore, R., 603C
Tirrell, D. A. See Lovinger, A. J., 1049C; Percec, V., 4037C
Tobita, H.
—; Mima, T.; Okada, A.; Mori, J.; Tanabe, T.: Molecular Weight Distribution Formed during Free-Radical Polymerization in the Presence of Polyfunctional Chain Transfer Agents, 1267P
Toda, A. See Chen, W., 1539P
Togawa, E.
—; Kondo, T.: Change of Morphological Properties in Drawing Water-Swollen Cellulose Films Prepared from Organic Solutions. A View of Molecular Orientation in the Drawing Process, 451P
Toivola, M. See Hietala, S., 1741C
Tomba, J. P.
—; Carella, J. M.: Calculation and Experimental Verification of Concentration Profiles for Selected Species at the Interphase Generated by Diffusion in Polymer Pairs, 3097P
—; See Pardo, E., 1949P
Tombari, E. See Ferrari, C., 1911P
Tomita, I. See Iwamura, T., 465C; Lee, J.-C., 1979C; Shimomura, O., 127C; Taguchi, M., 3916C
Tonelli, C.
—; Bassi, M.; Ajroldi, G.: Phase Behavior and Some Calorimetric and Physical Properties of Diurethanes from Perfluoropolyether Macromonomers, 1609P
—; Trombetta, T.; Maccone, P.: Synthesis and Physical Characterization of Model Hard Segments Based on Diphenyl Methane Diisocyanate and Hydroquinone Bis(2-hydroxyethyl) Ether, 1473C
—; See Mashlyakovskiy, L., 557C
Tong, J. D.
—; Goethals, E. J.; Jérôme, R.: Thermal Crosslinking of Poly(methyl methacrylate) by Reaction of Methyl Ester and Quaternary Ammonium Salt and Application to (Meth)Acrylate-Based TPEs, 4402C
Tong, Y.
—; Huang, W.; Luo, J.; Ding, M.: Synthesis and Properties of Aromatic Polyimides Derived from 2,2,′3,3′-Biphenyltetracarboxylic Dianhydride, 1425C
Toppare, L. See Alkan, S., 4218C
Torell, L. See Hietala, S., 1741C
Torell, L. M. See Mattsson, B., 3317C
Tosaka, M.
—; Yamakawa, M.; Tsuji, M.; Murakami, S.; Kohjiya, S.: Structural Studies on Polymer Whiskers by Transmission Electron Microscopy. II. Unit Cell of Poly(*p*-hydroxybenzoic acid) Whisker Crystal at Room Temperature, 2456P
Tourasanidis, E. V.
—; Karayannidis, G. P.: Synthesis and Mesomorphic Behavior of a New Series of Side-Chain Liquid Crystalline Polymethacrylates Bearing 2,6-Naphthylene-Based Mesogen, 2391C
Trautmann, C. See Steckenreiter, T., 4318C
Tree, D. A. See Mendes, L. J., 2571P
Tretinnikov, O. N.
—; Fujita, S.-I.; Ogata, S.; Ikada, Y.: Surface Studies of Ultra-High Molecular Weight Polyethylene Irradiated with High-Energy Pulsed Electron Beams in Air, 1503P
Trevino, S. F. See Beyer, F. L., 3392P
Trodahl, H. J. See Kemp, N. T., 953P
Trombetta, T. See Tonelli, C., 1473C
Tsai, C.-Y.
—; Huang, C.-P.; Tsiang, R. C.-C.: Preparing a Functionalized Thermoplastic Elastomer—Bromination and Synthesis of Poly(*p*-methylstyrene-*co*-styrene)-*block*-poly(ethylene-*co*-butene)-*block*-poly(*p*-methylstyrene-*co*-styrene), 4108C
Tsai, T.-C. See Mendes, L. J., 2571P
Tsai, Y. M. See Yu, T. L., 2673P
Tseng, J.-M. See Liaw, D.-J., 2629C
Tseng, S.-T. See Liou, G.-S., 1673C
Tseng, Y. C. See Woo, E. M., 1485P
Tseng, Y. H. See Chen, K. S., 2095C
Tsiang, R. C.-C. See Liou, G.-S., 1673C; Tsai, C.-Y., 4108C
Tsivgoulis, G. M. See Mikroyannidis, J. A., 3646C
Tsou, A. H. See Gao, Z., 155P
Tsou, L.
—; Sauer, J. A.; Hara, M.: Mechanical Properties of Molecular Composites. I. Poly (p-phenylene terephthalamide) Anion Molecules Dispersed in Poly(4-vinylpyridine), 2201P
Tsubata, A. See Ikeda, A., 917C

Tsubokawa, N.
—; Ogasawara, T.; Inaba, J.; Fujiki, K.: Carbon Black/Alumina Gel Composite: Preparation by Sol-Gel Process in the Presence of Polymer-Grafted Carbon Black and Its Electric Properties, 3591C
Tsuchida, E. See Kaneko, T., 189C
Tsuchiya, M. See Akutsu, F., 2055C
Tsugane, A. See Fukuhara, M., 497P
Tsuji, M. See Tosaka, M., 2456P
Tsukame, T. See Yang, M., 2747C
Tsumoto, K. See Kitamura, M., 729C
Tsunashima, K. See Umemura, J., 531P
Tsutsui, K. See Iyo, M., 3071C; Miyamoto, M., 445C; Nishikubo, T., 1805C
Tsutsumi, H. See Lee, Y.-K., 3871C; Oishi, T., 473C
Tsutsumi, N.
—; Kano, K.: Thermal Diffusivity of Polycaprolactone/Poly(bisphenol A carbonate) Blends by Flash Radiometry, 745P
—; See Nagata, M., 2005C
Tsyurupa, M. P. See Davankov, V. A., 1451C; Pastukhov, A. V., 2324P
Tuda, K. See Ishii, F., 3319P
Tullos, G. L.
—; Mathias, L. J.; Langsam, M.: Soluble Poly(amide–imide)s Prepared by One-Pot Solution Condensation, 1183C
Tung, M. A. See Zhang, Z., 691P
Turk, M. J.
—; Ansari, A. S.; Alston, W. B.; Gahn, G. S.; Frimer, A. A.; Scheiman, D. A.: Evaluation of the Thermal Oxidative Stability of Polyimides via TGA Techniques, 3943C
Twu, Y.-K. See Shieh, Y.-T., 4126C

Uchida, S.
—; Oohori, T.; Suzuki, M.; Shirai, H.: Synthesis, Characterization, and Physical Properties of New Copolymers of Poly(amino acid)–Urethane—Copolymers of γ-Methyl-L-glutamate-*N*-carboxyanhydride and Urethane Prepolymer, 383C
Uchiyama, H. See Kitamura, M., 729C
Uchiyama, N. See Hashimoto, T., 2923C
Ueda, M. See Amou, S., 1943C, 3702C; Haba, O., 2087C; Sakai, Y., 1321C; Seino, H., 3584C; Yamakawa, Y., 3638C
Ueda, Y. See Kitamura, M., 729C
Uedono, A.
—; Aiko, W.; Yamamoto, T.; Nakamichi, T.; Tanigawa, S.: Open Spaces and Molecular Motions of Acrylic Epoxy-Based Network Polymers Probed by Positron Annihilation, 2875P
Uegaki, H.
—; Kamigaito, M.; Sawamoto, M.: Living Radical Polymerization of Methyl Methacrylate with a Zerovalent Nickel Complex, $Ni(PPh_3)_4^1$, 3003C
Uehara, H. See Nagai, M., 2549P; Nakae, M., 1921P; Tamura, T., 1523P
Uhrich, K. E. See Liu, H., 703C
Uhrig, D. See Beyer, F. L., 3392P
Ujihira, Y. See Ito, K., 2634P
Ullett, J. S. See Schultz, J. W., 1183P
Umemura, J.
—; Murata, Y.; Tsunashima, K.; Koizumi, N.: Polarized Infrared Spectra of Poled Aromatic Polyamide Films, 531P
Uozumi, T. See Takawaki, K., 691C
Uragami, T. See Miyata, T., 1545P
Uryu, T. See Hattori, H., 3513C; Kim, K.-S., 3877C; Yoshida, T., 789C
Usenko, A. See Kresse, I., 2183P
Usha, R.
—; Ramasami, T.: Role of Aliphatic Alcohols on the Stability of Rat-Tail Tendon (RTT) Collagen Fiber, 1397P
Ushio, M. See Yasuniwa, M., 2420P
Ustamehmetoglu, B.
—; Bayülken, S.; Özkara, S.; Sönmez, G.; Saraç, A. S.: Interaction of Metal Ions with Polypyrrole on Polyacrylic Acid Matrix, 1115C
—; See Saraç, A. S., 2319C
Uyama, H.
—; Yaguchi, S.; Kobayashi, S.: Lipase-Catalyzed Polycondensation of Dicarboxylic Acid–Divinyl Esters and Glycols to Aliphatic Polyesters, 2737C
Uyanik, N. See Erbil, C., 1847C
Uzick, W. See Goretzki, R., 677C

Vallés, E. M. See Vega, D. A., 1121P
Vancso, G. J. See Lammertink, R. G. H., 1009P
van den Brink, M.
—; Smulders, W.; van Herk, A. M.; German, A. L.: Nonlinear Regression by Visualization of the Sum of Residual Space Applied to the Integrated Copolymerization Equation with Errors in All Variables. II. Application to the System methyl Methacrylate-,101-methylene-γ-butyrolactone Using On-line Raman Spectroscopy, 3804C
—; van Herk, A. M.; German, A. L.: Nonlinear Regression by Visualization of the Sum of Residual Space Applied to the Integrated Copolymerization Equation with Errors in all Variables. I. Introduction of the Model, Simulations and Design of Experiments, 3793C
Van Duin, M. See Heinen, W., 4368C; Machado, A. V., 1311C
Van Gurp, M. See Lange, R. F. M., 3657C
van Herk, A. M. See van den Brink, M., 3793C, 3804C
Van Hook, W. A. See Imre, A. R., 2747P
Van Hooren, M. See Sezer, E., 379C
van Mele, B. See de Meuter, P., 2881P
van Wagenen, E. A. See Srikanth Sharma, P. R., 1245C
Varghese, H.
—; Bhagawan, S. S.; Thomas, S.: Transport Properties of Crosslinked Acrylonitrile Butadiene Rubber/Poly(ethylene-co-vinyl acetate) Blends, 1815P
Vasilets, V. N. See Kato, K., 357C

Vassilev, K.
—; Ford, W. T.: Poly(propylene imine) Dendrimer Complexes of Cu(II), Zn(II), and Co(III) as Catalysts of Hydrolysis of *p*-Nitrophenyl Diphenyl Phosphate, 2727C
Vega, D. A.
—; Villar, M. A.; Alessandrini, J. L.; Vallés, E. M.: Rouse's Dynamics of Networks with Pendant Chains, 1121P
Venditto, V. See Guerra, G., 1095P
Venerus, D. C.
—; Schieber, J. D.; Iddir, H.; Guzman, J. D.; Broerman, A. W.: Measurement of Thermal Diffusivity in Polymer Melts Using Forced Rayleigh Light Scattering, 1069P
Venkatraman, S. See Willcox, P. J., 3438P
Verdier, M. See Flandin, L., 805P
Verghese, K. N. E. See Shan, L., 2815P
Vesely, D. See Dutheillet, Y., 3328P
Vicherat, A. See Jonquières, A., 2873C
Vigier, G. See Barbeau, Ph., 919P; Hajji, P., 3172P
Villanueva, A. See McKenna, T. F., 571C, 589C
Villar, M. A. See Vega, D. A., 1121P
Villaseñor, P.
—; Franco, L.; Subirana, J. A.; Puiggalí, J.: On the Crystal Structure of Odd–Even Nylons: Polymorphism of Nylon 5,10, 2383P
Vincendon, M.
—; Scleroglucan Derivatives: Aromatic Carbamates, 3187C
Vinokur, R. See Shibaev, P. V., 2909P
Viras, K. G. See Glezakou, V.-A., 1351P
Visser, S. A. See Borsenberger, P. M., 349P
Vittoria, V. See Guadagno, L., 173P
Vladimirov, N. See Havard, J. M., 1225C
Volpe, M. G. See Avitabile, G., 1687P
Vuillemin, B. See Jérôme, R., 1C
Vyprachtický, D.
—; Sung, K. W.; Okamoto, Y.: Fluorescence, Ion Binding, and Viscosity Properties of Poly 2- and 4-vinylpyridine}s in Methanol and in Sulfuric Acid, 1341C

Wachtel, E. See Assouline, E., 2534P
Wada, T. See Nanjo, K., 277C
Wagener, K. B. See Brzezinska, K. R., 849C; Watson, M. D., 1857C
Wagner, H. D. See Amitay-Sadovsky, E., 523P; Assouline, E., 2534P
Wagner, W. R. See Orban, J. M., 3537C
Waldo-Mendoza, M. A. See Medellín-Rodriguez, F. J., 1981P
Walker, L. L. See Sue, H.-J., 2137P
Walzak, M. J. See MacManus, L. F., 2489C
Wan, D.
—; Huang, J.: Transformation of Copolymerization Mechanism of *N*-phenyl Maleimide and Ethyl Phenylacrylate in the Mixture of Dioxane and Pyridine, 2755C
Wan, M.
—; Li, J.: Microtubules of Polyaniline Doped with HCl and HBF_4, 4605C
—; See Huang, J., 151C, 1277C; Shen, Y., 1443C
Wan, T. See Dong, A., 2642P
Wang, C. S.
—; Lin, C. H.: Crystallization Kinetics and Multiple Melting Phenomena of a Flame-Retardant Phosphorus Containing Copolyester, 2269P
—; Lin, C. H.: Synthesis and Properties of Phosphorus-Containing Epoxy Resins by Novel Method, 3903C
—; Lin, C. H.: Synthesis and Properties of Phosphorus Containing Polyester-Amides Derived from 1,4-Bis(3-aminobenzoyloxy)-2-(6-oxido-6H-dibenz⟨*c*,*e*⟩-⟨1,2⟩oxaphosphorin-6-yl) Phenylene, 891C
Wang, D. See Wu, W., 3598C
Wang, D.-M. See Ruaan, R.-C., 1495P
Wang, G. See Qi, C., 2476P
Wang, G. P. See Chang, T. C., 1717C
Wang, J.
—; Chen, C.; Xun, X.; Wang, S.; Wu, Z.: Synthesis, Isolation, Characterization, and Properties of Small-Size Aromatic Macrocycles for Poly(Arylene Ether Ketone)s, 1957C
—; Gonsalves, K. E.: Synthesis and Film Formation of Polycarbonate-*co*-Poly(*p*-ethylphenol), 169C
—; See Chen, Y., 3745C
Wang, J.-S. B. See Liou, G.-S., 1673C
Wang, L.
—; Wong, C. P.: Syntheses and Characterizations of Thermally Reworkable Epoxy Resins. Part I, 2991C
Wang, M.
—; Weinberg, J. M.; Wooley, K. L.: Geminal Poly(silyl ester)s: Highly Labile Degradable Polymers, 3606C
—; Zhang, L.: Recovery as a Measure of Oriented Crystalline Structure in Poly(ether ester)s Based on Poly(ethylene oxide) and Poly(ethylene terephthalate) Used as Shape Memory Polymers, 101P
Wang, M. Z.
—; Li, D. S.; Luo, X. L.; Ma, D. Z.: Crystallization and Melting Behavior of the Soft and Hard Segments in Poly(ester-ether)s. II. Ethylene Oxide-Butylene Terephthalate Segmented Copolymers, 2928P
—; See Ma, D. A., 2918P
Wang, P.-C. See Xu, H.-S., 2845P
Wang, P. G. See Xie, W., 3486C
Wang, P. P. See Wu, W., 3598C
Wang, S.
—; Ji, Q.; Tchatchoua, C. N.; Shultz, A. R.; McGrath, J. E.: Phosphonyl/Hydroxyl Hydrogen Bonding–Induced Miscibility of Poly(arylene ether phosphine oxide/sulfone) Statistical Copolymers with Poly(hydroxy ether) (Phenoxy Resin): Synthesis and Characterization, 1849P
—; See Wang, J., 1957C; Zhao, Y., 3288P
Wang, S.-W. See Hsiao, S.-H., 3575C
Wang, T. See Qi, C., 465P, 2476P
Wang, W.-J.
—; Kolodka, E.; Zhu, S.; Hamielec, A. E.: Continuous Solution Copolymerization of

Ethylene and Octene-1 with Constrained Geometry Metallocene Catalyst, 2949C
—; See Huang, Y. H., 3385C; Zhu, S., 961P
Wang, X.
—; Formation and Elasticity of Layer Networks, 667P
—; Li, H.; Tang, X.; Chang, F.-C.: Syntheses and Characterizations of Soft-Segment Ionic Polyurethanes, 837P
—; See Wang, Z., 2682P; Yu, J., 2806P
Wang, X. L. See Ogle, C. A., 1157C
Wang, X.-S.
—; Luo, N.; Ying, S.-K.: Controlled/Living Polymerization of MMA Promoted by Heterogeneous Initiation System (EPN-*X*–CuX–bpy), 1255C
Wang, Y.-F.
—; Chen, T.-M.; Okada, K.; Sakurai, I.; Nakaya, T.: Structure in the Condensed State and Amphiphilic Properties of Novel Copolymers Having Alkyl Chains and Phosphatidylcholine Analogous Groups, 1293C
Wang, Y. T. See Wu, K. H., 2275C
Wang, Z.
—; An, L.; Jiang, W.; Jiang, B.; Wang, X.: Ring-Banded Spherulite Surface Structure of Poly(ϵ-caprolactone) in Its Miscible Mixtures with Poly(styrene-*co*-acrylonitrile), 2682P
Wang, Z.-G. See Sui, Y., 4330C
Wang, Z. Y. See Lu, W., 4295C; Zheng, H. B., 3227C, 4541C
Wanic, A. See Seķ, D., 3523C
Ward, I. M. See Matthews, R. G., 51P
Warmkessel, J. R.
—; Brittain, W. J.; Simonsick, W. J., Jr.; Chisholm, M. S.: Utility of Malonate-Initiated Polymerizations of Methyl Methacrylate, 615C
Wasiak, A.
—; Sajkiewicz, P.; Woźniak, A.: Effects of Cooling Rate on Crystallinity of i-Polypropylene and Polyethylene Terephthalate Crystallized in Nonisothermal Conditions, 2821P
Wasylyshyn, D. A.
—; Johari, G. P.: Mechanical Relaxation Spectroscopy of Three Triepoxide-Based Polymers, 3071P
Watson, M. D.
—; Wagener, K. B.: Acyclic Diene Metathesis (ADMET) Depolymerization: Ethenolysis of 1,4-Polybutadiene Using a Ruthenium Complex, 1857C
Webb, R. I. See Nikles, D. E., 2339C
Wei, K. H. See Chen, T. K., 2225C
Weickert, G. See Samson, J. J. C., 219C
Weimann, P. A.
—; Hajduk, D. A.; Chu, C.; Chaffin, K. A.; Brodil, J. C.; Bates, F. S.: Crystallization of Tethered Polyethylene in Confined Geometries, 2053P
Weinberg, J. M. See Wang, M., 3606C
Weis, C. D. See Emran, S. K., 2025P
Weiss, R. A. See Jackson, D. A., 3141P
Werner, K. See Steinert, V., 2045C
Westerterp, K. R. See Samson, J. J. C., 219C
Westmoreland, D. G. See Qin, S.-H., 4610C
Whang, W. T. See Chang, C. J., 1057P
White, J. E. See Wolf, R. A., 3203C
White, J. L. See Kim, K. J., 1787P
White, S. A. See Jackson, N. R., 1863P
Whitney, R. A. See Ranganathan, S., 1609C, 3817C
Whittaker, A. K. See Ghi, P. Y., 3730C
Wilder, E. A. See Jackson, N. R., 1863P
Wildes, G.
—; Keskkula, H.; Paul, D. R.: Morphology of PC/SAN Blends: Effect of Reactive Compatibilization, SAN Concentration, Processing, and Viscosity Ratio, 71P
Wilkes, G. L. See Robertson, C. G., 1931P
Willcox, P. J.
—; Howie, D. W., Jr.; Schmidt-Rohr, K.; Hoagland, D. A.; Gido, S. P.; Pudjijanto, S.; Kleiner, L. W.; Venkatraman, S.: Microstructure of Poly(vinyl alcohol) Hydrogels Produced by Freeze/Thaw Cycling, 3438P
Williams, M. C. See Spaans, R. D., 267P
Williams, N. See Soula, O., 4205C
Williams, R. J. J. See Riccardi, C. C., 2799P
Willson, C. G. See Flanagin, L. W., 2103P; Havard, J. M., 1225C
Winnik, M. A. See Liu, R., 4169C
Winsor, D. L.
—; Scheinbeim, J. I.; Newman, B. A.: Study of a Plasticized-Unoriented P(VF_2/VF_3) (73/27 mol %) Copolymer. II. The Effects of Poling on the Piezoelectric and Ferroelectric Properties of Slow-Cooled Films, 29P
—; Scheinbeim, J. I.; Newman, B. A.: Study of a Plasticized-Unoriented P(VF_2/VF_3) (73/27 mol %) Copolymer. I. The Effects of Crystallization Conditions on Morphology, Physical, and Thermal Properties, 19P
—; See Sachinvala, N. D., 4019C
Winter, H. H. See Pogodina, N. V., 3512P
Wirges, W. See Schwödiauer, R., 2115P
Wirsén, A. See Ohrlander, M., 1643C, 1651C, 1659C
Wolarz, E.
—; Kilian, D.; Haase, W.; Bauman, D.: Thermal and Dielectric Properties of Oriented Liquid Crystalline Polysiloxane Doped with Azo-Dye, 369P
Wolf, B. A. See Schnell, M., 2221P
Wolf, R. A.
—; Grosso, P. V.; Platt, A. E.; Staples, T. L.; White, J. E.: Thermally Stable, Photoactive Polymerizable Diazenes. Applications in Polymer Technology, 3203C
Won, C. Y. See Katsarava, R., 391C; Lee, K. H., 3558C
Won, C.-Y. See Zhang, Y., 4554C

Won, J. O. See Kim, M. H., 2950P
Won, M.-S. See Kim, I., 737C, 2763C
Won, Y.-H. See Lee, S.-H., 3108P
Wong, C. P. See Wang, L., 2991C
Wong, T.-B. See Mi, F.-L., 1551P
Wong, Y. W. See Choy, C. L., 3359P
Woo, E. M.
—; Tseng, Y. C.: Glass Transition and Miscibility in Blends of Two Semicrystalline Polymers: Poly(aryl ether ketone) and Poly(ether ether ketone), 1485P
Wool, R. P. See Gong, L., 3129C
Wooley, K. L. See Wang, M., 3606C
Woźniak, A. See Wasiak, A., 2821P
Wu, C. See Ding, Q., 3201P; Xu, J., 2069C; Zhao, Y., 3288P
Wu, C.-G.
—; Lin, Y.-C.; Chan, M.-J.; Chien, L.-N.: Steric Effect and Mobility of the Alkyl Chain in Regio-Irregular Poly-3-Alkylthiophenes, 1763P
Wu, G.
—; Katsumura, Y.; Kudoh, H.; Morita, Y.; Seguchi, T.: Temperature Dependence of Radiation Effects in Polyethylene: Cross-Linking and Gas Evolution, 1541C
Wu, H.-D. See Chu, P. P., 1155P
Wu, J.
—; Nakano, T.; Okamoto, Y.: Polymerization of Optically Active 2-Fluorophenyl-4-fluorophenyl-2-pyridylmethyl Methacrylate with Anionic and Radical Initiators: Stereospecificity and Helix-Sense Selection, 2645C
—; See Samon, J. M., 1277P
Wu, K. H.
—; Chang, T. C.; Wang, Y. T.; Chiu, Y. S.: Organic–Inorganic Hybrid Materials. I. Characterization and Degradation of Poly(imide–silica) Hybrids, 2275C
—; See Chang, T. C., 1717C
Wu, S.
—; Zeng, F.; Li, F.; Zhu, Y.; Li, J.: Synthesis and Properties of Polysiloxane-Based Electrooptic materials, 3854C
—; Zeng, F.; Li, F.; Zhu, Y.; Zhao, H.: Effects of Glass-Transition Temperature on Properties of Photorefractive Polymer Composite, 3302P
—; See Qin, S.-H., 4610C
Wu, S. L.
—; Scheinbeim, J. I.; Newman, B. A.: Ferroelectricity and Piezoelectricity of Nylon 11 Films with Different Draw Ratios, 2737P
Wu, S.-L. See Ibos, L., 715P
Wu, W.
—; Wang, D.; Wang, P. P.; Ye, C.: Thermally Stable Second-Order Nonlinear Optical Addition-Type Polyimides Functionalized by Diamine Chromophore, 3598C
Wu, X. Q.
—; Schork, F. J.; Gooch, J. W.: Hybrid Miniemulsion Polymerization of Acrylic/Alkyd Systems and Characterization of the Resulting Polymers, 4159C
Wu, X. Y. See Huang, J., 2667C
Wu, Y. See Qi, C., 465P, 2476P
Wu, Z. See Cao, L., 2841C; Wang, J., 1957C
Wunderlich, B. See Chen, W., 1539P; Di Lorenzo, M. L., 2093P

Xexakis, I. See Glezakou, V.-A., 1351P
Xiao, L.
—; Shimotani, H.; Ozawa, M.; Li, J.; Dragoe, N.; Saigo, K.; Kitazawa, K.: Synthesis of a Novel 60}Fullerene Pearl-Necklace Polymer, Poly(4,4′-carbonylbisphenylene *trans*-2- 60}fullerenobisacetamide), 3632C
Xie, C.
—; Lahti, P. M.: Regiospecific Design Strategies for 3-Arylpolythiophenes with Pendant Stable Radical Groups, 779C
Xie, J. See Pan, Q., 2699C
Xie, W.
—; Chen, D.; Fan, X.; Li, J.; Wang, P. G.; Cheng, H. N.; Nickol, R. G.: Lithium Chloride as Catalyst for the Ring-Opening Polymerization of Lactide in the Presence of Hydroxyl-Containing Compounds, 3486C
Xu, G.
—; Ruckenstein, E.: Syndiospecific Polymerization of Styrene Using Fluorinated Indenyltitanium Complexes, 2481C
Xu, H.-S.
—; Cheng, Z.-Y.; Zhang, Q. M.; Wang, P.-C.; MacDiarmid, A. G.: Conduction Behavior of Doped Polyaniline Films at High Current Density Regime, 2845P
Xu, J.
—; Li, P.; Wu, C.: Formation of Highly Monodispersed Emulsifier-Free Cationic Poly(methylstyrene) Latex Particles, 2069C
—; Shi, L.; Ye, M.: XPS Investigation of Water-Soluble Copolymer Surfactants on Interface, 2297P
Xu, R.
—; Schreiber, H. P.; Huang, M.; Ishida, H.: Polybenzoxazine Resins: Aspects of Interaction and Adsorption Behavior, 1441P
Xu, W. See Chiba, T., 561P
Xu, Y.
—; Liu, Y.; Pan, C.: Synthesis and Characterization of Four-Armed Poly(1,3-dioxepane) Tetraol, 2347C
—; Pan, C.: Study on Cationic Ring-Opening Polymerization of 1,3-Dioxepane with Oxocarbenium Salt as Initiator, 3401C
—; Pan, C.: Syntheses and Characterization of Poly (tetrahydrofuran) Polyols with Multifunctional Oxocarbenium Perchlorates as Initiator, 3391C
Xu, Z.
—; Chen, Y.; Zhang, G.; Cheng, S.; Feng, L.: The Inverse Emulsion Polymerization of Acrylamide Using Polystyrene-Graft-Polyoxyethylene as the Stabilizer, 2719C
Xu, Z.-L. See Chung, T.-S., 1575P
Xun, X. See Wang, J., 1957C

Yagci, H.
—; Ostrowski, C.; Mathias, L. J.: Synthesis and Characterization of Novel Aromatic Polyimides from 4,4-Bis(*p*-

aminophenoxymethyl)-1-cyclohexene, 1189C
Yagci, Y. See Alkan, S., 4218C
Yaguchi, S. See Uyama, H., 2737C
Yahsi, U.
—; Viscous Behavior of Linear and Three-Branch Alkanes: Linking the Equilibrium and Transport Theories, 879P
Yakushev, P. N. See Bershtein, V. A., 429P
Yamada, K.
—; Nakano, T.; Okamoto, Y.: Free-Radical Polymerization of Vinyl Esters Using Fluoroalcohols as Solvents: Effect of Monomer Structure on Stereochemistry, 2677C
Yamada, S. See Havard, J. M., 1225C
Yamaguchi, I.
—; Osakada, K.; Yamamoto, T.: Preparation of Poly(alkylenebenzimidazole) by Ruthenium Complex Catalyzed Polycondensation of 3,3′-Diaminobenzidine with α,ω-Diols, 1383C
Yamaguchi, M.
—; Nitta, K.-H.; Tanaka, A.; Kitamura, M.: Characterization of Stress-Strain Behavior for Binary Blends of Isotactic Polypropylene with Ethylene-α-Olefin Copolymer, 1513P
—; Suzuki, K.-I.; Miyata, H.: Structure and Mechanical Properties for Binary Blends of Polypropylene and Ethylene-1-Hexene Copolymer, 701P
Yamaguchi, Y.
—; Suzuki, N.; Fries, A.; Mise, T.; Koshino, H.; Ikegami, Y.; Ohmori, H.; Matsumoto, A.: Stereospecific Polymerization of 1-Hexene Catalyzed by *ansa*-metallocene/methylaluminoxane Systems under High Pressures, 283C
Yamakawa, H.
—; A Road to the Helical Wormlike Chain and Its Applications to Polymer Solutions, 643P
Yamakawa, M. See Tosaka, M., 2456P
Yamakawa, Y.
—; Ueda, M.; Takeuchi, K.; Asai, M.: One-Pot Synthesis of Dendritic Polyamide, 3638C
Yamamoto, N. See Yoshida, T., 789C
Yamamoto, T.
—; Kim, S.-B.; Choi, B. K.: XRD Data and Isomorphous Behavior of Several Bridged Poly(*p*-phenylene)s Including New Poly(biphenylene)s, 2544P
—; See Kawatsuki, N., 4000C; Uedono, A., 2875P; Yamaguchi, I., 1383C
Yamaoka, T.
—; Takahashi, Y.; Ohta, T.; Miyamoto, M.; Murakami, A.; Kimura, Y.: Synthesis and Properties of Multiblock Copolymers Consisting of Poly(L-lactic acid) and Poly(oxypropylene-*co*-oxyethylene) Prepared by Direct Polycondensation, 1513C
Yamashita, K. See Tang, H., 1873P
Yamashita, T. See Ito, K., 2634P
Yamazaki, T.
—; Seguchi, T.: ESR Study on Chemical Crosslinking Reaction Mechanisms of Polyethylene Using a Chemical Agent. III. Effect of Amine Type Antioxidants, 349C
Yaminsky, I. V. See Davankov, V. A., 1451C
Yan, C.
—; Cheng, S.; Feng, L.: Kinetics And Mechanism of Emulsifier-Free Emulsion Copolymerization: Styrene-Methyl Methacrylate-Acrylic Acid System, 2649C Yan, S.
—; Katzenberg, F.; Petermann, J.: Epitaxial and Graphoepitaxial Growth of Isotactic Polypropylene (iPP) from the Melt on Highly Oriented High Density Polyethylene (HDPE) Substrates, 1893P
Yang, B. See Cao, W., 2601C
Yang, C.-P.
—; Chen, J.-A.: Syntheses and Properties of Organosoluble Polyimides Based on 5,5′-Bis 4-(4-aminophenoxy)-phenyl}-4,7-methanohexahydroindan, 1681C
—; Chen, R.-S.; Huang, C.-C.: Preparation and Characterization of Colorless Alternate Poly(amide-imide)s Based on Trimellitic Anhydride and 2,2-Bis 4-(3-aminophenoxy)phenyl}sulfone, 2421C
—; Hsiao, S.-H.; Hsiao, H.-C.: New Poly(amide–imide)s Syntheses. XXIII. Synthesis and Properties of Poly(amide–imide)s Derived from 4,4′- 1,4-Phenylenebis(isopropylidene-1,4-phenyleneoxy)}dianiline and Various Bis(trimellitimide)s, 69C
—; Tang, S.-Y.: Syntheses and Properties of Organosoluble Polyamides and Polyimides Based on the Diamine 3,3-Bis 4-(4-aminophenoxy)-3-methylphenyl}phthalide Derived from *o*-Cresolphthalein, 455C
—; See Hsiao, S.-H., 3575C, 4510C
Yang, G. W. See Choy, C. L., 3359P
Yang, J. H. See Park, S. Y., 1407P
Yang, M.
—; Tsukame, T.; Shibasaki, Y.: Role of Back-Biting for Generation of Hybrid Dimers and Trimers on Flash Pyrolysis of Poly(Styrene-*co*-Methacrylonitrile), 2747C
Yang, S.-S. See Park, S.-W., 3504C
Yang, T.-C. See Chen, M., 325C
Yao, J.
—; Son, D. Y.: Synthesis of an Organosilicon Hyperbranched Oligomer Containing Alkenyl and Silyl Hydride Groups, 3778C
Yao, M.-L. See Inoue, T., 389P
Yasuda, H. K. See Yu, Q. S., 967C, 1577C, 4432C
Yasuda, J. See Hashimoto, K., 909C
Yasuniwa, M.
—; Murakami, T.; Ushio, M.: Stepwise Annealing of Poly(butylene terephthalate), 2420P
Ye, C. See Wu, W., 3598C
Ye, M. See Xu, J., 2297P
Yeh, F.
—; Hsiao, B. S.; Chu, B.; Sauer, B. B.; Flexman, E. A.: Effect of Miscible Polymer Diluents on the Development of Lamellar Morphology in Poly(oxymethylene) Blends, 3115P
—; See Samon, J. M., 1277P; Zhou, S., 2165P
Yeh, M.-J. See Shieh, Y.-T., 4198C

Yi, M. H.
—; Huang, W.; Lee, B. J.; Choi, K.-Y.: Synthesis and Characterization of Soluble Polyimides from 2,2-Bis(4-aminophenyl)cycloalkane Derivatives, 3441C
Yie, T. See Cao, W., 2601C
Yilmaz, A.
—; Memon, S.; Yilmaz, M.: Synthesis and Binding Properties of Calix 4]arene Telomers, 4351C
Yilmaz, M. See Yilmaz, A., 4351C
Yin, J. See Sui, Y., 4330C
Ying, S.-K. See Wang, X.-S., 1255C
Yokota, K. See Ishii, F., 3319P
Yokota, R. See Hasegawa, M., 2499P
Yokozawa, T.
—; Shimura, H.: Condensative Chain Polymerization. II. Preferential Esterification of Propagating End Group in Pd-Catalyzed CO-Insertion Polycondensation of 4-Bromophenol Derivatives, 2607C
Yoo, E. S.
—; Im, S. S.: Melting Behavior of Poly(butylene succinate) during Heating Scan by DSC, 1357P
Yoo, K. S. See Han, M. J., 3361C
Yoon, H. G. See Han, S., 713C
Yoon, Y. S. See Kwak, S.-Y., 1429P
Yoshida, A. See Fujiki, K., 2121C
Yoshida, K.
—; Sanda, F.; Endo, T.: Synthesis and Cationic Ring-Opening Polymerization of Mono- and Bifunctional Spiro Orthoesters Containing Ester Groups and Depolymerization of the Obtained Polymers: An Approach to Chemical Recycling for Polyesters as a Model System, 2551C
Yoshida, M.
—; Mitsui, S.; Kawai, T.; Kobayashi, N.; Hirohashi, R.: Charge Transport Properties for Carbazolyl Groups Pendant Poly(glutamate), 61P
—; See Fukuhara, M., 497P; Havard, J. M., 1225C
Yoshida, T.
—; Akasaka, T.; Choi, Y.; Hattori, K.; Yu, B.; Mimura, T.; Kaneko, Y.; Nakashima, H.; Aragaki, E.; Premanathan, M.; Yamamoto, N.; Uryu, T.: Synthesis of Polymethacrylate Derivatives Having Sulfated Maltoheptaose Side Chains with Anti-HIV Activities, 789C
Yoshida, Y. See Taguchi, M., 3916C
Yoshiki, H. See Kaneko, T., 189C
Yoshioka, N. See Kaneko, T., 189C
You, D.-L. See Dong, H., 1265C
You, S. R. See Lee, H. S., 3233P
Younes, M. See Strehmel, B., 1367P
Yu, B.
—; Ruckenstein, E.: Controlled Radical Polymerization Catalyzed by Copper(I)-Sparteine Complexes, 4191C
—; See Yoshida, T., 789C
Yu, G. See Meng, F., 37C; Zheng, M., 2587C
Yu, H.-L. See Lin, S.-Y., 2061C
Yu, J.
—; Ree, M.; Shin, T. J.; Wang, X.; Cai, W.; Zhou, D.; Lee, K.-W.: Miscibility of Polyimide with Polymeric Primer and Its Influence on Adhesion of Polyimide to the Primed Copper Metal: Effect of Precursor Origin, 2806P
Yu, Q. See Huang, Y. H., 1465C
Yu, Q. S.
—; Reddy, C. M.; Meives, M. F.; Yasuda, H. K.: Surface Modification of Poly(tetrafluoroethylene) by a Low-Temperature Cascade Arc Torch and Radio-Frequency Plasmas, 4432C
—; Yasuda, H. K.: Deposition Behavior in a Low-Temperature Cascade Arc Torch (CAT) Polymerization Process, 967C
—; Yasuda, H. K.: Internal Stress in Plasma Polymer Films Prepared by Cascade Arc Torch Polymerization, 1577C
Yu, T. L.
—; Lin, T. L.; Tsai, Y. M.; Liu, W. J.: Morphology of Polyurethanes with Triol Monomer Crossliked on Hard Segments, 2673P
—; See Chen, K. S., 2095C
Yu, Y.-J.
—; Shen, F.-W.; McKellop, H. A.; Salovey, R.: Hydroperoxide Formation in Irradiated Polyethylene, 3309C
Yu, Z.-Z.
—; Lei, M.; Ou, Y.-C.; Hu, G.-H.: The Role of Interfacial Modifier in Toughening of Nylon-6 with a Core-Shell Toughener, 2664P
Yuan, B.-L.
—; Rybnikar, F.; Saha, P.; Geil, P. H.: Phase I and II Crystals of Poly(*p*-oxybenzoate). II. Effects of Solution Polymerization Conditions on Morphology and Crystal Structure, 3532P
—; See Rybnikar, F., 3520P
Yuan, J.-P. See Cao, H., 1289P
Yuan, W. See Choi, W.-S., 1569C
Yuk, S. H. See Park, S. Y., 1407P
Yun, Y.-K. See Song, J.-Y., 881C
Yusa, S.-I.
—; Kamachi, M.; Morishima, Y.: Fluorescence Studies of the Self-Organization of a Cholesterol-Bearing Polymethacrylate in *n*-Hexane Solution, 47C

Zaiviy, V. See Mashlyakovskiy, L., 557C
Zeng, F. See Wu, S., 3302P, 3854C
Zentel, R. See Clingman, S. R., 405P
Zhang, D. See Cao, W., 2601C
Zhang, G. See Di Lorenzo, M. L., 2093P; Ma, D., 2960P; Xu, Z., 2719C
Zhang, G. Y.
—; Luo, X. L.; Li, C. F.; Ma, D. Z.: Crystallization Behavior and Spherulite Morphology of Soft and Hard Segments in Ethylene Terephthalate-ε-Caprolactone Copolyesters, 575P
Zhang, H. See Ruckenstein, E., 105C
Zhang, J.
—; Pelton, R.: The Surface Tension of Aqueous Poly(*N*-isopropylacrylamide-co-acrylamide), 2137C
Zhang, J.-C. See He, J.-H., 4521C
Zhang, L.
—; Eisenberg, A.: Crew-Cut Aggregates from Self-Assembly of Blends of Polystyrene-*b*-Poly(acrylic acid) Block Copolymers and Homopolystyrene in Solution, 1469P
—; Zhou, Q.: Effects of Molecular Weight of Nitrocellulose on Structure and Properties of Polyurethane/Nitrocellulose IPNs, 1623P

—; See Ding, Q., 3201P; Wang, M., 101P
Zhang, Q. M. See Cheng, Z.-Y., 983P; Xu, H.-S., 2845P
Zhang, R. See Cao, H., 1289P
Zhang, S. See Qi, C., 465P, 2476P
Zhang, X. See Lim, A. S. C., 1347C
Zhang, X. Y. See Ma, D. A., 2918P
Zhang, Y.
—; Won, C.-Y.; Chu, C.-C.: Synthesis and Characterization of Biodegradable Network Hydrogels Having Both Hydrophobic and Hydrophilic Components with Controlled Swelling Behavior, 4554C
—; See Bi, S., 3763C
Zhang, Z.
—; Britt, I. J.; Tung, M. A.: Water Absorption in EVOH Films and Its Influence on Glass Transition Temperature, 691P
—; See Li, F., 2863C
Zhao, H. See Wu, S., 3302P
Zhao, M. C. See Ma, D. A., 2918P
Zhao, Y.
—; Hu, T.; Lv, Z.; Wang, S.; Wu, C.: Laser Light-Scattering Studies of Poly(caprolactone-*b*-ethylene oxide-*b*-caprolactone) Nanoparticles and Their Enzymatic Biodegradation, 3288P
Zheng, H. B.
—; Qi, Y.; Wang, Z. Y.; Jian, X. G.: Synthesis and Characterization of Poly(aryl amide imide)s Derived From Diphenyltrimellitic Anhydride, 4541C
—; Wang, Z. Y.: Synthesis and Characterization of Poly(ether naphthalimide)s, 3227C
Zheng, M.
—; Bai, F.; Li, Y.; Yu, G.; Zhu, D.: Synthesis and Characterization of a High-Efficiency Light-Emitting Alternating Copolymer, 2587C
Zheng, S.
—; Guo, Q.; Chan, C.-M.: Poly(hydroxyether of bisphenol A)/Poly(vinyl acetate) Blends: *In Situ* Polymerization Preparation, Morphology, and Properties, 2329C
—; Guo, Q.; Mi, Y.: Characterization of Blends of Poly(vinyl chloride) and Poly(N-vinyl pyrrolidone) by FTIR and ^{13}C CP/MAS NMR Spectroscopy, 2412P
—; Huang, J.; Zhong, Z.; He, G.; Guo, Q.: A Polymer of Bisphenol A and Bisphenol A Diglycidyl Ether and Its Blends with Poly(styrene-*co*-acrylonitrile): *In Situ* Polymerization Preparation, Morphology, and Mechanical Properties, 525C
Zhong, Y. See Qi, C., 465P
Zhong, Z.
—; Guo, Q.: Crystallization Kinetics of Crosslinkable Polymer Complexes of Novolac Resin and Poly(ethylene oxide), 2726P
—; Mi, Y.: Thermal Characterization and Solid-State ^{13}C-NMR Investigation of Blends of Poly(*N*-Phenyl-2-Hydroxytrimethylene Amine) and Poly(*N*-vinyl Pyrrolidone), 237P
—; See Zheng, S., 525C
Zhou, D. See Yu, J., 2806P
Zhou, J.-M. See Kim, I., 737C, 1071C
Zhou, P. See Srikanth Sharma, P. R., 1245C
Zhou, Q. See Zhang, L., 1623P
Zhou, S.
—; Yeh, F.; Burger, C.; Chu, B.: Nanostructures of Polyelectrolyte Gel–Surfactant Complexes, 2165P
Zhou, W.-J.
—; Kurth, M. J.; Hsieh, Y.-L.; Krochta, J. M.: Synthesis and Thermal Properties of a Novel Lactose-Containing Poly(*N*-isopropylacrylamide-*co*-acrylamidolactamine) Hydrogel, 1393C
Zhu, D. See Zheng, M., 2587C
Zhu, F.
—; Huang, Q.; Lin, S.: Syntheses of Multi-stereoblock Polybutene-1 Using Novel Monocyclopentadienyltitanium and Modified Methylaluminoxane Catalysts, 4497C
Zhu, L. See Tang, H., 1873P
Zhu, S.
—; Modeling Stable Free-Radical Polymerization, 2692P
—; Wang, W.-J.: Note: Analytical Function for Molecular Weight Development in Living Polymerization, 961P
—; See Huang, Y. H., 1465C, 3385C; Wang, W.-J., 2949C
Zhu, X. X. See Masaro, L., 2396P
Zhu, Y. See Wu, S., 3302P, 3854C
Zhu, Z.-K. See Sui, Y., 4330C
Zhuang, H. See Dong, D., 211C
Ziaee, S.
—; Palmese, G. R.: Effects of Temperature on Cure Kinetics and Mechanical Properties of Vinyl–Ester Resins, 725P
Zimmerman, C. M.
—; Koros, W. J.: Polypyrrolones for Membrane Gas Separations. II. Activation Energies and Heats of Sorption, 1251P
—; Koros, W. J.: Polypyrrolones for Membrane Gas Separations. I. Structural Comparison of Gas Transport and Sorption Properties, 1235P
Zinoviev, A. B. See Krykin, M. A., 2314P
Zinovieva, O. M. See Krykin, M. A., 2314P
Živný, A. See Fortelný, I., 181P
Zorić, Z.
—; Rapić, V.; Lisac, S.; Jukić, M.: Ferrocene Compounds. XXV. Synthesis and Characterization of Ferrocene-Containing Oligoamides, Their Precursors, and Analogues, 25C
Zorn, R.
—; Note. Applicability of Distribution Functions for the Havriliak–Negami Spectral Function, 1043P
Zschoche, S. See Mende, M., 1949C
Zsuga, M. See Soós, L., 545C
Zundel, T. See Jérôme, R., 1C; Zune, C., 2525C
Zune, C.
—; Zundel, T.; DuBois, P.; Teyssié, P.; Jérôme, R.: New Initiator System for the Anionic Polymerization of (Meth)acrylates in Toluene. IV. Random Copolymerization of (Meth)acrylates in Toluene Initiated by *s*-BuLi Ligated by Lithium Silanolates, 2525C
—; See Jérôme, R., 1C

JOURNAL OF
POLYMER SCIENCE

Combined Subject Index to Volume 37

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 37, 1999. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

a-BPDA+PDA, 2499P
a-BPDA-ODA, 2499P
ABS, 1739P
ABS blends, 1749P
AB-type poly(etherimide)s, 3530C
AC electrical properties, 805P
Acceptor number, 2803C
Acetal functionality, 501C
Acetic acid/water, 3328P
Acetic anhydride, 427C
Acetone, 2973P
Acetonitrile, 1255C
2-Acetoxymethyl-1,4,6-trioxaspiro 4,6]undecane, 2551C
4-Acetoxystyrene polymers, 627C
Acetylene, 1979C, 3899C, 2611P
Acid chloride, 4502C
Acid–base characteristics, 1441P
Acidolysis, 2891C
Acrylamide, 465C, 2719C
Acrylamide-poly(oxyethylene alkyl ether) acrylate-anionic monomer copolymer, 2297P
Acrylamidolactamine, 1393C
Acrylate, 1C, 4554C
Acrylate ammonium polymers, 901C
Acrylic acid, 313C, 1847C, 2649C, 4205C
Acrylic epoxy polymer, 2875P
Acrylonitrile, 533C, 3504C, 465P
Acrylonitrile butadiene rubber, 1815P
Acrylonitrile-styrene copolymer, 721C
Activation energy, 1397P, 2261P
Activation energy for diffusion, 1251P
Activation energy for permeation, 1251P
Activation energy (E_a), 3943C
Adamantane, 1619C
Adamantane structure, 3441C
Adamantyl group, 4546C
Adamantyl unit, 3584C
2,2-Adamantylidene unit, 1619C
Addition, 4502C
Addition scheme, 2093P
Addition–fragmentation chain transfer, 2511C
Additivity law, 1413P
Adhesion, 383C, 2806P, 3003P, 3455P
Adhesive protein, 729C
ADMET chemistry, 849C
ADMET depolymerization, 1857C
Adsorption, 1489C, 1903C, 1441P, 2985P
Adsorption and desorption of macromolecules, 267C
Adsorption parameter, 2611P
Advanced epoxy, 3903C
Affinity precipitation, 2977C
Agglomerates, 1421P
Aggregates, 3172P
Aggregation, 873C, 3201P
Aging, 2191C, 2959C, 173P, 2239P
Alcohols, 1397P
Alicyclic monomer, 3584C
Alignment layer, 2909C
Aliphatic polycarbonate, 1863C
Aliphatic polyesters, 2737C
Aliphatic polyketone, 3246P
Alkali and transition metal cations, 4351C
Alkali 4-(2-bromoethyl)benzoates, 2055C
Alkali halides, 622P
Alkines, 4318C
Alkyds, 4159C
Alkyl acrylate, 2525C
Alkyl methacrylate, 2525C
Alkyl methacrylates, 3549C
Alkyl 1-propenyl ethers, 3017C
Alkyl succinic anhydrides, 4368C
Alkyl vinyl ether, 609C
Alkylamines, 2191C
Alkylzirconium cations, 1071C, 1523C
Allene derivatives, 3916C
Allyl aryl ethers, 3017C
Allyl ethers, 687C
Allylnickel catalyst, 3916C
Alpha relaxation, 1043P
Alternate deposition, 801C
Alternate sequence, 1763C
Alternating copolymer, 2587C
Alternating copolymerization, 1285C
Alumina gel, 3591C
Aluminum porphyrin catalysts, 3329C
American Physical Society, 631P
Amine, 1815C
Amine-quinones, 2339C
Amine-terminated oligomer, 4412C
Aminimide, 1041C
α-Amino acids, 391C
3-Aminobenzoic acid, 1183C
3-Amino-4-methylbenzoic acid, 1183C
Aminophenol–nitrile route, 683C
Aminophenols, 427C
Amorphous halo, 3401P
Amorphous polymer, 2151P
Amphipathic copolymer, 2719C
Amphiphilic copolymer, 635C
Amphiphilic polymers, 703C
Amplification, 341C
Amylose, 2711C
Anhydride, 1789C, 2007P
Anhydride formation, 2061C
Aniline trimer, 4295C
Anion exchange membranes, 793P
Anionic, 341C
Anionic bulk polymerization, 545C
Anionic copolymerization, 2525C

Anionic living polymerization, 3464C
Anionic polymerization, 1C, 105C, 653C, 873C, 1143C, 2755C, 4176C, 4337C, 4467C
Anionic surfmer, 4205C
Anisotropy, 51P, 523P
Annealing, 83P, 2420P
Anomalous diffusion, 2261P
Ansa-metallocene diamide, 737C, 1071C
Anthracene units, 3826C
Anti-HIV activity, 789C
Antimony, 1797C
Antioxidant, 349C
Antiparallel β sheet, 3269P
Aprotic polar solvent, 11C
Aqueous solution, 313C, 1949C
Aramid, 1135C
Aramid fibers, 2534P
Arenesulfonate, 293C
Aromatic acid chlorides, 891C
Aromatic carbamates, 3187C
Aromatic diamine, 3441C
Aromatic polyamide, 189P, 199P, 209P
Aromatic polyamide thin-film-composite membranes, 1429P
Aromatic polybenzoxazoles, 683C
Aromatic polyimides, 1673C
Aromatic thermotropic copolyesters, 881C
Aryl 1-propenyl ethers, 3017C
Arylazoalkanes, 3203C
Arylene ether ketones, 1957C
Asymmetric biphenyl type polyimides, 2499P
Asymmetric hollow fiber, 1575P
Asymmetric induction, 473C
Asymmetric polymerization, 473C, 2645C
Asymmetric synthesis, 3888C
Athermal exchange, 873C
Atom transfer radical polymerization, 2699C, 4218C
Atomic force microscopy, 1451C, 1741C, 4205C, 859P, 1429P
Atomistic modeling, 2303P
ATRP, 3456C
Avicell cellulose, 1357C
Axially disordered crystal, 661P
Axially dissymmetry, 3147C
Azo compounds in PMMA, 1753P
Azo group, 2121C
Azobenzene-containing polymers, 3257C
Azobis(isobutyronitrile), 771C
Azobisisobutyronitrile, 4090C
2,2′Azobis-isobutyronitrile, 493C
2,2′-Azobisisobutyronitrile, 2537C
Azodye, 369P

Back-biting reaction, 2747C
Bacterial, 37P
Bacterial polyesters, 2581C
BAPD, 2559C
BAPP, 2559C
Bariumtitanate, 3065P
Barrier, 847P
Barrier properties, 2445
Base catalysis, 4570C
BCL segmented copolyester, 3770C
Bending, 1949P
Benzidine, 937C
Benzobisoxazoles, 2637C
Benzobisthiazoles, 2637C
Benzocyclobutene, 59C, 1555C
Benzophenone-derived thiodiols, 4140C
Benzoxazine, 1913C
Benzoyl isocyanate, 465C
Benzoyl peroxide, 771C
Benzylamine monomers, 3109C
Benzylamine oxidase, 3109C
BHET, 1797C
Biaxial, 2651P
Bicontinuous morphology, 3172P
Bifunctional monomers, 3877C
Bimetallic complex, 3756C
1,1′-binaphthol, 4536C
1,1′-Binaphthyls, 3147C
Binary interaction model, 725P
Biodegradable, 751C
Biodegradable block copolymer, 2207C
Biodegradable hydrogel, 4554C
Biodegradable polymer, 391C, 801C, 1513C, 3558C, 4554C, 1623P, 1803P
Biodegradation, 2581C
Biomaterials, 703C
Biomedical polymer, 1513C
Biopolymers, 3504P
Biphenyl epoxy resin, 713C
4,4′-Biphenyldicarboxylic acid, 3139C
Biphenylene type polymers, 2544P
1,1′-biphenyl-4,4′-dicarboxylic acid, 881C
Birefringence, 2355C, 399P, 825P, 3473P
Bis(dimethylamino)methylene-malonamide, 3079C
Bis(epoxide), 959C
Bis(ether anhydride)s, 665C
Bis(ether benzoic acid)s, 1169C
Bis(ether benzoyl chloride)s, 2129C
5,5-bis 4-(4-aminophenoxy)phenyl}-hexahydro-4,7-methanoindan, 4510C
5,5′-bis 4-(4-aminophenoxy)phenyl)}-4,7-methanohexahydroindan, 1681C
5,5-Bis 4-(4-aminophenoxy)phenyl}-4,7-methanohexahydroindane, 2815C
3,3-bis 4-(4-aminophenoxy)-3-methylphenyl}phthalide, 455C
2,2-Bis 4-(4-aminophenoxy)-phenyl}adamantane, 1435C
1,1-bis 4-(4-aminophenoxy)-phenyl}cyclohexane, 3575C
2,2-Bis 4-(4-aminophenoxy)-phenyl}norbornane, 2791C
2,2-Bis 4-(3-aminophenoxy)-phenyl}sulfone, 2421C
2,2-Bis *N*-(4-carboxyphenyl)-phthalimidyl}-hexafluoro-propane (6FDIA), 2629C
1,4-Bis(4-carboxyphenoxy)-naphthyl, 645C
2,6-Bis(4-carboxyphenoxy)-naphthyl, 645C
1,1-Bis 4-(4-carboxyphenoxy)-phenyl}cyclo-hexane, 3575C
5,5-bis 4-(4-carboxyphenoxy)-phenyl}hexahydro-4,7-methanoindan, 4510C
9,9-Bis 4-(3,4-dicarboxyphenoxy)-phenyl}fluorene dianhydride, 1403C
2,2-bis(4-hydroxy-3,5-dimethylphenyl)propane, 4591C
9,9-Bis(4-hydroxyphenyl)fluorene, 1403C
1,2-Bis(4-vinylphenyl)ethane, 2295C
Bismaleimide, 3598C
Bis(oxetane), 2781C
4,4-Bis(p-aminophenoxymethyl)-1-cyclohexene, 1189C
Bis(phenol), 2781C
Bisphenol A, 2371C
Bisphenol A dianhydride, 1183C
Bisphenol A dicyanate, 1103C
Bisphenol A dimer, 927C
Bisphenol A poly(arylene ether phenylphosphine oxide), 1849P
Bisphenol-A/base initiating systems, 545C
Bisphenols, 1331C
Bis(triazolinedione)s, 1211C
2,5-bis(trimellitimido)-chlorobenzene, 4151C
1,4-bis(trimellitimido)-2,5-dichlorobenzene, 4151C
Bis 5-(4H)oxazolinone}, 4412C
Blend, 1311C, 779P, 867P, 939P, 1219P, 1533P, 1849P, 2069P, 2229P, 2412P, 2445P, 2711P
Blend miscibility, 2499P
Blends of PC and PMMA, 2950P
Block, 4108C

Block copolymer, 1C, 751C, 1923C, 4218C, 4412C, 267P, 779P, 1647P, 1863P, 2053P, 3392P
Block copolymer morphology, 1469P
Block copolymerization, 3916C
Block copolymers poly(butylene oxide)b(ethylene oxide), 4205C
Blocked isocyanate, 1815C
Block-graft copolymer, 2699C
Blood anticoagulant activity, 789C
Blue-fluorescence, 3646C
Boron nitride, 2360P
Boron trichloride, 2285C
Bovine serum albumin, 1489C
BPDA-PDA, 3294P
Branched polycondensation, 2145C
Branched polymers, 1267P
Branching, 2949C
Bridged poly(*p*-phenylene)s, 2544P
Brill transition, 2383P
Broken rod polymer, 281P
Bromination, 653C, 1189C, 4108C
Bromomethylbenzene derivatives, 4337C
7-Bromo-1,3-heptadiene, 3464C
5-Bromo-1,3-pentadiene, 3464C
Bulk characterization, 233C
Bulk polymerization, 3745C
Bulkiness, 2677C
Bulky counteranion, 2923C
Burn-rate catalyst, 4090C
butadiene, 3838C
1,3-Butadiene, 695C, 3916C, 2941P
Butadiene polymerization, 3277C
1-Butenyl ethers, 199C
Butyl acrylate, 571C, 4205C, 4233C
Butyl methacrylate, 2899C
Butyllithium, 1157C

Calcite–polystyrene compounds, 1787P
Calcite–talc–polystyrene compounds, 1787P
Calixarene backbone, 3071C
Calixarene derivatives, 1805C
Calorimetry, 1473C, 4449C, 1911P
Capping reaction, 2595C
Caprolactone, 2401C
Capto-dative substitution, 2511C
Carbohydrate-based polyamides, 983C
Carbon black, 3591C, 1105P
Carbon black-supported sulfuric acid, 2841C
Carbon dioxide, 1863C, 3329C, 2771P
Carbon fiber composite, 907P
Carbon monoxide, 2607C
Carbopol, 2061C
2-Carboxyethyl(phenylphosphinic) acid, 3119C
Carboxyl group, 2773C
Carboxylate counteranion, 2923C
Carboxylated polysulfone, 3226P
Carboxylic acid, 357C
Cardo, 1435C, 2791C
Cardo polyimides, 2815C
Cascade arc torch, 967C, 1577C, 4432C
Case II transport, 3159P
Catalysis, 1501C, 3041C
Catalyst, 959C, 1797C, 2481C, 2781C, 3486C
Catalyst aging, 1465C
Catalytic chain transfer polymerization, 3549C
Catalytic polymerization, 219C
Catalyzed reactions with diisocyanates, 557C
Catechol, 3861C
Cationic copolymerization, 2841C, 3447C
Cationic olefin polymerization, 2285C
Cationic polymerization, 59C, 293C, 687C, 1027C, 1931C, 2823C, 2923C, 3614C, 3694C, 4241C, 4467C
Cationic ring-opening polymerization, 2551C, 3391C, 3401C
Cationic surfactant, 635C
Cationically polymerizable group, 1805C
Cation-radical, 2569C
Cavitation, 113P
Cellulose, 451P
Cellulose acetate, 1357C, 3011C, 1495P
Cellulose, acylation of, 1357C
Cellulose butyrate, 1357C
Cellulose, decrystallization of, 3738C
Cellulose fiber, 357C
Cellulose propionate, 1357C
Cellulose triacetate, 4100C
Cellulose-acetate/propionate, 1357C
Ceric salt, 2319C
CH_2, O, NH, CH═CH, or N═N bridged structure, 2544P
Chain chemical structure, 3770C
Chain coherence length, 661P
Chain length, 571C, 589C
Chain microstructure, 83P
Chain propagation, 4467C
Chain stiffness, 3344P
Chain transfer, 113C, 1267P
Chain-end functionalization, 2511C
Chain-extended crystals, 3151P
Chain-transfer agent, 1857C
Channel flows, 3411P
Char yield, 2105C, 3687C, 647P
Characterization, 825C, 1957C, 4330C
Characterization of polymer, 1071C
Charge density, 635C
Charge transfer, 3745C
Charge-transport property, 61P
Chemical, 341C
Chemical amplification, 1225C
Chemical asymmetry, 857C
Chemical composition distribution (CCD), 89C, 539P, 553P
Chemical conversion, 1311C
Chemical derivatives, 3187C
Chemical nature-surface morphology-water permeability correlation, 1429P
Chemical synthesis, 1115C
Chemical-shift increments, 4368C
Chemoenzymatic synthesis, 1665C
Chiral polyamides, 983C
Chiral polymers, 3147C
Chiral recognition, 2645C
Chiral separation, 1665C
Chiroptical properties, 4629C
Chitin, 1191P
Chitosan, 801C, 769P, 1079P, 1191P, 1551P
Chitosan-modified PMMA particles, 1489C
Chlorine-containing polymers, 4390C
Chlorine-free alkylaluminum, 4656C
Chlorohydroquinone, 665C
Chloromethylstyrene, 2295C
4-Chloro-1-phenol, 3456C
Chloroplatinic acid, 2263C
Chlorosilane, 2363C, 4226C
Cholesteric mesophase, 3215C
Cholesteric phase, 1125C
Cholesterol, 47C
Chromophore, 3598C
α-Chymotrypsinolysis, 391C
Circular dichroism, 3257C
cis Naphthalisoimides, 3523C
cis-1,4-microstructure, 3838C
cis-1,4-Polybutadiene, 3277C
Cis-trans isomerization, 1657P
Citraconamic acids, 427C
Citraconimides, 427C
CITREF, 553P
Clay, 2225C
Cloud point, 2137C, 2429C
Cluster, 1451C
^{13}C-NMR, 1303C, 2379C
^{13}C-NMR chemical shift, 1657P
Co- and terpolymerization, 2471C

Coalescence, 181P, 939P, 1421P
Coated silicas, 3109C
Cobalt catalyst, 1979C
Cobalt octanoate, 3277C
Coefficient of thermal expansion, 2499P
Cohesive energy, 2334P, 3344P
Co(III), 2727C
Coil–globule transition, 2253P, 3337P
Collagen, 1903C
Colloidal stability, 1489C
Colorless, 2421C
Comb-shaped polymer, 2447C
Comonomer distribution, 2379C
Compatibility, 701P, 1513P
Compatibilization, 1311C, 3099C, 3473C, 2069P, 3368P
Compatibilizer, 2960P
Compatibilizing effect, 2430P
Compatible blend, 2439C
Compensation, 227P
Compensation film, 3929C
Complex formation, 635C, 2711C
Complex stability, 1209P
Complex stoichiometry, 275P
Complex susceptibility, 1337P
Complexation constants, 1303C
Complexes, 2165P
Complexes between polyelectrolyte gel and oppositely charged dye, 1209P
Complexomer, 1763C
Composite, 3591C, 4458C, 4596C, 1105P, 1421P, 1911P, 2151P, 3302P
Compression, 1131P
Concentration of catalyst, 713C
Concentration regime, 3097P
Condensative chain polymerization, 2607C
Condensed state, 1293C
Condensing agent, 3638C
Conducting composite, 3243C
Conducting microtubules, 151C
Conducting polymer, 3723C, 2845P
Conduction properties, 3504P
Conductive effects, 3027P
Conductivity, 4596C, 953P, 1105P
Configurational assignments, 3922C
Configurational sequences, 551C
Confocal Raman spectroscopy, 3317C
Conformation, 761C, 1969C, 1351P, 3269P
Conformational analysis, 2303P
Conformationally disordered crystal (condis crystal), 1539P
Conformationally disordered crystals, 1687P
σ–π-Conjugated, 1873P
Conjugated polycarbosilane oligomers, 2901P
Conjugated polymer, 277C, 779C, 4629C
π-Conjugated polymers, 4442C
Conjugates, 3492C
Connectivity, 3172P
Constrained geometry catalyst, 2949C
Contact angle, complexity, 2039P
Contact angle, drop shape, 2039P
Contact angle, dynamic, 2039P
Contact angle, equation of state, 2039P
Contact angle measurement, 1135C
Continuous solution polymerization, 2949C
Controlled direct polycondensation, 2371C
Controlled drug release, 3337C
Controlled living polymerization, 1255C
Controlled radical polymerization, 1237C, 3549C, 4191C
Controlled release, 1877C
Convex bands, 2682P
Coordination, 1083C
Copoly(amic acid)s, 2013C
Copolycondensation, 3625C
Copolyester, 37P
Copolyimides, 2013C
Copolymer, 533C, 1245C, 1847C, 2863C, 3109C, 4108C, 4570C, 19P, 29P, 465P, 539P, 2476P, 2973P, 3488P
Copolymer composition, 2311C
Copolymer composition equation, 725P
Copolymer of amino acid and urethane, 383C
Copolymer structure, 1083C
Copolymerization, 113C, 1027C, 1083C, 1393C, 1789C, 1863C, 2763C, 2803C, 3504C, 3730C, 3804C, 4570C, 199P, 209P
Copper, 2806P
Copper complex, 1255C
Core-shell, 4205C, 2642P
Corona poling, 1321C
Correlation function, 83P, 1715P
Corrosion, 2339C
Counterion binding, 1523P
Coupling agent, 4412C
Coupling reaction, 105C, 379C
$CPh_3\}$ $B(C_6F_5)_4\}$, 1523C
CPMAS ^{13}C NMR, 4100C
Crazes, 626P
Creep, 2373P
Creep compliance, 1931P
Creep rate spectroscopy, 429P
Critical micelle concentration, 4054C
Critical points, 2747P
Crosslink density, 1623P, 2137P
Crosslink network, 3319P
Cross-linked polymers, 127P
Crosslinked structure, 2642P
Crosslinking, 349C, 1095C, 1393C 1541C, 1741C, 1931C, 2295C, 2551C, 2899C, 3680C, 4402C, 4483C, 497P, 1045P, 1079P, 1503P, 1815P, 2673P, 2726P, 2815P, 3172P
Crossover, 3269P
Crown ether complex, 959C, 2781C
Cr(salen), 3888C
Cryogenic transmission electron microscopy, 3438P
CRYSTAF, 539P
Crystal modulus, 1191P, 3294P
Crystal packing, 2521P
Crystal phase, 859P
Crystal Ponceau 6R, 409C
Crystal structure, 4100C
Crystal thickness, 3131P
Crystalline cellulose, IR and X-ray of, 3738C
Crystalline polymer morphologist, 631P
Crystalline polymers, 633P
Crystalline regions, 1191P, 3294P
Crystalline structure, 4033C, 101P
Crystallinity, 1P, 1503P, 1715P
Crystallization, 269C, 483C, 3269C, 3763C, 4198C, 19P, 451P, 561P, 779P, 1219P, 1277P, 1991P, 2053P, 2420P, 2439P, 2571P, 3084P, 3151P, 3512P
Crystallization analysis fractionation, 539P
Crystallization analysis fractionation (CRYSTAF), 89C
Crystallization and melting, 1981P
Crystallization and melting behavior, 2918P, 2928P
Crystallization behaviors, 575P
Crystallization kinetics, 997P, 2269P, 2726P
Cu-amine complex, 3702C
Cu(II), 2727C
Cure catalysis, 1103C
Cure kinetics, 713C, 1103C, 3233C, 725P
Cure mechanisms, 3233C
Cure schedule, 1677P
Cured polymer, 3063C
Cure-site monomer, 3991C
Curie transition temperature, 19P, 29P
Curing, 419C
Curing agent, 2105C

Curing kinetics, 751P
Curing reactivity, 1347C
Cyanate, 3155C
Cyanate ester, 135C, 1103C
Cyclic initiators, 2179C
Cyclic ketene acetals, 2841C
Cyclic ketene O,O- and S,S-acetals, 2823C
Cyclic polystyrene, 2027C
Cyclic propylene carbonate, 3329C
Cyclic voltametry, 3057C
Cyclizations, 2685C
Cyclohexane, 3441C
Cyclopentadienyltitanium trichloride, 695C
Cyclopolymerization, 877C, 4135C
Cyclosiloxane phosphonate, 4043C
Cyclotene, 311P

Deacetylated chitin, 1533P
Deacetylation, 627C
Decomposition onset temperature (T_d), 3943C
Decrosslinking, 2551C
Deflected *trans*, 1657P
Deformation, 859P, 3233P
DEG, 1797C
Degradable polymers, 3337C, 3606C
Degradation, 1651C, 1659C, 1717C, 2275C, 3377C, 3558C, 4295C, 4570C, 907P
Degree of complexation, 335P
Degree of counterion binding, 335P
Degree of crystallinity, 323P
Degree of ionization, 2103P
Dehydration, 2007P
Demixing, 2747P
Dendrimer, 1923C, 3492C, 3638C, 3748C, 2025P
Dendritic polyamide, 3638C
Dendritic polymers, 2727C
Density, 2456P
Density of states, 3269P
Density-functional calculations, 95C
Depolarized light intensity, 997P
Depolymerase, 2581C
Depolymerization, 2551C, 2747C
Depolymerization–repolymerization, 4570C
Deposition rate, 967C
DEPT, 2219C
Depurination, 3361C
Destruction, 3208P
Desulfonylation, 1549C
Deswollen polymer networks, 2013P
Deuterium effect, 4273C
Dextran, 909C, 4554C
D-Glucaric acid, 303C, 2773C
D-Glucuronyl conjugate, 2773C
Diacetylene, 965P
Diacetylene polymers, 3899C
Diagnostics, 325C
Dialdehydes, 1737C
Dialkyl fumarates copolymers, 1839C
Diamine, 363C, 1413C, 1565C, 4536C
Diamine of polycyclic cardo group, 1681C
3,3′-Diaminobenzidine, 1383C
Diaminocalix 4]arenes, 2013C
1,3-Diaminomesitylene, 1183C
1,5-Diaminonaphthalene, 1183C
Dianhydride, 2013C, 2245C
Dianhydride isomers, 1425C
Diaryl phophonate, 959C
Diaryliodonium salts, 1199C, 3017C, 3427C, 4241C
Diastereoselectivity, 1211C
Diazoresin, 2601C
Diblock copolymers, 233C
Diblock/homopolymer blends, 1009P
Dicarboxylic acids, 363C
Dichroic ratio, 2353P
Dicobalt octacarbonyl, 687C
Dicumyl peroxide, 349C
1,4-Dicyanobenzene, 3910C
Dicyclopentadiene, 3427C
Dielectric analysis, 2025P
Dielectric constant, 3003P, 3065P
Dielectric dilatometry, 2115P
Dielectric properties, 1899P
Dielectric relaxation, 61P, 227P, 983P, 1043P, 1337P, 2486P, 3027P, 3038P, 3123P
Dielectric relaxation spectroscopy, 369P
Dielectric spectroscopy, 3494P
Dielectrics, 1911P
Diels–Alder–ene polymerization, 1211C
Diels-Alder reaction, 59C
Diene cyclopolymerization, 2379C
Diethyl 2,3-dicyano-2,3-diphenylsuccinate (DCDPS), 4610C
Diethyl dipropargyl malonate (DEDPM), 877C
Diethyl hexil phtalate, 2151P
Diethylaluminiumchloride as cocatalyst, 691C
1,4-Diethynylbenzene, 2933C
4,4′-Diethynylbiphenyl, 2933C
Diethylzinc/α-pinene oxide, 4640C
1,1-Difluoroethane, 2771P
Different environments, 4582C
Differential scanning calorimetry, 1103C, 1245C, 267P, 679P, 751P, 997P, 2053P, 2586P, 2821P
Differential size-exclusion chromatography, 275P
Diffracted SH waves, 497P
Diffusion, 415P, 691P, 1235P, 1387P, 1665P, 1815P, 1949P, 2079P, 2973P, 3328P
Diffusion coefficient, 593P, 1587P
Diffusion dynamics, 2211P
Diffusion models, 2396P
Diffusion processes, 2314P
α,ω-Dihalide compounds, 4390C
Dihedral angle, 4033C
2,2′-Dihydroxyazobenzene, 3169C, 3936C, 4117C
α-Diimine Ni complexes, 2471C
Diisocyanate, 2245C
Diisocyanate-terminated fluoropolyether oligourethane macromers, 557C
Diisopropyl fumarate, 2803C
Dilatational band, 2651P
Dilatometry, 2969C
Dimer, 2219C
Dimethyl carbonate, 2087C
2-(Dimethylamino)ethyl methacrylate, 1597C
Dimethylbicyclobutane-1,3-dicarboxylate, 1569C
2,2′-dimethyl-biphenyl-4,4′-diol, 4591C
Dimethyldioxirane epoxidation, 1199C
2,5-Dimethylene-2,5-dihydrofuran, 1285C
2,5-Dimethylene-2,5-dihydrothiophene, 1285C
(Dimethylsilyl)phenylacetylene, 2263C
α,ω-diols, 1383C
1,5-Dioxepan-2-one, 1877C
Diphenyldichlorosilane, 4591C
Diphenylether derivative, 3687C
1,1-Diphenylethylene, 1143C
Diphenylmethane diisocyanate, 1473C
Diphenylsilane, 2933C
Diphenyltrimellitic acid, 4541C
Dipolar model, 3504P
Direct energy transfer, 4169C
Direct polycondensation, 1513C, 1565C, 1997C, 2629C, 2791C
Disc crystals, 3532P
Discoloration, 4126C
Dispersion, 3269P
Dispersion copolymerization, 2155C
Dispersion polymerization, 493C, 1457C, 2429C, 3723C, 3785C
Dissociation behaviour, 1949C
Dissolution, 3188P
Dissolution of cellulose, kinetics and activation parameters of, 3738C
Distannoxane, 2087C

Distribution of diacids, 3710C
Distribution of relaxation times, 3494P
Disyndiotactic polylactide, 4038C
Divalent metal cations, 1523P
Divalent metal ions, 1303C
Divinyl ester, 2737C
Divinyl ether, 1931C
Divinylbenzene, 1629C, 2295C, 2899C
d-Limonene, 867P
D,L-lactide, 4038C
DMA, 1849P, 3097P
DMol, 95C
Dodecyl methacrylate, 2899C
Domain and segmental orientation, 3233P
Domain diameter distribution, 975P
Domain structure of polymeric fluids, 3208P
Domain topography, 3108P
Donor–acceptor interaction, 2803C
Donor-acceptor conjugated systems, 3257C
Doped dye, 585P, 2173P
Doping, 2845P
DOPO, 3903C
Double critical points, 2747P
DQF-COSY, 4019C
Draw ratios, 2737P
Drawability, 1921P
Drawing, 451P, 975P, 1881P
Drawing condition, 1703P
Droplet disappearance, 4066C
Drug carriers, 3492C
Drug delivery, 1877C, 2401C, 3492C
Drying, 1665P
DSC, 2061C, 2095C, 2379C, 3845C, 83P, 219P, 1357P, 1533P, 1687P, 1715P, 1849P, 2360P, 2420P, 2673P, 3131P
DSC and DMA, 965P
DSC kinetics, 2799P
Dye-labeled polyolefin, 4169C
Dynamic light scattering, 593P, 2253P
Dynamic mechanical analysis, 3377C, 1141P, 1183P, 3257P
Dynamic mechanical measurements, 919P
Dynamic mechanical properties, 2379C
Dynamic mechanical, small-angle X-ray scattering, 3226P
Dynamic mechanical thermal analysis, 4616C, 1623P
Dynamical diffraction effect, 2456P
Dynamic-mechanical properties, 867P
Dynamics, 3429P
Early stage degradation, 2035C
Effect of alkylaluminums, 1523C
Effect of metallocene concentration, 1523C
Effect of molecular mass, 379P
Effect of temperature, 1523C
Elastic modulus, 1191P, 3359P
Elastic recovery, 383C
Elasticity, 1225P
Elasticity of biopolymer gels, 2013P
Elasticity theory, 667P
Elastomer, 4000C, 4302C, 983P, 1421P, 2586P, 3488P
Electric modulus, 2025P
Electric resistance, 3591C
Electrical conductivity, 2657C, 3057C
Electrical properties, 2549P
Electrochemical polymerization, 379C, 4218C
Electrodialysis, 1773P
Electroinduced polymerization, 2319C
Electroluminescence, 2587C
Electron beam irradiation, 1643C, 1651C, 1659C, 1503P
Electron diffraction pattern, 2456P
Electron microscopy, 1741C, 2521P, 3246P, 3488P
Electron rich monomers, 1709C
Electron spin resonance, 1465C, 1969C, 3385C
Electron transfer, 4521C
Electronic packaging, 2360P
Electronic structure, 2909P
Electron-withdrawing group, 1555C
Electro-optic property, 3715C
Electrooptic property, 3854C
Electrophiles, 4502C
Electrophilic substitution, 653C
Electrospinning, 3488P
Electrostatic interaction, 1489C
Elongation-to-break values, 3003P
Emission spectroscopy, 325C
Emulsifier-free polymerization, 2069C
Emulsion copolymerization, 2251C, 4205C
Emulsion polymerization, 501C, 2045C, 3301C, 3549C, 3957C, 4054C, 4066C, 4073C, 4422C
Emulsion terpolymerization, 3991C
Enamine, 3671C
Encapsulation, 703C
End linking, 1421P
End-functional polyamide, 909C
End-functional polymers, 1597C
End-functionalized polymer, 261C
End-group, 771C, 3464C
End-group analysis, 25C
3,6-*endo*-Methylene-1,2,3,6-tetrahydrophthalimidoethanoyl-5-fluorouracil (ETEFU), 1589C
3,6-*Endo*-methylene-1,2,3,6-tetrahydrophthalimidopropanoyl-5-fluorouracil (ETPFU), 2113C
Energy transfer, 1725C
Enol ether monomers, 199C
Enol ethers, 687C
Entangled regime, 3123P
Entanglement, 3429P
Entanglement molecular weight, 2373P
Entanglement spacings, 1023P
Enthalpy relaxation, 1931P
Entropic selectivity, 1251P
Environmental enhancement, 1225C
Enzymatic biodegradation, 3288P
Enzymatic degradation, 2005C, 2581C
Enzymatic polymerization, 169C, 1265C, 2737C, 3041C
Enzyme, 2581C, 3041C
Enzyme mimics, 1501C
Enzyme model complex, 3041C
Epitaxial crystallization of polymers, 622P
Epoxidation, 1189C, 3888C
Epoxide, 1009C, 4007C
Epoxide ring-opening polymerization, 4007C
Epoxidized natural rubber, 415P
Epoxy, 135C, 3233C, 3614C, 3328P
Epoxy crosslinking, 1367P
Epoxy monomers, 4241C
Epoxy resin, 2991C, 3063C, 3568C, 3687C, 127P, 1165P, 2711P
Epoxy–anhydride networks, 2711P
Epoxy/anhydride kinetics, 2799P
Equation of state, 879P
Equatorial small-angle X-ray scattering, 975P
Equilibration, 4570C
Equilibrium Melting point, 2439P
Equilibrium melting temperature, 2420P
Error-Variables-Model (EVM), 2841C
ESR, 189C, 349C, 2404P
Ester interchange, 3473C
Ester-amide exchange reaction, 1413C
Esterification, 4390C
Estimation, 3793C
Etching, 2279P, 3246P
Ethene–propene copolymers, 1095P

Ethenolysis, 1857C
Ether ketones, 3155C
Ether linkages, 2559C
Ether–diamine, 1189C
α-Ethoxy-*exo*-3,6-epoxy-1,2,3,6-tetrahydrophthaloyl-5-fluorouracil (EETFU), 2619C
Ethoxy vinyl ether, 1805C
Ethyl acetate, 1255C
Ethyl phenylacrylate, 2755C
Ethylcellulose, 1969P
Ethylene, 1083C, 2763C
Ethylene carbonate, 545C
Ethylene copolymerization, 4281C
Ethylene glycol dimethacrylate, 2899C
Ethylene oxide, 825C, 3447C
Ethylene oxide-butylene terephthalate, 2928P
Ethylene oxide-ethylene terephthalate, 2918P
Ethylene polymerization, 37C, 1987C, 4255C, 4273C
Ethylene polymerization kinetics, 4255C
Ethylene terephthalate, 3119C
Ethylene–styrene copolymers, 1083C
Ethylene/diene copolymerization, 2379C
Ethylene-methyl acrylate copolymers, 4169C
Ethylene/octene-1 copolymerization, 2949C
Ethylene–styrene interpolymers, 2373P
Ethylene-1-hexene copolymer, 1513P
Ethylhydroxyethylcellulose, 3723C
Ethynyl, 2355C
Ethynyl-substituted monomers, 4356C
Eudragit L, S, L30D, 2061C
EVA/wax blends, 1991P
EVOH, 2445, 691P
Excess viscosities, 2221P
Excimer, 1727C, 253P
Exciplex, 3910C
Excited states, 2853C
Excited-state dynamics, 2901P
Experimental parameters, 967C
Eyring significant structure theory, 879P

FAB-mass spectrometry, 3011C
Factor analysis, 1307P
Fatty acids, 3337C
Ferrocene, 2828P
Ferrocene amines, acet- and benzamides, diamides, amide acids and amide esters, 25C
Ferrocene amino acids and oligoamides, 25C
Ferrocenium salts, 4241C
Ferroelectric, 29P
Ferroelectric composites, 3217P
Ferro-electric phase transition, 2996P
Ferroelectric polarization, 531P
Ferroelectric polymers, 715P
Ferroelectricity, 2737P, 3217P
Fiber, 2263C, 2933C, 1079P
Fibers, 1601P
Fickian diffusion, 1165P, 1387P
Field-emission scanning electron microscopy, 1429P
Filled polymer, 155P
Filled rubber, 815P
Filler, 155P, 1105P
Film casting, 379P
Film formation, 2851P
Films, 4205C, 1079P, 1665P
Fire performance, 2105C
Fire-retardant polyester, 3119C
First-order coupling constants, 4019C
Fitzgerald apparatus, 621P
Five-membered rings, 877C
Flame retardancy, 1009C, 3903C
Flame retardant, 3285C
Flame-retardant copolyester, 2269P
Flash radiometry, 745P
Flexible side chains, 1633P
Flexible thin film, 1017C
Flexural strength and modulus, 4616C
Flocculants, 2167C
Fluorescence, 47C, 179C, 1331C, 1341C, 1725C, 2263C, 2933C, 253P, 1873P
Fluorescence lifetime, 2901P
Fluorescence probe, 1367P
Fluorescence quenching, 47C
Fluorescent, 3293C
Fluorinatd tail, 4487C
Fluorinated ether ketone oligomers, 2355C
Fluorinated films, 77C
Fluorinated polymers, 679P
Fluorine, 1609P
Fluoroacrylates, 77C
Fluoroalcohol, 2677C
2-Fluorophenyl-4-fluorophenyl-2-pyridylmethyl methacrylate, 2645C
Fluoropolymer thermoset, 135C
Foam, 1045P
Forced Rayleigh light scattering, 1069P
Four-armed, 2347C
Fourier transform infrared, 1387P
Fourier transform infrared spectroscopy, 561P
Fractal, 1545P
Fractal dimension, 3201P
Fracture toughness, 2601P
Free ion, 3694C
Free radical, 349C, 1289P
Free radical-induced decomposition, 3427C
Free volume, 879P, 1289P, 1367P, 1749P, 1953P, 2539P, 2754P, 3344P, 3401P
Free-radical polymerization, 4528C
Free-radical-amplified photoinitiated cationic polymerization, 4007C
Free-volume, 2634P
Frequency shift, 497P
FTIR, 1913C, 2095C, 2191C, 3309C, 647P, 1079P, 1183P, 1849P, 2412P, 2673P
FTIR and Raman spectra, 965P
FTIR dichroism, 3233P
FTIR imaging, 2261P, 2353P
FT-IR spectra, 531P
FTIR spectroscopy, 1197P
Fuel cells, 2893P
60]Fullerene, 3632C, 3745C
Fullerene-C_{60}, 2969C
Fully aliphatic polyimide, 3584C
Functional block copolymers, 1237C
Functional groups, 1693C
Functional polymer, aldehyde functionalization, 1143C
Functionalization, 1143C, 4108C
Functionalized concentrated emulsions, 4233C
Functionalized copolymaleimides, 513C
Functionalized polyethylene, 3099C

Galvinoxyl, 189C
Gamma Function, 2649C
γ-ray polymerization, 3845C
Gas diffusion, 3344P
Gas evolution, 1541C
Gas permeability, 4546C, 2941P
Gas permeation, 1235P, 2788P
Gas phase supporting process, 677C
Gas sensors, 953P
Gas separation, 2183P, 2851P
Gas sorption, 1235P, 2314P
Gas transport properties, 2950P
GC-MS, 647P
Gel, 1C, 1597C, 1847C, 1833P
Gel permeation chromatography, 261C
Gel point, 2145C, 2287P, 3512P
Gelatin, 275P, 2287P
Gelation, 1931C, 3345C
Gel-sol transition, 751C, 2207C
Gel-time, 1815C
Geminal silyl ester polymers, 3606C

Geometric structure, 881C
Glass fiber, 2121C
Glass transition, 3763C, 227P, 267P, 301P, 429P, 983P, 2115P, 2127P, 3401P, 3504P
Glass transition temperature, 513C, 2525C, 3871C, 691P, 1413P, 1839C, 2334P, 3302P
Glassy, 389P
Glassy polymer, 626P, 2239P, 2314P, 3159P
Globules, 3208P
Globule-to-coil transitions, 2013P
Glossy polymers, 3344P
β-glucuronidase, 303C, 2773C
Glycerol, 2005C
Glycidyl alkanoate, 435C
Glycidyl carbonates, 445C
Glycidyl methacrylate, 1095C, 1457C, 2899C
Glycidyl phenyl ether, 127C, 1041C
Glycine, 2521P
Glycopolymer, 303C, 2773C
Glycosidase, 3041C
Good mechanical property, 4135C
GPC, 1473C
Graft copolymer, 105C, 909C, 2511C, 3203C, 4176C, 4337C, 3385P
Graft copolymerization, 2447C, 3456C
Graft epoxy resin, 3568C
Graft modification, 1609C
Graft polymerization, 1041C, 2121C
Grafted layer, 261C
Grafted polymer chains, 261C
Grafting, 3817C, 3910C, 4159C, 1141P
Grandjean texture, 1125C
Graphoepitaxy, 1893P
Group transfer polymerization, 1501C, 1597C
Guggenheim–Anderson–de Boer equation, 1165P

^{1}H and ^{13}C chemical shift assignments, 4019C
$H_{12}MDI$, 557C
Hairpins, 281P
Halo formation, 1575P
Hard models, 1473C
Hard segment, 3770C, 4126C, 575P, 2303P, 2918P, 2928P
Havriliak–Negami function, 1043P
HBF_4, 4605C
H-bonding, 3243C
HCl, 4605C
Head-to-tail, 1943C
Heat and mass transfer, 1665P
Heat capacity, 2093P, 2881P
Heat of phase separation, 2137C
Heat of sorption, 1251P
Heat treatment, 3057C
Heating, 83P
Heck reaction, 2607C
Helical structure, 4033C
Helical wormlike chain, 643P
Helix, 2645C
Helix formation, 2287P
Hemiacetal ester, 609C, 4478C
Hemostatic agent, 357C
HETCOR, 2219C
Heterocontacts, 1329P
Heterodifunctional polystyrene, 2027C
Heteroepitaxy, 1893P
Heterogeneous catalysis, 3888C
Heterogeneous grafting, 1643C, 1651C, 1659C
Heterogeneous systems, 805P
Heteronuclear multiple-bond correlation, 4019C
Heteronuclear single-quantum coherence, 4019C
Hexafluoroisopropylidene, 2629C
Hexamethylene diisocyanate, 4140C
Hexamethylenetetramine, 1347C
1-Hexene, 283C, 2763C
High concentration, 2314P
High current density, 2845P
High density polyethylene, 553P
High T_g, 3227C
High modulus, 991P
High pressure, 283C, 3151P
High strain rate, 1703P
High thermal stability, 3584C
High transparency, 3584C
High-density polyethylene, 1893P
Higher-order structure, 729C
Highly monodispersed microspheres, 2069C
High-performance thermosets, 4356C
High-pressure polycondensation, 683C
High-speed spinning, 1565P
Historical notes in polymer physics, 617P
Hole fraction, 879P
Hole trapping, 349P
Holographic recording, 1057P
Homogeneous catalysis, 1083C
Homogeneous 1-octene copolymers, 83P
Homopolymer-diblock blends, 1469P
Hot-air drawing, 1703P
Humidity sensor, 4458C
Hybrid dimers and trimers, 2747C
Hybrid epoxy monomers, 3427C
Hybrid monomers, 1199C
Hybrids, 2275C, 3172P
Hydrazine, 1969P
Hydride-transfer reaction, 4198C
Hydrocarboxylation, 3129C
Hydrodynamic chromatography, 593P
Hydrodynamic properties, 1329P
Hydrodynamics, 1947P
Hydrogel, 1393C, 769P, 1225P, 1587P, 3438P
Hydrogen abstraction, 3301C
Hydrogen bond, 3657C, 2383P, 2642P, 3307P
Hydrogen bonding, 485P, 1035P, 1849P, 3027P
Hydrogen-bonded complexes, 3215C
Hydrogenolysis, 4386C
Hydrogen-transfer polymerization, 465C
Hydrolysis, 135C, 627C, 1501C, 2191C, 2595C, 3456C, 3558C, 3606C
Hydrolytic conditions, 2637C
Hydrolytic polycondensation, 1017C
Hydroperoxide, 3309C
Hydrophilic/hydrophobic contribution, 1407P
Hydrophobic effect, 1903C
Hydrophobic interactions, 1397P
Hydroquinone, 665C, 1169C, 1781C, 2129C
Hydroquinone bis(2-hydroxyethyl) ether, urethane, 1473C
Hydrosilylation, 2263C, 2933C, 3193C, 3778C, 4043C, 4487C
Hydroxy- and carboxy- co- and termonomers, 2471C
Hydroxy- and carboxy- co- and terpolymers, 2457C
Hydroxyethyl methacrylate, 2899C, 3730C, 3172P
2-Hydroxyethyl methacrylate, 1597C
2-Hydroxyethyl methacrylate/styrene/DMF copolymerization, 2941C
Hydroxyethylation, 653C
Hydroxyl-terminated polybutadiene, 4090C
Hydroxyl-terminated polybutadiene (HTPB), 1815C
4-Hydroxystyrene polymers, 627C
Hydroxy-terminated fluoropolyethers, 557C
Hydroxy-terminated oligomer, 4412C
6-Hydroxy-2-naphthoic acid, 2391C
Hyperbranched, 3778C
Hyperbranched dendritic polymers, 2069P
Hyperbranched polymer, 3193C, 3638C
Hypercrosslinked polystyrene, 1451C, 2324P

Hyperfine coupling constant, 1969C

Imidazole, 3233C
Imidazole infrared absorbance, 301P
2-(1-imidazolyl)ethyl methacrylate, 1501C
Imide, 341C
Imidization, 1907C, 3294P
Immersion precipitation, 2079P
Immiscible blends, 1899P
Impact toughness, 2664P
Improvement of catalyst isospecificity by ethylbenzoate, 691C
In situ doping polymerization, 151C, 1277C, 1443C, 4605C
in situ polymerization, 3084P
In situ polymerization blending, 525C, 2329C
In vitro cytotoxicity, 1589C, 2113C, 2619C
In vivo antitumor activity, 1589C, 2113C, 2619C
Infrared dichroic function, 3473P
Infrared spectroscopy, 4318C
Inherent viscosity, 1211C
Inherently conducting polymer (ICP), 3243C
Inhibitor, 303C, 2773C
Inhomogeneous distribution, 2173P
Initial monomers, 3625C
Initial oligomerization, 3625C
Initiator, 3745C, 751P
Injection molding, 701P
In-liquid curing, 1551P
Inorganic monomers, 4356C
Integrated copolymerization equation, 3793C
Interaction energy density, 2950P
Interaction parameter, 1969P, 2195P
Interdiffusion, 3097P
Interdigitation, 405P
Interface, 2151P, 3368P
Interfacial adhesion, 2430P
Interfacial effects, 3217P
Interfacial fracture, 3455P
Interfacial modifier, 2664P
Interfacial region, 267P
Interfacial tension, 939P, 2069P, 2960P
Interferometry, 3159P
Intermolecular hydrogen bond, 451P
Internal stress, 1577C
Interpenetrating network, 1717C
Interpenetrating polymer network, 4302C, 429P, 1587P
Interphase, 1949P, 2360P
Interpolymer, 1725C
Interpolymer complexes, 1115C
Intramolecular charge transfer, 1367P, 2901P
Intramolecular crosslinking, 1451C
Intramolecular cyclization, 3193C
Intramolecular hydrogen bond, 1191P
Intrinsic molecular parameters, 3473P
Intrinsic viscosity, 1351P
Intrinsic viscosity parameters and connections, 1947P
Inverse dispersion, 313C
Inverse emulsion polymerization, 2719C
Inverse gas chromatography, 1441P
Inverse microemulsion polymerization, 2167C
Iodide ions, 2711C
Iodine-binding capacity, 2711C
Iodonium salt, 4521C
Ion binding, 1341C
Ion bombardment, 2539P
Ion content, 247P
Ion irradiation, 4318C
Ion pair, 4521C
Ion transport mechanism, 247P
IONENE, 335P
Ionic crosslinking, 1551P
Ionic species, 2853C
Ionomer, 247P, 485P, 3141P, 3226P
Ion-selective electrode (ISE), 2711C
IPDI, 557C
IR, 1351P
IR, ^{1}H-NMR, and mass spectra, 25C
IR spectroscopy, 1549C, 2985P
Irradiation, 1541C, 2404P
γ Irradiation, 3309C
Irradiation grafting, 1741C
Irreversible phase transition, 1539P
Isobutyl vinyl ether, 293C
Isobutylene, 1629C
Isoconversional method, 2799P
Isocyanate, 3079C, 4483C
Isolation, 1957C
Isomeric monomers, 4528C
Isomerism, 1907C
Isomerization, 3017C, 3523C
Isomerization polymerization, 435C, 445C
Isomerization-polymerization of allyl ethers, 687C
Isomorphous property, 2544P
Isopropylidene, 69C
Isosorbide, 1125C
Isotactic polypropylene, 357P, 867P, 3050P
Isothermal, 2439P
Isothermal crystallization, 2881P
Isothiocyanate, 3079C
Isotropic/nematic transition, 505P
Itaconic acid, 1847C

Jeffamine, 2873C
JKR, 3455P

Kaminsky-Sinn catalysis, 1053C
Kapton polyimide, 2539P
Ketene cyclic N,O-acetal, 699C
Ketene *N,N*-acetal, 3079C
Kinetic constants, 571C, 589C
Kinetic control, 2685C
Kinetic methods, 3943C
Kinetic regularities, 1763C
Kinetic theory, 1885C
Kinetics, 483C, 557C, 737C, 873C, 1797C, 1823C, 2035C, 2537C, 2719C, 3345C, 3407C, 3614C, 4054C, 4073C, 4198C, 4309C, 4422C, 1461P
Kinetics and mechanism of polymerization, 2649C
Kinetics of *cis–trans* isomerization, 1753P
Kinking comonomers, 363C
Kraton G, 2235C

β-Lactam, 909C
Lactamization, 3680C
Lactide, 2401C, 2413C, 3486C
Lactone, 1265C, 1923C, 1523P
Ladder polymer, 3545C
Lamella, 1357P
Lamellar crystal, 357P, 2279P
Lamellar liquid crystal, 2863C
Lamellar morphology, 3115P
Lamellar structures, 667P
Langmuir–Blodgett film, 1057C, 1771C
Laser damage threshold, 769P
Laser light scattering, 3201P, 3288P
Latent thermal initiator, 293C
Lattice fluid model, 3011P
Layer networks, 667P
LB film, 1293C
LCST, 2977C
L-Gulonic acid, 2773C
Ligand field stabilization, 301P
Light activation, 3203C
Light microscopy, 3328P
Light scattering, 113P
Light scattering in multicomponent systems, 642P
Light-emitting diode, 2587C
Light-emitting polymers, 3826C
Limiting oxygen index, 3903C
Linear low density polyethylene, 2949C
Linear polyester containing sulfur, 835C
Linear polyethylene, 83P, 1715P

Linear-low density polyethylene, 539P
Linearly polarized photoreaction, 4000C
Linking agents, 857C
Lipase, 2737C, 3041C
Lipase PS, 3288P
Liposome, 2305C
Liquid chromatography, 267C
Liquid crystal, 1057C, 2909C, 4000C, 4487C, 1539P, 1841P, 2261P, 3038P
Liquid crystal network polymer, 1183P
Liquid crystal polymer, 227P
Liquid crystalline, 3877C, 405P, 1601P
Liquid crystalline epoxy resin, 419C
Liquid crystalline ionogenic copolymers, 3215C
Liquid crystalline polymer, 369C, 3763C, 281P, 505P
Liquid crystalline polymethacrylates, 2391C
Liquid crystalline polysiloxane, 369P
Liquid crystallinity, 881C
Liquid modifiers, 1677P
Liquid monomer feeding, 1577C
Liquid pool, 219C
Liquid–crystal network, 3929C
Liquid–crystalline polymer, 3084P, 3411P
Liquid–liquid phase separation, 1991P
Liquid-crystalline fibrillar network, 3208P
Liquid-crystalline polyacrylate, 3513C
Liquid-crystalline thermoset, 4184C
$T_{1\rho}^{H}$, 1155P
Lithiation, 653C
Lithium alkoxides, 1157C
Lithium chloride, 3486C
Lithium perchlorate, 1709C
Lithium tert-butoxide, 4038C
Living anionic polymerization, 2027C
Living block polymerization, 2235C
Living carbocationic polymerization, 1629C, 2285C
Living coordination polymerization, 3916C
Living polymerization, 909C, 2923C, 3003C, 3694C, 3748C, 961P
Living polymers, 857C
"Living" radical polymerization, 1885C, 4610C
Living-radical Polymerization, 2692P
L-Lactic acid, 1877C
Long alkanes, 3188P
Long period, 2420P
Low and high conversion, 2941C
Low molecular mass chiral dopant, 3215C
Low molecular weight, 991P
Low temperature solution condensation, 891C
Low-dielectric polymer, 135C
Lower critical solubility temperature (LCST), 1823C
Lower critical solution temperature, 1407P
Low-frequency dielectric conductivity, 2486P
Low-k materials, 2115P
Low-temperature radiolysis, 2853C
Low-temperature relaxation, 585P
L-Tyrosine ester, 4360C

Macrocycles, 2685C, 3861C
Macrocyclic polymerization, 2179C
Macroinitiator, 2045C
Macromolecular engineering, 1C
Macromonomer, 2155C, 2401C, 2447C, 2511C, 3464C, 1609P
MADQUAT, 2167C
Magnetic field effect, 3910C
Magnetic materials, 779C
Magnetic property, 189C
Magnetic tape, 2339C
Main-chain LCP, 281P
MALDI–TOF–MS, 3367C
MALDI-TOF, 3861C
Maleic acid, 1847C
Maleic anhydride, 1095C, 1609C, 3817C, 939P
Maleic anhydride-grafted polyolefins, 4368C
Maleimide, 341C
Malonates, 615C
Mannich base, 647P
MAO, 37C
Mark-Houwink-Sakurada constants, 2557P
Mass spectrometry, 615C
Mass spectroscopy, 325C
Matrix polymerization, 1115C, 1773P
Mechanical, 1079P
Mechanical failure, 4402C
Mechanical nonlinearity, 1513P
Mechanical properties, 2445, 525C, 937C, 1017C, 2329C, 2703C, 113P, 173P, 357P, 1155P, 1623P, 1703P, 1991P, 2201P, 2549P, 2828P
Mechanical property, 3568C, 155P, 1191P
Mechanical relaxation, 51P, 1131P, 2151P, 2486P, 3027P
Mechanical spectroscopy, 3071P
Mechanical transformation, 3246P
Mechanism, 1265C, 2569C, 4126C, 4570C
Medium molecular weight polymer (MMWP), 2619C
Medium molecular weights, 2113C
Melamine, 1225C, 2503C
Melt, 1023P
Melt drawing, 1921P
Melt dynamics, 405P
Melt polycondensation, 3710C
Melt polymerization, 3520P
Melt spinning, 1277P
Melt viscoelastic behavior, 1803P
Melt viscosity, 2235C
Melting, 369C, 3763C, 3050P, 3131P, 3368P
Melting behavior, 443P, 1357P
Melting temperature, 2420P, 3151P
Melt-recrystallization (reorganization), 1357P
Membrane, 1035P, 2079P
Membrane formation, 1575P
Membrane fusion, 2305C
Membrane gas separations, 1235P, 1251P
Membrane structure, 1495P
Memory effect, 379P
3-mercaptopropionic acid, 3871C
Mesogenic units, 2391C
Metabolism, 303C
Meta-DVB, 3345C
Metal exchange reaction, 2363C
Metallocene, 283C, 677C, 2457C, 2481C, 2763C, 4386C, 1045P, 2651P
Metallocene catalyst, 1465C, 2379C, 2795C, 3099C, 3385C, 4497C, 3050P
Metallocene diamide, 1523C
Metallocene polymerization, 2949C
Metallocene poly(propylenes), 323P
Metallocene resins, 89C
Metallocene-catalyzed reactions, 1083C
Metastability, 83P
Metathesis polymerization, 277C, 4546C
Methacrylamido, 4528C
Methacrylate, 1C
Methacrylic acid, 609C, 4570C
Methacrylic polymers, 2909P
Methacryloyl isocyanate, 1789C, 3456C
Methacryloylglycine, 1303C

Methoxycarbonyloxy aromatic acid, 1703C
Methyl methacrylate, 615C, 825C, 1095C, 1245C, 1255C, 1457C, 2803C, 2899C, 3003C, 3671C, 3871C, 4191C, 4205C, 4570C, 4610C, 465P
Methylacrylate, 3504C
Methylaluminoxane, 695C, 737C, 1053C, 1465C, 3277C, 3385C, 3838C, 4497C
Methylaluminum bis(2,6-di-*t*-butyl-4-methylphenoxide), 435C, 445C
Methylaluminum bis(2,6-di-*tert*-butylphenoxide), 3671C
Methylalumixoxane (MAO) free, 1071C
Methylene spacers, 1755C
2-Methylene-1,3-dioxocyclic acetal, 2823C
2-Methylene-1,3-dithiolane, 2823C
Methylhydroquinone, 665C, 2129C
Methylmethacrylate-co-acrylic acid, 2127P
Methylphenylsilane, 2933C
Methyltrimethoxysilane, 1017C
Methylviologen, 4360C
MG rubber, 1141P
$MgCl_2$-Supported tris(acetylacetonato)chromium catalyst, 691C
Micelle, 703C, 2863C, 1863P
Michael reaction, 3598C
Microelectronic packaging, 3003P
Microhardness, 1413P, 3151P
Microhardness–depression effect, 1413P
Microindentation, 523P
Microlayer coextrusion, 847P
Micron-size range, 3785C
Microphase separation, 267P, 1545P
Microphase-separated organic–organometallic diblock copolymer, 1009P
Microscopic viscosity, 247P
Microspheres, 1877C, 2295C, 2899C
Microstructure, 533C, 721C, 2219C, 3129C, 4108C, 4570C, 2586P
Microstructure of copolyethers, 3447C
Microtubules, 4605C
Microwave process, 4616C
Migrationcontroller, 1387P
Miktoarm stars (μ-stars), 857C, 1329P, 3392P
Miniemulsion, 4159C, 4449C
Miscibility, 867P, 1533P, 1587P, 1609P, 1841P, 2806P, 2960P
Miscible blends, 1485P
Mixed solvent, 3337P
Mixture, 2782P
Mixture of dioxane and pyridine, 2755C
Mn(salen), 3888C
Mobility, 1763P
Mobility-induced TSC, 61P
$Mo(CO)_6$, 877C
Model, 2239P, 2782P
Model compound, 1690C, 2219C, 3473C, 3817C, 4368C
Model networks, 1121P
Modeling, 961P, 2571P, 2692P
Modulated differential scanning calorimetry, 2881P
Modulus, 311P, 2287P, 3003P
Mohr's salt, 1643C, 1651C, 1659C
Moisture absorption, 135C
Moisture permeability, 383C
Moisture uptake, 2539P
Molecular and supramolecular structure, 635C
Molecular architecture, 857C
Molecular composites, 189P, 199P, 2201P
Molecular conformation, 2657C, 4596C, 2297P
Molecular dynamics, 2909P
Molecular dynamics simulation, 2334P
Molecular expansion, 1329P
Molecular imprinting, 1665C
Molecular interaction, 2851P
Molecular mobility, 2137P, 2151P
Molecular modeling, 805C, 1425C, 1665C
Molecular motion, 2875P
Molecular orientation, 3411P
Molecular simulation, 4646C, 2103P
Molecular surfaces, 2221P
Molecular transport, 415P
Molecular weight, 2167C, 4570C, 4640C, 1623P
Molecular weight analysis, 2557P
Molecular weight asymmetry, 857C
Molecular weight control, 3193C
Molecular weight distribution, 261C, 331C, 3087C, 3345C, 553P, 961P, 1267P, 2103P, 2692P
Molecular weight effects, 1803P
Molecularly doped polymers, 349P
Molecule diameter, 2851P
Molybdenum catalyst, 277C
Monitoring, 1367P
Monoamine-triepoxide, 3071P
Monoclinic isotactic poly(propylene), 323P
Mono-Cp–amido complexes, 1083C
Monocyclopentadienyltitanium, 4497C
Monodisperse, 2295C, 2899C
Monodisperse copolymer, 2699C
Monodisperse particles, 815P
Monodisperse porous particles, 1307P
Monolayer, 1293C
Monomer activation, 3671C
Monomer concentration, 3957C
Monomer ratio, 1457C
Monomer reactivity, 113C
Monomer reactivity ratios, 2941C
Monomers with preformed imide rings, 2873C
Monomer/water ratio, 4073C
Monte Carlo method, 1267P
Monte Carlo simulations, 2013P
4-Morpholinecarboaldehyde, 1143C
Morphology, 525C, 857C, 1277C, 1311C, 2329C, 3568C, 3973C, 71P, 83P, 779P, 859P, 939P, 1219P, 1815P, 1881P, 1893P, 2353P, 2828P, 3172P, 3392P, 3532P
Morphology control, 2950P
MRI, 3328P
Multiacrylates, 1953P
Multiblock copolymer, 1513C
Multicomponent polymer membrane, 1545P
Multifunctional carboxylic acids, 2005C
Multifunctional oxocarbenium perchlorates, 3391C
Multiple melting, 2269P
Multiple melting peaks, 1357P
Multistage copolycondensation, 2371C
Mycelia, 3201P

N-alkylation, 1789C
Nano composites, 209P
Nanocomposite, 2225C, 143P, 3172P
Nanocomposite materials, 805P
Nanofiber, 3488P
Nanoparticles, 2667C, 3172P
Nanoscale inhomogeneity, 429P
Nanoscale morphology, 919P
Nanosponge, 1451C
Nanostructures, 2165P
Naphthalene, 253P
Naphthalene derivative, 1277C, 3063C
Naphthalene mesogen, 419C
2,6-Naphthalenedicarboxylic acid, 881C, 3139C
β-Naphthalenesulfonic acid (NSA), 151C
Naphthalimides, 3523C
2-Naphthol unit, 3702C
Natural rubber, 1141P

NBR and CR, 497P
n-Butyl acrylate, 3957C
N-cyclohexyl maleimide, 3871C
Necking, 1565P, 2651P
Nematic, 405P, 505P, 1841P
N-ethylcarbazole-thiophene comonomer, 379C
Network copolyesters, 2005C
Network density, 2815P
Network formation, 2287P
Network polymer, 2875P
Network structure, 209P, 2137P
Networks, 2401C, 3155C
Neural network, 1307P
Neutral iodine, 2711C
Neutron scattering, 2862P
New monomer, 805C, 4646C
New reactive polymer, 2781C
n-Hexane, 47C
Nickel complex, 3003C
Nickel–diimine, 4656C
Nickel(II) acetylacetonate, 3838C
N-isopropylacrylamide, 1393C, 1847C, 793P
N-isopropylmethacrylamide (NIPMAM), 1823C
Nitrate ion permselective anion exchange membranes, 1773P
Nitrate ion permselective membranes, 793P
Nitration, 653C
Nitrenium ion, 2569C
Nitrile, 1979C
Nitro, 3377C
Nitrocellulose, 1623P
4-Nitrophenyl acetate, 1501C
NMR, 1083C, 1157C, 1365C, 2219C, 2525C, 4570C, 3172P, 3328P
NMR analysis, microstructure, 3991C
NMR relaxation, 1307P
NMR relaxation times, 1225P
NMR spectroscopy, 551C, 3922C, 4368C, 1953P, 2985P
NMR-scale reactions, 737C
N,N-diethylacrylamide, 3591C
Non-aqueous media, 1265C
Non-Debye behavior, 1043P
Non-Fickian diffusion, 3159P
Non-Fickian transport, 1953P
Nonionic emulsifier, 4422C
Nonionic surfmer, 4205C
Nonisothermal crystallization, 443P, 2821P
Non-linear fitting, 2649C
nonlinear least squares estimation, 3804C
Nonlinear optic, 1771C
Nonlinear optic polymer, 3715C
Nonlinear optical, 603C
Nonlinear optical materials, 4330C
Nonlinear optical property, 277C, 1245C
Nonlinear optical side-group polymer, 3108P
Nonlinear optics, 1057C
Non-Newtonian effects, 3208P
Non-Newtonian viscosity, 2771P
Nonporous particles, 1457C
Non-salt-type, 293C
Nonsegmented, 4140C
Nonstoichiometric polyelectrolyte complexes, 335P
Nopol, 1199C
Nopol 1-propenyl ether, 1199C
Norbornadiene, 917C
Norbornane, 3441C
Novolac model compounds, 1347C
Novolac resin, 1347C, 2726P
N-phenylmaleimide, 2755C
N-phthaloyl-L-leucine acid chloride, 1211C
N-substituted amphiphilic polyacrylamides, 1293C
N-substituted maleimide, 473C
N-(substituted phenyl) citraconimidyl acrylate, 427C
Nuclear magnetic resonance, 1141P
Nucleation, 2167C
Nucleophilic polymerization, 3671C
Nucleophilic substitution, 3464C
Number average-molecular weights, 1589C
N-vinyl carbazole, 3910C
N-vinylcarbazole, 3745C
N-vinylsaccharin, 3419C
Nylon, 2521P
Nylon 11, 2737P, 3217P
Nylon 6, 1277P, 2445P
Nylon 6 blend, 2664P
Nylons, 761C, 2383P

o-Cresolphthalein, 455C
1-octadecyl vinyl ether, 3845C
Odd–even effect, 1755C, 2391C
Oil-soluble initiator, 4449C
Olefin metathesis, 1857C
Olefin polymerization, 1083C
Oligoesters, 3861C
Oligomer, 1501C, 3549C, 3778C, 1P
Oligomer coupling reaction, 4412C
Oligomer distribution, 3625C
Oligomeric compound, 4100C
Oligomeric propylene carbonate, 3329C
Oligosilylene, 1873P
Oligothienylene, 1873P
One-pot polyimidization, 3530C
One-pot synthesis, 3638C
One-step polymerization, 3441C
Onium-salt photoinitiators, 4241C
On-line differential viscometry, 2557P
Open space, 2875P
Optical absorption, 461P
Optical active polymer, 3871C
Optical activity, 4536C
Optical emission spectra, 967C
Optical properties, 937C
Optical resolution, 1035P
Optical rotation, 2287P
Optical studies, 640P
Optically active polyimides, 3147C
Optically active polymer, 473C, 1211C
o-Quinodimethane, 59C, 1555C
o-Quinone linkage, 729C
Order–disorder transition, 1833P, 1863P
Organic water-soluble dye, 1209P
Organically modified silica gel, 4226C
Organofunctionalized polysiloxane, 2363C
Organosilanes, 687C
Organosilicon, 3778C
Orientation, 101P, 451P
Orientational properties, 2334P
Ostwald ripening, 181P
Oxamide, 4483C
Oxazolidine, 473C
Oxazoline, 3367C
Oxidation, 357C, 2191C, 3309C, 1503P
Oxidative coupling polymerization, 3702C
Oxidative degradation, 4090C
Oxidative stability, 2105C
Oxidoreductase, 3041C
Oxygen permeability, 4135C, 847P
Ozone, 2489C

P–V–T properties, 2835P
Pachyman, 3201P
Packing length, 1023P
Palladium catalyst, 2607C
Palladium-catalyzed cross-coupling reactions, 4442C
para-DVB, 3345C
Paraffins, 3188P
Para-substituted styrene polymers, 2557P
Partial miscibility, 473P
Particle coagulation, 3957C
Particle evolution, 4073C
Particle formation, 3957C
Particle growth, 677C
Particle nucleation, 2537C, 4066C
Particle orientation, 1787P
Particle size, 1823C, 2155C, 1421P
Particleboard binder resins, 995C
PBT, 2420P, 2439P

PC, 71P
PCL/starch blend, 2430P
PDMS, 1121P
Pearl-necklace polymer, 3632C
Peel test, 2806P
Pendant chain, 1121P
Pendant primary hydroxyl group, 2781C
Penetrant diffusion, 1953P
Penetrant sorption, 3011P
Pentyl acrylate, 533C
1-Pentenyl ethers, 199C
People and polymers, 628P
Percentage of grafting, 2121C
Percolation, 1105P
Percolation threshold, 2657C, 4596C, 1899P
5-Perfluoroalkylisophthalic acid, 1135C
Perfluoropolyether, 1609P
Permeability, 2239P
Permeation, 473P
Peroxide, 1609C
Persistence length, 2211P
Persistent spectral hole burning, 585P, 2173P
Pervaporation, 1969P
PET, 1797C, 1565P, 3494P
PET homopolymers, 1981P
PETG, 2439P
PGSE NMR spectroscopy, 2396P
pH, 2667C
pH Sensitivity, 2703C
Phase behavior, 679P
Phase composition, 3520P, 3532P
Phase delay, 497P
Phase diagram, 1009P, 1841P, 2079P, 2806P, 3188P
Phase segregation, 2095C
Phase separation, 1741C, 473P, 725P, 745P, 1449P, 1461P, 1575P, 1841P, 1911P, 3488P
Phase state, 2788P
Phase structure coarsening, 181P
Phase structures, 1633P
Phase transition, 369P
Phase transitions, in polymers, 617P
Phase-separating morphology, 889P
Phase-transfer catalyst, 3504C
PHB, 2371C
PHB unit segment, 2371C
1,10-Phenanthroline, 4442C
Phenol novolac, 3063C, 3687C
Phenol novolac resin, 713C
Phenolic resin, 1913C, 907P, 3257P
Phenolysis, 2891C
Phenoxathiin, 127C
Phenoxy, 525C, 2329C
Phenoxy radical, 189C
Phenylated, 3293C
Phenylethynyl, 4184C
2-(α-phenylisopropyl)-hydroquinone, 881C
Phenylethynyl-terminated imide oligomer, 4616C
Phenylhydroquinone, 665C
Phenyl-hydroquinone, 2129C
4-Phenyl-1,2,4-triazoline-3,5-diones, 1211C
Phenylphosphaethyne, 129C
Phosphaacetylene, 129C
Phosphatidylcholine analogous group, 1293C
Phosphinate, 1009C
Phosphonate, 1365C
Phosphonyl, 1849P
Phosphonylation, 4043C
Phosphorescence, 2127P
Phosphorus, 891C, 3903C
Phosphorus-containing polymer, 1009C
Phosphorylation, 4043C
Photoacid generator, 1225C
Photoalignment, 4000C
Photochemical reaction, 917C, 1805C, 3071C
Photochromic chiral polymers, 3257C
Photochromic liquid crystal, 3513C
Photoconductivity, 3854C
Photocrosslinkable, 3285C
Photocrosslinking, 1225C, 4554C
Photo-degradation, 1289P
Photo-Fries, 1331C
Photoinduced cationic polymerization, 3017C
Photo-induced charge transfer polymerization, 2595C
Photo-induced electron transfer, 3910C
Photoinitiated cationic polymerization, 199C, 1199C, 3427C
Photoinitiation, 4241C
Photoinitiator, 4521C
Photoluminescence, 2587C, 461P
Photolysis, 1331C, 3285C
Photon correlation spectroscopy, 3385P
Photophysical, 1873P
Photophysical characterization, 4442C
Photopolymer, 4000C
Photopolymerization, 77C, 2167C, 3929C, 919P, 1183P
Photorefractive, 1057P
Photorefractive polymer, 3302P
Photoresist, 341C, 1225C
Photosensitization, 4521C
Photosensitized charge separation, 4360C
Photosensitizer, 917C
Photosetting resins, 1125C
pH-Sensitive polymer, 2305C
Phthalazinone, 1565C, 1781C
Phthalonitrile polymer, 2105C
Physical aging, 1931P
Physical gelation, 3438P
Physical networks, 1833P
Physical properties, 143P
Physicochemical and tensile properties, 4140C
Piezoelectric, 29P
Piezoelectric elastomer, 3065P
Piezoelectricity, 2737P, 3065P
α-Pinene, 867P
PK99, 1485P
Planar backbone, 4135C
Plasma polymerization, 325C, 967C, 2115P
Plasma polymers, 1577C, 2191C
Plastic deformation, 1513P
Plasticization, 2941P
Plasticizer, 19P, 29P
Plateau compliance, 2373P
PMAA, 2007P
p-Methoxystyrene, 3694C
p-Methylstyrene, 2795C, 4176C
PMMA derivative, 789C
Polarized infrared spectra, 531P
Poled aromatic polyamide films, 531P
Poled nylon films, 531P
Poled polymer, 3598C
Poly (DOP) triol, 3401C
Poly (THF) polyol, 3391C
Poly(ε-caprolactone), 2682P
Poly(1,3,4-oxadiazole)s, 1169C
Poly(ε-caprolactone), 1643C, 1651C
Poly(1,5-dioxepan-2-one), 1659C, 3407C
Poly(3,3-bis(azidomethyl)oxetane-*co*-ε-caprolactone), 1027C
Poly(3,3-bis(chloromethyl)oxetane-*co*-ε-caprolactone), 1027C
Polyacid, 3129C
Poly(acrylacid), 335P
Polyacrylamide, 493C, 2977C, 3243C
Poly(acrylamide), 1643C, 1651C, 1659C
Polyacrylamide gel, 2634P
Polyacrylate, 3877C
Polyacrylate-polyurethane microemulsion, 2642P
Poly(acrylic acid), 2127P
Polyacrylonitrile, 2319C, 3057C
Poly(acrylonitrile-*co*-lithium methacrylate) P(An-*co*-LiMA), 247P
Polyaddition, 917C, 959C, 2781C, 3079C
Polyalicyclic cardo unit, 4510C
Polyalkylthiophene, 1763P
Poly(α-hydroxy acrylic acid), 1523P

Poly(α-phenyl styrene peroxide), 4033C
Poly(amic acid), 2815C
Poly(amic ester), 1907C
Polyamide, 15C, 455C, 1413C, 1435C, 1565C, 1997C, 2791C, 3079C, 3575C, 3632C, 3646C, 4510C, 2383P
Polyamide 11, 715P
Polyamide blends, 1749P
Poly(amide imide)s, 2183P
Poly(amide–1,3,4-oxadiazole)s, 1169C
Poly(amide–imide), 69C, 1183C
Polyamide-6, 1155P
Poly(amide-hydrazide)s, 1169C
Polyamide-imide, 2245C
Polyamideimide, 2873C
Poly(amide-imide)s, 2421C, 2629C
Poly(amino acid), 2093P
Polyanhydrides, 3337C
Polyaniline, 1277C, 2569C, 4605C, 1219P, 2845P
Polyaniline derivatives, 4295C
Polyaniline emeraldine base, 3473P
Polyaniline (PANI), 151C
Poly(anthranilic acid), 4458C
Polyaromatics, 3041C
Poly(aryl amide imide)s, 4541C
Poly(aryl ether ketone), 1485P
Poly(aryl ether)s, 3293C
Poly(arylacetylene), 277C
Polyarylate, 645C, 1135C, 2891C
Poly(arylene ether benzimidazole) primer, 2806P
Poly(arylene ether ketone), 1781C
Poly(arylene ethynylene)s, 4442C
Poly(arylene sulfide)s, 2311C
Polyaryloxydiphenylsilane, 4591C
Poly(benzimidazole), 1383C
Polybenzoazines, 1441P
Polybenzothiazoles, 189P, 199P, 209P
Polybenzoxazine, 647P, 2360P, 3257P
Poly(benzoxazole-imide)s, 4151C
Polybenzoxazoles, 2129C
Poly(benzylidene phosphoramide ester)s, 3285C
Poly-β-amides, 761C
Poly(β-hydroxybutyrate)–poly(vinyl acetate), 443P
Poly(bisphenol A carbonate), 745P
Polyblend, 2657C
Polybutadiene, 1143C, 3129C, 4108C
Poly(butylene succinate) (PBS), 1357P
Poly(butylene terephthalate), 2420P
Poly(butylene-2,6-naphthalene dicarboxylate), 561P
Polycaprolactone, 2225C, 745P
Polycarbonate, 169C, 1125C, 2087C
Polycation/dye complex, 409C
Polycation/dye/polyanion complex, 409C
Polycondensation, 455C, 1365C, 1383C, 1681C, 1703C, 1737C, 2607C, 2737C, 3367C, 3861C
Polycyanoacrylate, 2219C, 4570C
Polycyclics, 927C
Polydiacetylene, 1771C, 3545C, 965P
Poly(dimethylsiloxane), 485P, 1421P, 2221P
Polydispersity, 593P, 3097P
Polydispersity control, 3193C
Polydivinylbenzene, 1307P
Poly(D,L)lactic acid, 4554C
Poly(DOP), 2347C
Polyelectrolyte, 901C, 1501C, 1597C, 275P, 2287P, 3337P
Polyelectrolyte behavior, 1293C
Polyelectrolyte complexes, 2601C
Polyelectrolyte gel, 1209P, 2165P
Polyelectrolyte membranes, 2893P
Polyelectrolyte solution, 825P
Polyelectrolyte/gelatin complexation, 2287P
Polyester, 1413C, 1693C, 2055C, 2581C, 3041C, 3139C, 1P, 253P, 965P, 2521P
Poly(ester amide)s, 2521P
Poly(ester imide), 211C
Polyesteramide, 3367C
Polyester-amides, 891C
Polyesters, 1413C, 2581C, 1P, 965P
Polyester-sulfur compositions, 835C
Poly(ETEFU), 1589C
Poly(ETEFU-*co*-AA), 1589C
Poly(ETEFU-*co*-VAc), 1589C
Polyether, 1009C
Poly(ether ester), 101P, 975P
Poly(ether ether ketone), 4582C, 1485P
Poly(ether imide)s, 665C, 1403C, 1619C
Poly(ether ketone), 3227C
Poly(ether naphthalimide), 3227C
Poly(ether-*b*-amide), 2463P
Poly(etherimide)s, 3530C
Polyethyl methacrylate, 4302C
Polyethylene, 331C, 349C, 677C, 1083C, 1541C, 4656C, 1105P, 2279P, 2651P, 3131P, 3401P
Poly(ethylene), 2053P
Poly(ethylene 2,6-naphthalate), 2973P
Polyethylene blend, 1387P
Polyethylene copolymers, 51P
Poly(ethylene glycol), 2155C, 3492C, 1953P, 2396P
Poly(ethylene glycol)-grafted polyurethanes, 3537C
Poly(ethylene oxide), 101P, 219P, 1197P, 2726P, 3208P
Poly(ethylene oxide)-b-poly(L-lactic acid) diblock copolymers, 2207C
Poly(ethylene terephthalate), 369C, 2853C, 101P, 847P, 1881P, 2973P
Polyethylene terephthalate, 2821P
Poly(ethylene terephthalate) fiber, 1703P
Poly(ethylene-*co*-methyl acrylate), 1609C
Poly(ethylene-co-vinyl acetate), 1815P
Poly(ethylenimine), 3936C
Poly(ETPFU-*co*-AA), 2113C
Poly(ETPFU-*co*-VAc), 2113C
Polyfunctional acrylate group, 3071C
Polyfunctional methacrylate group, 3071C
Poly(γ-glutamic acid), 801C
Poly(γ-methyl-L-glutamate), 383C
Poly(glutamate), 61P
Poly(glyceride), 435C
Poly(glycidylmethacrylate), 105C
Polyhydrazides, 1169C, 1687P
Poly(hydroxy ether), 1849P
Polyimide, 15C, 455C, 805C, 937C, 1189C, 1425C, 1907C, 2245C, 2559C, 2909C, 3227C, 3377C, 3646C, 3680C, 3943C, 4295C, 4330C, 4536C, 4646C, 1931P, 2806P, 2941P, 3294P
Polyimide composites, 4616C
Poly(inosinic acid), 3361C
Polyisobutylene, 2285C
Polyisobutylene-based block and star polymers, 2235C
Poly(isoindole)s, 3293C
Polyisoprene, 1143C
Poly(lactic acid), 1803P
Polylactide, 3486C, 3558C
Poly(L-glutamic acid), 1035P
Poly(L-histidine), 301P
Poly(L-lactic acid), 1513C, 991P
Poly-l-lysine aqueous solutions, 3123P
Polymer, 3109C, 939P, 1337P, 1601P, 1749P, 2782P, 3172P, 3488P
Polymer adsorption, 2137C
Polymer blend, 3099C, 4233C, 71P, 181P, 679P, 701P, 745P, 1155P, 1513P, 1647P, 2353P, 2788P, 2996P, 3115P, 3217P, 3368P

Polymer coating, 1289P
Polymer complex, 2726P
Polymer composition, 3991C
Polymer degradation, 4309C
Polymer dielectric, 311P
Polymer dissolution, 2103P
Polymer dynamics, 1953P, 3385P
Polymer effect, 1413C
Polymer electrolyte, 247P
Polymer functionalization, 653C
Polymer matrix composites, 2601P
Polymer melts, 1069P
Polymer membranes, 2183P
Polymer miscibility, 237P, 379P
Polymer mixtures, 379P, 2221P
Polymer molecules, 640P
Polymer network, 3657C, 4554C
Polymer optical waveguide, 2355C
Polymer particles, 2429C, 3087C
Polymer pendent radicals, 3203C
Polymer processing, 2571P
Polymer relaxation, 2127P
Polymer solutions, 643P, 2221P, 2771P
Polymer surfactant, 2297P
Polymer swelling, 2611P
Polymer theory, 619P
Polymeric micelles, 703C
Polymeric nanoparticles, 3288P
Polymeric paint film, 2875P
Polymerizability, 3027C
Polymerizable diazenes, 3203C
Polymerization, 341C, 1523C, 1555C, 2457C, 2959C, 4159C
Polymerization kinetics, 1083C, 2692P
Polymerization mechanism, 3671C
Polymer-metal complex, 3888C
Polymers containing 5-fluorouracil, 2619C
Polymer-supported catalyst, 37C
Poly(*meta*-divinylbenzene), 3973C
Poly(methacrylacid), 335P
Polymethacrylates, 1597C
Poly(methyl methacrylate), 105C, 1717C, 4402C, 1105P, 1495P, 2253P, 2985P
Poly(methylhydrosiloxane), 4043C
Poly(methylmethacrylate), 2195P
Poly(methylphenylsiloxane), 653C, 1717C
Poly(methylstyrene), 2069C
Polymorph, 3294P
Polymorphic behavior, 3845C
Polymorphic phase transition, 1293C
Polymorphism, 1P
Poly(N-isopropylacrylamide-*co*-acrylamide), 2137C
Poly(N-isopropylacrylamide-co-methacrylic acid), 2667C
Poly(*N*-*n*-propylacrylamide-*co*-butyl methacrylate-*co*-*N*,*N*-diethylaminoethyl methacrylate), 1407P
Polynorbornene, 3003P
Poly(*N*-phenyl-2-hydroxytrimethylene amine), 237P
Polynucleotide analogue, 3361C
Poly(*N*-vinyl pyrrolidone), 237P
Poly(*o*-anisidine), 4596C
Poly(*o*-dibenzoylbenzene)s, 3293C
Poly(*o*-hydroxy amide-imide)s, 4151C
Poly(*o*-hydroxy amide)s, 2129C
Polyolefin, 539P, 553P, 1045P
Polyolefin liquids, 2835P
Poly(ortho ester), 435C
Poly(orthocarbonate)s, 445C
Poly(*o*-toluidine), 2657C, 3243C
Polyoxazoline, 1225C
Polyoxetane, 1027C
Poly(oxymethylene, 3115P
Poly(oxypropylene-*co*-oxyethylene), 1513C
Poly(*para*-divinylbenzene), 3973C
Poly(*p*-ethylphenol), 169C
Poly(phenylacetylene), 1657P
Poly(phenylene oxide), 1155P
Poly(phenylene sulfide), 2311C, 3473C
Poly-(phenylisocyanate), 699C
Polyphosphonate, 959C, 1365C
Poly(phosphonosiloxane), 4043C
Poly(*p*-methylstyrene-*co*-styrene), 4108C
Poly(*p*-oxybenzoate), 3520P, 3532P
Poly(*p*-phenylene vinylene), 605P
Poly(*p*-phenylene)benzobisoxazole, 2637C
Poly(*p*-phenylene)-benzobisthiazole, 2637C
Poly(propene-*co*-maleic acid), 1949C
Polypropylene, 2489C, 2795C, 4176C, 523P, 701P, 1513P, 1647P, 1893P, 2534P, 2821P, 3512P
Polypropylene-*co*-*p*-methylstyrene, 2795C
Poly(pyromellitimide-ester)s, 1755C
Polypyrrole, 1115C, 1443C, 3723C, 3877C, 953P
Polypyrrolones, 1235P, 1251P
Polyradical, 189C, 779C
Polysaccharide, 3041C, 3201P
Poly(*S*-benzyl-L-cysteine), 3269P
Polysiloxane, 1057C, 3854C, 4226C, 4487C
Poly(siloxysilane), 3193C
Polysilsesqioxane, 1017C
Poly(silyl ester)s, 3606C
Poly(silylenephenylenevinylene), 2263C
Poly(silylenevinylene(bi)phenylene-vinylene)s, 2933C
Polystyrene, 1083C, 1237C, 2285C, 2595C, 3169C, 4117C, 389P, 1647P, 1841P, 2611P, 2747P, 2771P, 3319P
Polystyrene nanosphere, 2155C
Polystyrene oxide, 4640C
Poly(styrene sulfonic acid), 3317C
Poly(styrene-*alt*-*n*-octadecylmaleimide), 667P
Poly(styrene-*b*-isobutylene) diblocks, 2235C
Polystyrene-*b*-polyisobutylene, 815C
Poly(styrene-*co*-acrylonitrile, 2682P
Poly(styrene-*co*-methacrylonitrile), 2747C
Poly(styrene-*g*-methyl methacrylate), 3203C
Polystyrene-graft-polyoxylene, 2719C
Polystyrene-polyisobutylene block copolymer, 1629C
Poly(styrene)s, 3203C
Polysulfone, 1495P, 2711P
Polysulfone, polyimide, 4318C
Polytartaramides, 983C
Poly(terthienylenevinylene), 4629C
Poly(tetrafluoroethylene), 4432C
Polytetrafluoroethylene, 2115P, 2404P
Polythioamide, 1737C
Polythiophene, 779C, 1943C, 2909P
Polytransesterification, 1365C
Poly(trifluorovinyl ether), 3301C
Polyurethane, 383C, 1331C, 2095C, 983P, 2673P
Polyurethane acrylate, 919P
Polyurethane elastomer, 2303P
Polyurethane hydrogel, 2703C
Polyurethanes, 2339C, 4140C
Poly(vinyl acetate), 551C
Polyvinyl acetate, 2595C
Polyvinyl alcohol, 2595C
Poly(vinyl alcohol), 2677C, 2396P, 3438P
Poly(vinyl methyl ether) stabilizer, 493C
Poly(vinylcyclohexane), 2053P
Poly(vinylidene chloride), 2035C, 3269C
Poly(vinylidene fluoride), 1741C, 3317C, 1219P, 1495P, 2079P, 2549P
Polyvinylidene fluoride, 997P
Poly-(vinylidene fluoride), 3217P
Poly(vinylpyrrolidone), 3922C

Poly 3,4-bis(alkylthio)-thienylenevinylene], 4629C
Poly 1-(trimethylsilyl)-1-propyne], 4309C
Poly(2- and 4-vinylpyridine)s, 1341C
Poly(2-hydroxyethyl methacrylate), 3785C
Poly(2-methyl-2-oxazoline), 3591C
Poly(3-alkylthiophene), 1943C
Poly(4-hydroxystyrene sulfone), 1549C
Poly(4-vinylpyridine), 2851P
Ponceau 4R, 409C
Porosity, 3973C
Positron, 2476P
Positron annihilation, 465P, 1289P, 2634P, 2754P, 2875P
Positron annihilation lifetime spectroscopy, 219P
Positron lifetime, 1749P, 2539P
Positronium, 2634P
Potassium bromate, 313C
Potassium dicyclopentadienedicarboxylate, 4390C
Potentiometric titration, 1949C, 1523P
Powder injection molding, 1991P
PP-*g*-polybutadiene, 4176C
PP-*g*-PS, 4176C
p-Phenylenebis(trimellitate) dianhydride, 211C
PPTA anion, 2201P
PPV, 605P
p-Quinquephenyl, 15C
Preceramic, 2263C, 2933C
Preceramic monomers, 4356C
Precipitation, 2229P
Precipitation polymerization, 483C, 1823C, 2295C, 2899C, 4198C
Precursor origin, 2806P
Precursor solution, 11C
Prediction, 2334P
Preparation, 4330C
Preparation dependence, 2229P
Pressure, 983P
Pressure dependence, 2747P
Pressure-sensitive adhesive, 3455P
Pretilt angle, 2909C
Primary and secondary crystallization, 2269P
Profiles, 1949P
Propagating radical, 1969C
Propagation, 2803C
Propargyl ether, 1805C
Propellant, 4090C
Propene polymerization, 691C
Propenyl ether group, 1805C
Properties, 1425C, 2013C, 4646C
Properties of poly(ethylene-*co*-1-hexene), 2763C
Propylene, 1523C, 3991C
Propylene carbonate, 545C
Propylene oxide, 1863C, 3329C
Propylene polymerization, 219C, 737C, 1071C, 4386C
Proton conductivity, 1741C, 2893P
Proton transfer, 909C
Proton-conducting membrane, 3317C
Pseudohexagonal crystallinity, 1095P
Pseudohexagonal phase, 2383P
PS/PVME blends, 889P
PSSA, 3317C
PST-*b*-PIB, 815C
PSt-*graft*-PEO copolymer, 3087C
p-*t*-Butoxystyrene, 3694C
p-Terphenyl, 15C, 3646C
p-*tert*-butylcalix 4]arene, 4351C
PTFE, 2404P
Pulse radiolysis, 2853C
Pulsed-laser deposition, 2115P
PVAc, 2329C
PVC, 1351P, 2412P, 2828P
PVDF, 3317C
PVF_2, 19P
p-((vinyloxy)methyl)benzonitrile, 179C
PVP, 2201P, 2412P
Pyrene, 47C
Pyridine diamide, 3756C
Pyridine formation, 1979C
Pyroelectric coefficient, 715P
Pyrolysis, 2404P
Pyrolysis gas chromatography, 2747C
Pyrolysis of PANA, 4458C
Pyrrole, 4218C
Pyrylium, 15C, 3646C

Q-*e* scheme, 113C
Quadricyclane, 917C
Quartz crystal microbalance, 801C, 1903C
Quaternary onium salt, 959C, 1009C, 2781C
Quenching, 4360C
Quinonoid monomer, 1285C, 3027C

Radiation, 1045P
Radical, 341C
Radical copolymerization, 609C, 2755C, 3419C
Radical graft copolymerization, 4090C
Radical grafting, 2121C
Radical polymerization, 113C, 189C, 1303C, 1569C, 1969C, 2677C, 2803C, 2969C, 3003C, 3109C, 3419C, 3456C, 3871C, 4226C, 4467C, 4478C
Radical reactivity, 113C
Radical termination, 2692P
Radically polymerizable group, 3071C
Radiochemical grafting, 1763C
Radiofrequency plasma, 4432C
Radius of gyration, 1267P
Raman, 1351P, 3097P
Raman spectroscopy, 3804C
Random copolymer, 2960P, 3131P
Random copolymerization, 3838C
Rate constants (coefficients), 4467C
Rate maximum, 4066C
Rate requirements for control, 1885C
Rat-tail tendon, 1397P
Rayleigh scattering, 642P
RC model, 805P
Reaction calorimetry, 4054C, 4073C
Reaction kinetics, 219C
Reaction mechanism, 3614C
Reaction-induced phase separation, 2711P
Reactive compatibilization, 71P
Reactive extrusion, 1693C
Reactive main-chain functional groups, 3537C
Reactive polymers, 653C
Reactive surfactants, 2251C
Reactivity gap, 2311C
Reactivity ratio, 2763C, 2841C, 2949C, 3730C, 3793C, 3804C
Real-time, 37P
Real-time measurement of electro-optic coefficient, 3715C
Reciprocal lattice, 2456P
Recollections, 638P
Reconcentration of polymer solutions, 267C
Recrystallization, 2420P
Redox polymerization, 313C
Redox reaction, 3003C
Reduced viscosity, 409C
Reduction, 1465C
Reflectance FT-IR microspectroscopy, 2061C
Refractive index, 1577C
Regenerated cellulose film, 1623P
Regiocontrolled polymer, 3702C
Regioregular, 1943C
Regular poly(ester amide)s, 391C
Relative reactivity ratios, 2841C
Relaxation, 37P, 1953P, 2025P
α relaxation, 3504P
β-Relaxation, 429P
Relaxation dynamics, 825P
Relaxation mechanisms, 2486P
Relaxation of PMMA structure, 1753P
Relaxation phenomena, 635P
Relaxation time, 1121P, 1141P, 3429P

Relaxation time distribution, 1043P
Remelting, 2287P
Renewable resource, 1763C
Repulsion, 3269P
Residual stress, 937C
Resins, 3109C
Resolution, 1057P
Resonance energy transfer, 2305C
Reversible gelation, 485P
Reversible phase transition, 1539P
Reworkable resins, 2991C
Rheological behavior, 2664P
Rheo-logical properties, 2445
Rheological properties, 889P, 1787P
Rheology, 405P, 1009P, 1045P
Rheometry, 825P
Rheooptics, 399P
Ribbon-type polymers, 2211P
Rigid-flexible polyethers, 3826C
Rigid-rod polymers, 15C
Rigid-rod poly(*p*-phenylene benzobisthiazole), 661P
Ring formation, 1575P
Ring opening, 2347C
Ring opening metathesis polymerization, 2447C
Ring opening reaction, 3419C
Ring strain, 1957C
Ring-banded spherulite, 2682P
Ring-opening, 2413C
Ring-opening polymerization, 927C, 1913C, 1923C, 3407C, 3486C
Ring-opening polymerization (ROP), 2823C
Ring-retained polymerization, 2841C
Roughness correlation, 2862P
Rouse model, 1121P, 3319P
Rubber, 3129C
Rubber elasticity, 3319P
Rubber particle cavitation toughness, 1739P
Rubber toughening, 2137P
Rubbery, 389P
Rubbery polymer, 3011P
Rubbing, 2909C
Ruthenium catalyzed isomerization reactions, 199C
Ruthenium complex, 1383C
Ruthenium(II) complex, 4360C

Saccharin, 3419C
Salt, 2667C
Salt effect, 2977C
Samarium iodide (II), 4483C
SAN, 525C, 71P
SANS, 3392P
Saturation grafting point, 261C
SAXS, 83P, 1009P, 1647P, 2673P, 3115P, 3172P, 3392P
s-BPDA-PDA, 2499P
SBS, 3488P
Scaling laws, 3123P
Scaling-up, 1C
Schiff base, 4351C
β-Scission, 3301C
Scleroglucan, 3187C
Seawater, 3169C, 3936C, 4117C
Second harmonic coefficient, 1321C
Second harmonic generation, 513C, 1245C, 3108P
Second-order nonlinear optical, 2503C
Second-order nonlinear optical polyimide, 1321C
Second-order nonlinearity, 3598C
Segment sequence length, 575P
Segmental dynamics heterogeneity, 429P
Segmented, 4140C
Segmented copolymers, 2918P, 2928P
Segmented polyurethane, 2225C
Segregation fractionation, 2379C
Self-association, 1451C
Self-compatibilization, 4233C
Self-diffusion, 2396P, 2893P
Self-diffusion, thermotropic, 405P
Semiaromatic polyamide, 1131P
Semicrystalline polymers, 2353P
Semiflexible polymers, 3646C
Semi-IPNs, 1623P
Sensing of vapor, 3591C
Sensitizer, 1057P
Sequence distribution, 3179C, 3730C
Sequence structure, 3770C
Shape memory, 101P
Shear, 3512P
Shear flow, 281P
Shear-rate dependent viscosity, 3208P
Short fiber, 2151P
Short side group, 937C
Short-beam shear, 4616C
Short-chain branching distribution (SCBD), 89C
Shrinkage, 101P
Shrinkage temperature, 1397P
Side chain, 4330C
Side chains containing biphenyl mesogen, 2909C
Side group polarity, 2476P
Side group volume, 2476P
Side-chain chromophores, 603C
Side-chain effect, 1763P
Side-chain liquid crystalline polymers, 2391C
Side-chain polymers, 603C
Side-group, 405P
Silane, 2263C
Silica, 2275C, 1421P, 3172P
Silica-supported metallocene, 1987C
Silicate, 143P
Silicic acid, 4226C
Silicon-terminated telechelic oligomers, 849C
Siloxane rubber, 3065P
Simulation, 4033C
Simultaneous irradiation, 1763C
Single-site catalyst, 2439C
SINs, 3568C
Site selection, 461P
Sites of interactions, 1969P
Size exclusion chromatography, 1451C, 4570C, 593P, 1267P
Size-exclusion chromatography, 2557P
Skeletal conformation, 3294P
Small Angle Laser Light Scattering, 1715P
Small-angle x-ray scattering, 919P, 1715P, 1833P, 2195P, 2229P, 2586P
Small-size macrocycle, 1957C
Smectic, 3877C, 4487C, 405P
Smectic A, 1841P
Smectic character, 211C
Smoothed particle hydrodynamics, 281P
Sodium dodecyl sulfate, 2601C
Sodium metabisulphite, 313C
Soft contact lenses, 1221C
Soft segment, 3770C, 4126C, 575P, 2918P, 2928P
Soft-segment ionic polyurethane, 837P
Sol–gel, 2275C, 3172P
Sol–gel reaction, 3591C, 143P, 1421P
Sol-gel material, 2503C
Solid proteins, 2093P
Solid state ^{13}C-NMR spectroscopy, 835C
Solid state theory, 619P
Solid-state ^{13}C-NMR, 1533P, 2007P
Solid-state coextrusion draw, 2549P
Solid-state NMR, 237P, 1155P, 2412P
Solid-state nuclear magnetic resonance, 3438P
Solid-state polymerization, 3545C, 3845C, 1981P
Solubility, 645C, 1673C, 1789C, 3227C, 3441C, 4591C, 1469P, 2782P
Solubility parameter, 3785C, 1495P
Solubility parameters, 2835P
Solubility selectivity, 2463P
Soluble polyimide, 1681C, 3441C
Solution polycondensation, 3710C
Solution polymerization, 3532P
Solution processing, 1665P

Solution properties of graft copolymer, 3087C
Solutions, 1449P, 1461P
Solvent, 2677C
Solvent casting, 2229P
Solvent effect, 571C, 589C, 1413C, 1789C, 2803C, 2941C, 3407C, 3456C, 4591C
Sorption, 415P, 2463P, 2973P
Sparteine, 4191C
Spectroscopy, 409C, 533C, 3187C, 3285C
SPEO, 837P
Spherulite, 2279P, 3246P
Spherulite morphology, 575P
Spin–spin relaxation, 1717C, 2275C
Spinodal decomposition, 1449P, 1461P
Spiro orthoester, 2551C, 4502C
Spirodilactone, 3680C
Spirooxazine, 3513C
Spontaneous copolymerization, 1709C
Spontaneous polymerization, 129C
Stabilization, 4570C
Stabilizer, 2429C
Stable free-radical polymerization, 2692P
Stable processibility, 3243C
Stacked bilayers, 1293C
Star polymer, 1629C, 4337C
Star–block polymers, 2235C
Star-block copolymer, 815C, 1629C
Starch, 2881P
Starch-*g*-PCL, 2430P
Starch-iodine (amylose-iodine), 2711C
Star-shaped, 2347C
Star-shaped polyacetal, 3401C
Star-shaped polyether, 3391C
States of solvent, 1969P
Statistical method, 2145C
Statistical model fitting, 2557P
Steady-state fluorescence, 2901P
Stearate introduction, 3141P
Stepwise annealing, 2420P
Stereoblock polypropylene, 2439C
Stereochemical structure, 3179C
Stereochemistry, 2219C, 4570C
Stereocomplex, 245C
Stereoregular nylons, 983C
Stereoregular polyamides, 983C
Stereoregular polymerization, 2525C
Stereoregular polymethacrylates, 245C
Stereospecific living polymerization, 245C
Stereospecific polymerization, 283C
Stereostructure, 2923C
Steric hindrance, 2923C, 1763P
Stockmayer-Fixman constants, 2557P
Storage stability, 3307P
Stored energies, 917C
Strain softening, 1131P
Strain-induced birefringence, 399P
Strength and failure envelope, 2815P
Stress, 311P
Stress relaxation behavior, 1397P
Stress–strain isotherms, 2013P
Stress-optical, 825P
Stress-optical rule, 399P
Stress-strain curve, 1513P
Structural first-order phase transitions, 2115P
Structural organization, 173P
Structural self-quenching effect, 179C
Structure, 937C, 1017C, 2013C, 605P, 779P
Structure and properties, 2005C
Structure and reactivity, 3027C
Structure development, 1277P
Structure formation, 2571P
Structure of ethylene co-oligomers, 4281C
Structure-activity relationship, 789C
Structure-affinity correlations, 2611P
Styrene, 825C, 1083C, 1095C, 1157C, 1629C, 2045C, 2429C, 2481C, 2803C, 2969C, 3838C, 3871C, 4054C, 4066C, 4073C, 4191C, 4233C, 4422C, 465P
Styrene acrylonitrile copolymers, 593P
Styrene miniemulsion polymerization, 2537C
Styrene polymerization, 3385C
Styrenic surfactants, 4205C
Substituent, 2263C
Substituent distribution, 3011C
Substituents in main chain, 3038P
Substituted 2,5-dimethylene-2,5-dihydrothieno 3,2-b]thiophenes, 3027C
Substituted polyacetylene, 4546C
Substrate effects, 3520P
Substrate monomer, 3041C
Sub-T_g relaxation, 3071P
Succinic anhydride, 1041C
Sugar acrylate, 1665C
Sulfated maltoheptaose side-chain, 789C
Sulfonated EPDM, 3141P
Sulfonation, 1741C
Sulfonium salt, 127C
Sum-over states perturbation theory, 1657P
Supercritical carbon dioxide fibers, 1881P
Supercritical CO_2, 2429C
Supercritical fluid chromatography, 245C
Supercritical fluid fractionation, 553P
Supercritical fluids, 2771P
Supercritical isobaric fractionation, 553P
Supercritical isothermal fractionation, 553P
Superoxide ion, 3558C
Superposition, 2373P
Supported, 677C
Supported half-sandwich complex, 2959C
Supported metallocene, 331C
Supramolecular chemistry, 2685C
Supramolecular complex, 1197P
Supramolecular polymers, 3657C
Surface activity, 2297P
Surface and colloidal characterization, 501C
Surface epoxy-group, 1457C
Surface fractions, 2221P
Surface grafting, 2121C, 3591C
Surface modification, 357C, 2489C, 4432C
Surface properties, 77C
Surface tension, 2137C, 2863C
Surface tension, from contact angle, 2039P
Surface tension, methacrylate polymer, 2039P
Surface tension, of solid, 2039P
Surfactant, 313C, 2667C, 2683C, 1387P, 2165P
Surfactant migration, 4205C
Surlyn®, 143P
Suspension rheology, 815P
Swelling, 1225P, 1953P, 3108P, 3159P
Swelling ratio, 4554C
Synchrotron radiation, 37P, 1715P
Synchrotron SAXS, 3233P
Synchrotron WAXS techniques, 1277P
Syndiospecific, 2763C
Syndiospecific polymerization, 2481C
Syndiotactic polypropylene, 173P
Syndiotactic polystyrene, 1053C, 2959C, 3385C, 399P
Synthesis, 15C, 233C, 761C, 805C, 825C, 1135C, 1425C, 1781C, 1805C, 2245C, 3027C, 3071C, 3187C, 3377C, 3632C, 3646C, 3756C, 3854C, 4356C, 4541C, 3172P
Synthesis of NLO polymer, 3715C

Tack, 3455P
Tacticity, 2219C, 2677C, 4570C, 2985P
Tailor-made microarchitectures, 2285C
Talc–polystyrene compounds, 1787P
Tartaric acid, 983C
Taurine, 1949C
Taylor dispersion analysis, 593P
TDI, 557C
Telechelic copolyethers, 3447C
Telechelic poly(vinylalcohol), 1225P
Telechelics, 1597C, 2285C
Telomer, 4351C
TEM, 1009P, 1647P, 2456P, 3392P
Temperature dependence, 1541C
Temperature dependence of membrane properties, 793P
Temperature effect, 4591C, 1803P
Temperature enhancement, 301P
Temperature rising elution fractionation, 539P, 553P
Temperature rising elution fractionation (TREF), 89C
Temperature-induced phase transition, 1407P
Temperature-modulated calorimetry, 1539P
TEMPO, 3748C
TEMPO (2,2,6,6-tetramethylpiperidinyl-1-oxy), 1237C
Tensile, 815C
Tensile properties, 2225C, 1095P, 1921P
Tensile testing, 2815P
Terminal modulus, 3429P
Terminal region properties, 1803P
Ternary, 1449P, 1461P
Ternary emulsifier-free emulsion polymerization, 2649C
Ternary polymer blend, 2960P
Terpene resins, 867P
Terpolymerization, 1095C, 1285C
tert-Butylhydroquinone, 2129C
Tetraethoxysilane, 1421P, 3172P
3,3′,5,5′-Tetrabromo-2,2-bis 4-(3,4-dicarboxyphenoxy)-phenyl}propane dianhydride, 1673C
1,1,1,2-Tetrafluoroethane, 2771P
Tetrafluoroethylene, 3991C
Tetrahydrofuran, 3447C
Tetrahydrofurfuryl methacrylate, 3730C
3,3′,5,5′-Tetramethyl-2,2-bis 4-(4-carboxyphenoxy)phenyl}-propane (**TBCAPP**), 1997C
Tetramethyltin, 1053C
Tetraol, 2347C
Tetraphenyltin, 1053C
TGA, 2061C, 3899C
TGA–FTIR, 3943C
TG/FTIR, 4582C
Thermal analysis, 1135C, 4356C, 2404P
Thermal and tensile properties, 835C
Thermal behavior, 645C, 1673C, 4140C, 1P, 1095P
Thermal characterization, 1569C, 3187C
Thermal conductivity, 3359P, 3368P
Thermal cracking, 4582C
Thermal cure, 4616C
Thermal curing, 1103C
Thermal degradation, 4126C, 497P, 647P, 2404P, 2601P
Thermal degradation mechanism, 2747C
Thermal diffusivity, 745P, 1069P
Thermal dissociation, 609C, 1815C, 4478C
Thermal expansion, 937C
Thermal expansion coefficient, 311P
Thermal iniferter, 4610C
Thermal initiation, 2692P
Thermal isomerization, 1555C
Thermal latent initiator, 127C
Thermal polycondensation, 683C
Thermal polymerization, 2055C
Thermal properties, 805C, 1789C, 3598C, 3687C, 3991C, 867P
Thermal property, 1095C, 4591C, 3257P
Thermal stability, 135C, 937C, 1755C, 1805C, 2105C, 3071C, 3269C, 3441C, 3702C, 4184C, 4546C
Thermal stimulated discharge current (TSDC), 1057P
Thermal studies, 3285C
Thermal transitions, 1609P
Thermally degradable resins, 2991C
Thermally reversible chain extension, 4390C
Thermally reversible crosslinking, 4390C
Thermally stable aromatic polymers, 2334P
Thermodynamic control, 2685C
Thermodynamics vs. kinetics, 1469P
Thermoelectric power, 953P
Thermogravimetric analysis (TGA), 3943C, 4616C
Thermomechanical analysis, 4616C
Thermo-oxidative degradation, 647P
Thermooxidative stability (TOS), 3943C
Thermoplastic, 4140C
Thermoplastic elastomer, 1C, 2285C, 4402C, 976P, 3233P
Thermoplastic elastomer gel, 1863P
Thermoplastic polyimide, 11C
Thermoplastic polyurethane, 4126C
Thermoplastic polyurethane elastomers, 835C
Thermoplasticity, 2499P
Thermoplastic/thermoset blends, 473P
Thermoprecipitation, 2977C
Thermoreversible, 751C
Thermoreversible gel, 667P, 2287P
Thermoreversible gelation, 2207C
Thermorheological complexity, 127P
Thermosensitive latexes, 1823C
Thermosensitivity, 1393C
Thermoset, 1103C, 751P, 1911P, 3071P
Thermostimulated currents, 3504P
Thermotropic copolyamides, 363C
Thermotropic copolyester, 2371C, 3710C
Thermotropic LCP, 1703C
Thermotropic liquid crystalline polymer, 211C
Thianthrene, 127C
Thickness effects, 997P
Thienylpyrrole polymers, 461P
Thin films, 2239P
Thin polymer films, 2862P
Thin-film polymerization, 3084P
Thioester, 3871C
Thiophene-capped poly(methyl methacrylate), 4218C
Third-harmonic generation, 3545C
Third-order nonlinear optical susceptibility, 3545C
Three-dimensional refractive index, 3473P
3-D numerical simulation, 805P
Tie molecule, 357P
Tikhonov regularization, 3494P
Time–temperature superposition, 127P
Tin tetrachloride, 3694C
Titanium, 1083C
Titanium catalysts, 1053C
Titanium tetrachloride, 1629C, 2285C
Titanocene, 1465C, 3385C
Titration, 1303C
TMA, 2673P
Toluene diisocyanate (TDI), 1815C
Topological asymmetry, 857C
Torsion, 1949P

Tortuosity, 473P
Toughenability, 2137P
Toughening mechanisms, 2137P
TPA–PPV, 2587C
Traction, 1131P
trans Naphthalisoimides, 3523C
trans-2, 3632C
Transcrystallinity, 523P
γ-transcrystallinity, 2534P
Transesterification, 2087C, 4038C
Transesterification product, 2960P
Transformation, 2755C
Transition behaviors, 1633P
Transition metal catalysis, 3003C
Transition metal catalysts, 4135C
Transition metal chlorides, 301P
Transition temperatures, 363C, 761C, 3710C
Transmission electron microscopy, 919P, 2229P, 2279P, 3337P
Transport numbers of various anions relative to chloride ions, 793P, 1773P
Transport properties, 173P
Trans-4-methacryloyloxyazobenzene/Vinylidene Chloride, 3179C
Trapping, 2569C
TREF, 539P, 553P
Triad sequence, 2525C
Triarylsulfonium salts, 4241C
Triblock, 3488P
Triblock copolymer, 825C, 2595C, 3748C
Triblock poly(caprolactone-*b*-ethylene oxide-*b*-caprolactone) copolymer, 3288P
Tributyl-stannyl ester of silicic acid, 4226C
Tributylstannylated silicic acid, 2363C
Tricaprylylmethylammonium chloride, 3504C
Triethyl phosphite, 4043C
Triethylene glycol dimethacrylate, 2899C
4,5,5-Trifluoro-4-penten-1-ol, 3991C
Trimerization, 699C
Trimethylene carbonate, 2179C
(Trimethylsilyl)dimethylamine, 1549C
2-(Trimethylsiloxy)ethyl methacrylate, 1597C
2,3,6-Tri-O-methylcellulose, 4019C
Trioxocarbenium perchlorate, 3401C
Triphenyl phosphite, 1183C, 1435C, 3575C
Triphenylphosphine, 713C, 2413C
Triphenylphosphite-activated polycondensation, 3530C
Triplet lifetime, 47C
Tripolyphosphate, 1551P
Tryptophan, 1035P
TSC, 227P, 3494P
TSDC, 227P, 3038P
Tubular morphology, 1443C
Tungsten catalyst, 277C
2-D HSQC-TOCSY, 551C
2D-NMR, 533C, 721C, 4019C
Two-stage crystallization, 2269P
Two-step synthesis, 189P, 199P, 209P
Tyrosinase, 729C

UL-94, 3903C
Ultimate properties, 1677P
Ultracentrifugation, 335P
Ultrahigh molecular weight polyethylene (UHMWPE), 3309C, 1503P
Ultrasonic spectroscopy, 2601P
Ultrathin polymer film, 1903C
Uniaxial orientation, 605P
Uniform polyers, 245C
Unsaturated polyester resin, 751P, 1677P
Unusual spherulites, 575P
Uralkyd resin, 4302C
Uranium, 3936C
Uranium extraction, 3169C, 4117C
Uranyl ion, 3169C, 3936C, 4117C
Uranyl nitrate, 4043C
Urea, 1789C
Urea–formaldehyde resins, 995C
Urethane, 1609P
Urethane acrylate resin, 3568C
Urethaneurea, 2586P
UV absorbance, 1331C
UV absorption, 179C
UV curing, 77C, 4241C
UV light, 2489C

Vacuum ultraviolet, 357C
van der Waals instability, 2013P
Vapor phase silylation, 1549C
VF_2/VF_3, 19P
Vibrational spectrum, 2093P
Vinyl acetate, 589C
1,2-Vinyl addition, 2823C
1,2-Vinyl addition polymerization, 2841C
Vinyl benzoate, 2803C
Vinyl copolymerization, 1293C
Vinyl ester, 2677C
Vinyl ether, 771C, 1931C, 2923C, 4007C
Vinyl ether monomers, 4241C
Vinyl ferrocene, 4090C
Vinyl monomer, 2121C, 3419C
Vinyl polymerization, 2055C
Vinyl polyperoxide, 4033C
Vinyl–ester resin, 725P
Vinylbenzyl chloride, 4043C
Vinylbenzylphosphonate, 4043C
Vinylidene flouride-trifluorethylene copolymers, 2996P
4-Vinylpyridine, 1709C, 1773P
Vinyltrimethoxysilane, 1017C
Viscoelastic and plastic behavior, 1131P
Viscoelastic modeling, 907P
Viscoelastic property, 621P, 701P
Viscoelastic scaling, 2771P
Viscoelasticity, 389P, 399P, 2373P, 3071P, 3319P
Viscometry, 335P
Viscosity, 1331C, 1341C, 2211P, 2221P, 3307P, 3429P
Voids, 3328P
Volume phase transition, 2667C, 2634P
Volume resistivity, 1899P

Water, 1969P
Water association, 769P
Water clustering, 691P
Water clusters, 1587P
Water content, 1265C
Water glass, 2363C
Water sorption, 691P, 1165P, 1587P, 2893P
Water uptake, 4205C
Water–polymer interaction, 1165P
Water-soluble cyclopolymers, 901C
Water-soluble polyamides, 983C
Water-soluble polymer, 1501C, 1597C, 1533P, 2127P
WAXD, 83P, 605P, 965P
WAXS, 1687P, 3411P
Weight-average molecular weight, 3087C
Wet spinning, 1079P
Whiskers, 3532P
Wichterle, Otto, 1221C
Wide-angle x-ray diffraction, 561P, 661P, 1715P
Wide-angle X-ray scattering, 3401P
Willgerodt–Kindler reaction, 1737C
WLF equation, 621P

Xenobiotic, 303C, 2773C
XPS, 95C, 2191C
X-ray, 605P, 2420P
X-ray absorption, 1787P

X-ray diffraction, 3845C, 4100C, 1197P, 1601P, 2303P, 2544P, 3473P
X-ray photoelectron spectroscopy, 2489C, 2297P
X-ray scattering, 1421P, 3141P, 3438P
X-ray single-crystal structure, 1425C
XRD analysis, 1755C

Yield, 2651P
Yield value, 1787P
Yielding, 1131P
Yielding deformation, 357P
Young's modulus, 523P, 3359P

Zero shrinkage in volume, 4502C
Zero-phonon absorption component, 2173P
Zero-shear viscosity, 879P
Ziegler- and metallocene-catalyzed ultra-high molecular weight polyethylene, 1921P
Ziegler–Natta catalyst, 219C, 2795C, 4255C, 4273C, 4281C
Zinc chloride, 3694C
Zinc glutarate, 1863C
Zirconium, 1083C
Zirconocene, 37C, 1465C, 1987C, 2439C, 3899C
Zn(II), 2727C
Zone axis, 2156P
Zone drawing, 991P
Zwitterion mechanism, 699C
Zwitterionic polycondensation, 435C, 445C